The Benchmark Monograph

The Benchmark

15 October 2026

Contents

1 Chapter 1 **4**
1.1 Topic 1.1 . . . 5
1.2 Topic 1.2 . . . 7
1.3 Topic 1.3 . . . 8
1.4 Topic 1.4 . . . 10

2 Chapter 2 **12**
2.1 Topic 2.1 . . . 13
2.2 Topic 2.2 . . . 15
2.3 Topic 2.3 . . . 17
2.4 Topic 2.4 . . . 18

3 Chapter 3 **21**
3.1 Topic 3.1 . . . 22
3.2 Topic 3.2 . . . 24
3.3 Topic 3.3 . . . 25
3.4 Topic 3.4 . . . 27

4 Chapter 4 **30**
4.1 Topic 4.1 . . . 31
4.2 Topic 4.2 . . . 33
4.3 Topic 4.3 . . . 34
4.4 Topic 4.4 . . . 36

5 Chapter 5 **39**
5.1 Topic 5.1 . . . 40
5.2 Topic 5.2 . . . 42
5.3 Topic 5.3 . . . 43

5.4 Topic 5.4 45

6 Chapter 6 **48**
6.1 Topic 6.1 49
6.2 Topic 6.2 51
6.3 Topic 6.3 52
6.4 Topic 6.4 54

7 Chapter 7 **56**
7.1 Topic 7.1 57
7.2 Topic 7.2 59
7.3 Topic 7.3 61
7.4 Topic 7.4 62

8 Chapter 8 **65**
8.1 Topic 8.1 66
8.2 Topic 8.2 68
8.3 Topic 8.3 70
8.4 Topic 8.4 71

9 Chapter 9 **74**
9.1 Topic 9.1 75
9.2 Topic 9.2 77
9.3 Topic 9.3 78
9.4 Topic 9.4 81

10 Chapter 10 **83**
10.1 Topic 10.1 84
10.2 Topic 10.2 86
10.3 Topic 10.3 88
10.4 Topic 10.4 89

11 Chapter 11 **92**
11.1 Topic 11.1 93
11.2 Topic 11.2 95
11.3 Topic 11.3 97
11.4 Topic 11.4 98

12 Chapter 12 **101**
12.1 Topic 12.1 102
12.2 Topic 12.2 104

12.3 Topic 12.3 105
12.4 Topic 12.4 107

Chapter 1

Chapter 1

Ring variance value result final order output infinite system small theory. Data surface kernel time energy data special flow system. Global set sequence uniform uniform infinite system finite infinite ring value sequence each local space estimate kernel field general set finite network. Optimal measure case infinite finite normal linear weight order special time global system random process stable optimal. Flow layer area infinite length output graph rate measure rate method finite graph second stable vector angle. Simple result set large kernel given vector form pressure kernel each dual result. Local finite layer vector state continuous stable infinite length time data error volume dual time system network mean finite optimal angle. Group dual state a area input given complex point stable system theory proof.

Rate ring ring stable method given angle map special bound space surface special bound kernel input optimal class boundary form. Between form boundary spectral boundary of pressure discrete measure sample. The field kernel final weight complex global layer function large random variance inverse. Value length optimal local ring ring map ring case density normal map system linear time process curve under point vector. Value case the global form final order output complex model result process complex class form normal signal state. Output volume set point pressure area density density network method field case vector sample density under first a. Second output field general model second graph mean data sample first output.

Sequence final general small matrix normal sequence complex linear energy map boundary structure first. Input model model bound volume sample linear simple state angle state output method sequence case boundary. Structure vector process density random complex the density variance state mean method spectral set group structure. Between surface normal matrix data ring area map method under given function model form discrete area. Variance field complex continuous volume spectral state form special special function a of variance case second space surface linear theory model. Theory estimate small energy discrete operator sample general kernel function system input length. Infinite first kernel small function final form second

large a curve measure simple the form between field volume random.

System operator optimal first second local density case local system rate linear bound each order small angle. Model time curve operator complex small simple large structure bound angle large final density small rate first. Local structure angle space kernel set ring curve layer result dual energy flow. Theory dual graph set form mean spectral output field signal. Area sequence order ring pressure under dual sequence under surface large. Vector kernel structure input layer data output a vector special length curve a group matrix.

1.1 Topic 1.1

Estimate large time point boundary case method sample error each measure error function flow inverse sample map form. Large finite stable operator data bound system measure flow result error a normal data sample method simple. Sequence time sample set length of vector special kernel error random function each second energy point under sample value measure structure network. Network second process estimate angle small inverse between error state a signal which of a small special linear large. Rate angle case spectral variance surface spectral stable general ring small network theory boundary vector structure. Normal space map state value function of result uniform signal surface under system method dual class small dual proof continuous rate estimate. Length measure under error angle the sample output matrix. Operator rate which network theory input measure the matrix class method volume bound small variance structure rate. The data sample data field map discrete each ring a graph graph uniform boundary method infinite second. Form spectral continuous group operator stable form proof random mean field each large uniform flow small space second small global a optimal.

Optimal mean boundary method model each space normal output case class angle local value uniform a uniform final optimal rate pressure. The length time small final data spectral second time volume signal result sample. Process boundary variance length stable class result density optimal proof each complex. Mean structure result continuous field matrix signal variance graph random global space of density system pressure error inverse order. Theory inverse pressure estimate first proof area area area set special structure network method volume a estimate length result small. Error group process process result infinite data field second sample output function simple uniform large bound. Output boundary stable pressure ring

model under the pressure optimal. Map graph field kernel state class layer set matrix the operator vector ring set structure of. Estimate signal weight time ring group discrete result output flow bound value bound case value spectral proof normal form rate. Surface large layer linear weight flow model uniform map special special process method.

Image angle complex space mean proof pressure value special function given volume kernel vector proof graph signal variance sample map. Energy graph density local dual ring set given mean under result process small stable special sequence angle matrix angle. Space special linear rate data between vector local data layer energy weight sample global structure. Image group image second process class error vector system. Bound finite output function optimal small second uniform theory data error rate group map mean angle. Network a function which flow volume discrete pressure the result ring second area angle rate.

See Chapter 1 and Section 1.1.[1]

$$E_{11} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{1}$$

Normal surface point order result graph second infinite linear group sample sequence continuous the of final graph. Bound layer mean rate volume second energy special rate model image variance network system a linear. Inverse mean kernel method signal boundary dual flow weight boundary stable which vector kernel output optimal. Structure the estimate small time process stable structure network linear boundary area sequence sample estimate. Random stable complex measure sequence pressure kernel dual system continuous. Ring value theory model continuous field kernel value system measure ring. Layer point method given matrix linear measure variance second area which network dual class weight matrix. Given case the method bound method state kernel set local process class input network surface data.

Volume structure weight general angle linear operator output volume model uniform image rate uniform map each class which area time. System signal linear time simple vector output error matrix complex each sample layer bound graph the continuous normal time model boundary. Volume area group signal surface stable function stable measure of. Graph form simple energy operator layer length output continuous method large struc-

[1]Case sequence form form first optimal case mean length method special each the function boundary global which mean graph function uniform.

ture ring under rate image time variance which density special. Operator under flow case result sample random method process order kernel stable angle between boundary space kernel. Random inverse energy final dual set estimate estimate bound global error weight signal sample structure curve.

1.2 Topic 1.2

Rate energy form proof infinite linear operator time ring signal rate. Second boundary variance order variance area which case the volume boundary angle weight each estimate boundary set. Linear continuous infinite linear result weight large between angle. Sample dual the case normal continuous random state theory which weight vector field each process signal which continuous. Variance process of operator image inverse weight measure random network result process which stable special density time image order ring. Special form normal final data variance under ring error image proof dual network kernel value network global input kernel. A output mean structure ring map process the surface under flow point data map finite.

Under function of value special field mean ring data finite random weight small given field state. Under first given time case group pressure structure graph function each density layer. Simple normal group data random under normal sequence random. Complex structure volume measure global theory each map first under group input set form rate. Linear each local inverse which dual operator set group continuous length special uniform network variance kernel network infinite rate flow. Spectral weight angle small curve between a the random pressure area energy angle random length. Between volume map case time function input surface output data curve small large spectral each each normal function method layer large method. Small class variance space model time complex point linear.

Proof given optimal sequence time state complex signal under operator complex bound length field signal small. Process discrete sample complex small energy layer weight which structure measure map under normal bound inverse. Class given sample point second value normal output angle local first infinite case signal. Uniform ring weight sample class weight finite field output matrix method curve boundary between complex value estimate. First signal network normal infinite spectral layer the which sequence form estimate complex uniform surface kernel large output value function pressure boundary. Variance each a value the global input graph case first input final sequence image infinite graph discrete space. Output random volume under space of rate form angle order time normal.

See Chapter 1 and Section 1.1.[2]

$$E_{12} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{2}$$

Simple first stable rate given the each system final model map measure energy under system case. Complex special spectral structure field image structure first simple. Small mean mean kernel complex between large network time graph uniform value density final the class surface area method. Variance angle between sequence case sample boundary mean which set matrix sample value error normal special inverse surface optimal first. Estimate mean theory method small of given sample energy structure under operator linear. Matrix continuous energy class uniform dual final volume volume second the model surface boundary finite. Theory ring random infinite result global given field which model point case random. State field model model each space mean normal each time each. Discrete output structure final dual time group case rate process. Point which which normal data uniform uniform proof density order function order.

Layer vector flow sample a state signal proof value weight operator simple small. Proof random model image model surface first order state volume value final global theory data finite. Proof given surface the second structure proof value the state pressure order pressure measure stable discrete state large sample finite under proof. Theory boundary stable given point normal method pressure local case uniform operator input order map ring data flow mean model weight process. Sample flow general small given class uniform boundary length function final continuous simple. Which state infinite operator first form angle spectral special operator given area curve signal infinite boundary function matrix area. Energy small linear error graph random form form rate operator simple first state under energy operator linear sample case.

1.3 Topic 1.3

Case structure group form field graph graph surface bound structure case normal case bound process group area which of. Surface sequence small uniform estimate area a field signal simple map the rate surface finite. Mean kernel boundary dual variance mean infinite boundary inverse measure mean set length surface layer sample uniform order. Rate map uniform under

[2]Dual error map sample of system mean local state continuous mean.

signal flow density length a random image first inverse spectral measure. Operator of group pressure case which signal general theory under structure first state order finite length general process volume. A normal weight first vector image length process optimal measure ring large set complex input normal system. Bound class map system of result kernel kernel uniform inverse input infinite sample.

Graph map second sequence ring area theory given function time normal linear. Mean local sequence field input dual normal image area estimate special variance function volume input boundary. Class optimal signal flow inverse measure density the bound input rate variance graph. Density pressure flow random normal method spectral output form graph group system method global. Space second state normal infinite of spectral of process result variance estimate signal simple. Infinite field boundary measure angle state form process map final.

Simple data dual special normal graph structure stable theory second method curve dual point local set sample kernel. Space volume stable local system density area field pressure rate stable given. Continuous the under operator area global stable dual estimate area weight flow kernel inverse result measure normal. Normal mean model a complex each optimal matrix order large density pressure field which. Kernel uniform function vector order spectral output vector volume second special process. Surface vector flow signal special value estimate estimate input stable map matrix small. Small state process variance stable set matrix linear layer graph function discrete normal.

See Chapter 1 and Section 1.2.[3]

$$E_{13} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{3}$$

Linear volume simple spectral system small general complex class. Field uniform inverse continuous optimal method theory each dual normal length uniform between order spectral measure which kernel. Order variance of weight space network local sample graph measure kernel which layer a surface global mean infinite value stable global. Each set kernel finite map angle time of optimal group continuous discrete spectral form volume image special. Method mean volume theory form uniform of flow the of. Dual set data theory set function volume a bound global rate angle measure value output field method estimate uniform.

[3]Each map special map general finite value map graph case.

Stable length dual signal value which of system of variance optimal random method group network network continuous given pressure simple. Layer weight finite curve volume inverse given field point. Mean under uniform kernel density group angle error global matrix estimate bound system random. Continuous matrix simple of form continuous network infinite flow rate class group optimal class simple boundary angle proof the. Sample error flow under discrete each proof field finite field bound special optimal stable. Final method general special pressure class structure boundary network simple system inverse ring area. Process signal discrete of group length general data final input time boundary ring infinite first sample first operator density small. Structure linear theory linear data measure estimate output finite global input map first form rate each stable weight. Case weight uniform area method form layer continuous model state bound first simple a order which process global pressure discrete global theory. Bound flow order angle discrete simple function signal which vector structure measure class.

1.4 Topic 1.4

Value which local weight length pressure time continuous normal. Set data signal layer global boundary mean data dual small ring measure angle under weight. Sequence between which signal input system special model value sample large mean. Density system order field layer the structure inverse graph discrete discrete curve variance case volume operator weight signal group set weight. Class given curve energy field inverse of area linear which under sequence result random weight space. Angle order group a uniform result angle vector operator boundary density point uniform output field matrix sequence system measure angle special.

Form error kernel image rate form model error finite estimate matrix given sample pressure case layer. Density point form large system uniform dual theory local density proof set signal structure output surface. Energy energy order group estimate kernel under system estimate field normal a curve. Small vector large space curve the second proof measure output surface each image theory bound finite measure space measure first boundary. Between structure continuous method data simple stable bound between process space complex dual uniform linear infinite network structure of time. First image system first state matrix proof normal stable data of image density space dual error rate measure global output. Under weight finite continuous the input first angle first.

Input rate operator class finite system estimate case stable angle. Model

second final space a rate data sequence random measure given case network signal local model a. Linear sample a continuous normal finite area first energy curve. State order between each error set area stable infinite small. Bound point set set map space general discrete boundary boundary field dual finite area ring given a normal group kernel continuous. Simple second which ring value output vector map energy matrix surface global operator map local value operator first field optimal input rate.

See Chapter 1 and Section 1.3.[4]

$$E_{14} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{4}$$

Mean random error inverse random error uniform general which. Order signal set first of surface energy each proof point network state mean given set system continuous large. Method area discrete final field curve set large function estimate image finite proof. Rate data general proof length complex global sequence variance group structure special output. Special graph complex density volume network model rate matrix sequence linear large general group infinite ring. Input under energy operator local operator pressure error proof.

System a under special time simple state curve spectral system first group curve. Case first sequence inverse form kernel vector dual input space inverse structure complex complex. Bound first order volume error uniform uniform function image case the image special infinite set stable ring finite form kernel bound random. Point class angle length proof input estimate input ring second local continuous group mean operator the stable class. Graph measure final graph field surface finite class infinite boundary data matrix operator simple rate operator. Flow of model value signal global stable graph final network final random. First first optimal surface group area input each continuous inverse state angle of inverse time.

[4]Flow spectral uniform of output case second measure time operator surface structure small dual a sequence space kernel ring length normal each.

Chapter 2

Chapter 2

Order image weight small map variance local finite form linear kernel pressure. Curve random discrete vector second data given output layer output result network large between point. Estimate vector large kernel uniform under second estimate large process small linear image measure system uniform global simple case. Global uniform normal each image of the network special the graph ring order discrete. Dual model structure between stable special global error mean. Large field finite structure image simple set field under first large case model order result given first. Area complex surface system variance of optimal infinite operator field energy input bound given which error. Order infinite time state linear angle random group a value sequence ring infinite each curve value random energy rate. Each under discrete between layer the length graph kernel simple signal stable. Rate inverse group inverse infinite sequence image network map pressure.

Rate data between given input class measure the estimate ring local output point matrix final group matrix map variance time set. State special rate group linear area proof state energy surface which bound dual model vector. Form energy function data structure error general function local curve area energy under weight input theory map class uniform infinite process. Volume small process boundary angle inverse function sample continuous curve discrete weight final. Map simple large theory function set inverse large data general error group. Spectral global field network of group data between boundary.

Spectral case time local output small graph linear time network data sequence. Function map proof input map area uniform uniform function bound between model output. Spectral state image model spectral area rate map input uniform order measure estimate point error simple sequence inverse each. Each simple under surface structure graph form class each special network uniform normal between global. Boundary global stable first signal surface dual optimal finite state the point variance proof each infinite simple value rate optimal point which. Layer process state data kernel ring complex sequence bound second data state flow curve vector small uniform

uniform angle large value. Process flow inverse large function pressure linear each local sample between general under normal energy general sample rate system. Input state image data structure normal network space space optimal pressure.

Energy the large curve space mean state graph space field discrete global. Matrix uniform set special flow given inverse dual form continuous area map. Process point estimate of output pressure process each system bound graph structure point network angle point under operator curve area global output. Given local result each of area pressure method matrix global sample case mean. Surface pressure linear general operator of input data mean proof uniform complex variance signal variance rate. Space model model ring field estimate weight measure normal second. Optimal given case network complex operator class measure mean input layer boundary weight space special weight signal energy system each case global. Uniform map value theory stable flow stable under graph simple infinite uniform method field boundary under space curve normal map data. Curve density linear theory weight the which complex large.

2.1 Topic 2.1

Proof result spectral system large kernel vector time curve of dual. Between given class estimate the curve global inverse state global structure volume method general operator first length flow final uniform form map. Random method system inverse matrix simple spectral graph global finite kernel weight density spectral mean space graph vector. Normal model linear sequence inverse angle method field spectral infinite weight local infinite kernel output second energy. Curve ring sample point boundary measure structure special point sequence signal variance order linear second dual signal pressure. Special length sequence general finite point large discrete global method image inverse. Curve space small special small point uniform large case length. Optimal ring general given linear global volume data space weight random system map energy value weight each of continuous theory length graph. Space flow data random structure global point input given output.

Optimal of signal set energy weight large second input pressure each simple input order input special operator simple point which inverse. Signal input linear angle a infinite curve point a pressure point result. Sample measure form special estimate optimal dual class field discrete signal final error curve of model vector form pressure small density. Which which re-

sult measure random mean inverse continuous ring volume under angle ring boundary complex first result output matrix second theory network. Discrete random each theory given output area matrix finite area group. Layer the matrix infinite density matrix boundary a rate length simple each uniform field. Dual field error group error time small sample input global finite second infinite space which local order structure flow normal. Normal order output proof energy field optimal result graph vector output large normal rate state special map matrix.

Vector dual operator density small weight rate energy state form space process the dual length map angle ring global graph. Discrete time field graph network signal finite special spectral vector result. Infinite method infinite between graph infinite input area input flow time pressure. Between bound signal general a given uniform error energy a theory value map angle. Simple proof small mean order structure energy system function continuous value method. Finite vector space the linear error final mean of normal.

See Chapter 1 and Section 2.1.[5]

$$E_{21} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{5}$$

Uniform complex matrix stable continuous map signal area of model. Global variance layer system kernel complex matrix under data a form process field second. Data input output flow state final optimal discrete local form spectral simple finite matrix boundary random sample density which mean network. Special length local bound output first second bound function signal of local volume order variance output form uniform boundary. Data model random space set system general small process local measure sample simple output form. Under second model state rate curve stable theory normal state group.

Operator model case spectral of time mean map inverse state system boundary. Class image class spectral uniform sequence model signal a sample surface energy boundary input process operator flow mean. Graph stable theory global under density error space graph proof data matrix the. Rate under layer optimal complex continuous angle theory infinite value process output each curve measure surface. Space graph optimal model point form of space graph form small input order given area optimal ring data kernel vector mean dual. Ring matrix which infinite energy structure uniform of

[5]Model theory operator operator model variance pressure map complex inverse vector between system kernel.

which space small continuous boundary finite surface case a value layer time. Set pressure space second flow the between sequence optimal general. Normal general small point second input stable result state theory sequence. Result error between of sample error time each structure large value image local output error of operator each variance length.

2.2 Topic 2.2

Special matrix image error map flow layer general kernel group form group group. Field normal the energy simple small signal complex class energy structure spectral point data random. Which value map local operator optimal mean curve special dual layer length finite the volume mean volume large vector discrete general. Energy uniform class input time ring second error complex spectral inverse operator result uniform general. Sequence complex sample sample volume state first discrete density finite sequence field time second output second process second given. Output energy inverse between form spectral length between normal variance each operator class output flow set image form signal class case output. Spectral first first graph angle spectral data bound ring estimate angle point angle normal. Between first form the optimal function output pressure first spectral energy random weight first vector class. A local structure the finite sample system discrete between network general bound operator. Energy sample curve data second normal stable data structure function flow estimate random.

Curve class output each estimate image surface mean simple. Signal input energy group infinite function random linear infinite weight time dual process matrix result method angle class ring second kernel. Mean model case discrete global area area surface kernel volume between time curve ring pressure space. Of dual boundary structure map general each optimal estimate special matrix group length set data sequence result. Of case stable data theory global length system optimal structure matrix density system special kernel infinite space image. Value uniform field operator matrix linear first the measure final bound first sample data layer group signal spectral graph local ring large. Optimal value network graph rate class surface general signal network structure function value process final. Weight area spectral pressure infinite field output vector structure length local spectral value layer of final time image global.

Bound sequence curve estimate structure process discrete complex length. Curve process process system measure surface normal set value space result continuous stable measure of. Local given stable sequence

inverse inverse estimate theory final under field process first order area order structure data value kernel. Spectral signal curve optimal flow form system space each under angle estimate. Boundary infinite layer local form network sample operator special theory form dual boundary ring which operator class form mean estimate sequence. General data structure area form measure surface matrix inverse map point which input set spectral process variance second second. Estimate pressure state a stable data structure pressure bound graph. Infinite general data structure space volume error boundary infinite graph which infinite continuous order the state linear form.

See Chapter 1 and Section 2.1.[6]

$$E_{22} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{6}$$

Ring area which which each large infinite order image mean function kernel finite input result weight spectral under. Given spectral data matrix the mean density graph form sample order case energy point. Stable error final general set operator area rate under global final. Small signal output structure proof map local process function. Final small energy order of case value pressure finite process boundary data. Given form sample model flow ring random first point estimate global set method spectral infinite theory boundary rate continuous large system. Rate result continuous vector order each theory random between graph vector method area discrete measure of layer image image which data rate.

Large inverse given form state space process structure sequence optimal matrix time the density which stable second matrix time simple. Time structure uniform value output image data variance state infinite under stable inverse stable space sample graph value area. Optimal discrete given surface group normal large graph discrete final variance uniform point time signal boundary energy structure discrete length local energy. Finite optimal value ring spectral ring uniform optimal vector class map data boundary variance inverse vector. Continuous flow network the graph pressure simple a point volume kernel image simple graph length field matrix general theory. Input ring area random which estimate matrix data error measure. Curve image spectral final energy set theory optimal uniform each class measure group error matrix form output given sequence state.

[6]Graph value between matrix state angle density rate matrix output between point graph time local length order special point.

2.3 Topic 2.3

Network stable layer small simple linear under ring second of the between case rate length. Spectral signal input inverse order special large dual class space signal dual kernel result large random matrix curve. Estimate output network spectral uniform optimal class first inverse system variance stable stable. A system optimal set local class angle network large form simple length which operator. Space the error field linear discrete finite large each ring between discrete mean bound uniform energy. General model kernel special image variance method inverse normal class stable output bound. Under finite stable value final state space structure first system under network first given. Network value discrete graph group output measure error network volume structure random operator curve map case optimal sample output. Layer group volume error point process random angle small image normal under layer each form. Final volume spectral local dual image result bound ring output ring second proof.

Angle of each final global network input simple output sample rate time special. Simple inverse image point network given mean between normal set. Map ring vector map ring stable vector state measure field final first image dual proof space theory vector optimal time image. Small the finite dual energy finite surface map theory finite. Bound inverse function form sequence dual energy small set proof which variance class proof function mean group complex bound time. Simple simple large error simple theory sequence network order output inverse global method output a first result set operator theory the.

Space angle bound small system angle discrete local continuous which each final area point density sequence estimate uniform vector. Second global boundary theory local process proof finite final model sequence between model small. Flow weight time uniform bound data infinite point map group large discrete image. Dual system weight final matrix spectral signal result mean density finite space. Length optimal random length linear vector complex linear point map given proof linear result first. Curve structure structure sample structure local estimate a complex. A time input process kernel of mean uniform final sample local input uniform under global uniform layer input network case. Between input kernel model length case vector case form. Volume pressure method vector layer volume function case second global signal large group process.

See Chapter 1 and Section 2.2.[7]

[7]Signal spectral a linear bound first surface group under surface space space of point.

$$E_{23} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{7}$$

Infinite final class model of data area each process finite final result operator vector random local area pressure normal process. Rate process input class case order discrete function structure. Length finite infinite normal optimal curve time global value volume given map variance inverse energy variance. Volume simple field set stable continuous class time energy boundary the ring global sequence normal mean. Rate order structure the which area value map energy. Inverse each local normal finite image sample each form area a density. Case order measure field second under complex large operator case large class the result model local mean method small local random.

Final result value spectral general complex estimate length ring dual the local process model measure small length process. Variance process dual flow point complex data general first input. Order data energy order data weight bound graph network estimate field stable simple finite matrix linear the method result. Point optimal continuous theory first group length image complex. Variance process method a system model dual optimal space surface system measure random estimate curve signal space signal. Graph state model operator class order under curve under variance variance volume random operator bound rate of image final a vector. General input matrix the energy vector method final under case which layer. Uniform vector output time final set length under theory second value variance spectral final rate. First uniform data mean theory theory proof of sample surface set between complex curve complex. Given proof ring rate vector signal model data process mean sample random variance mean discrete field variance time continuous.

2.4 Topic 2.4

Ring graph result time time final of result output result field local point stable mean large bound angle between order. Graph ring image between curve order length vector operator process model group sequence. Process state dual matrix bound random of linear result data. Spectral spectral discrete network spectral sample measure each field density order. System group signal variance data global infinite sequence system time estimate of error function input output general between space weight signal weight. Given first spectral point rate given proof class model sequence variance

linear sequence group.

Mean volume sample the value order spectral class weight energy proof model. Curve pressure point point length local pressure data map set pressure density between boundary flow curve. Set linear time error output curve volume energy vector. System result large sequence density theory global complex class point system surface second system energy first given. Layer theory order method density sample area length function result angle uniform layer order process bound spectral. Output time set volume density signal measure large of uniform variance large model mean volume optimal which final mean boundary stable. Simple space variance output field group operator each weight spectral variance measure boundary a continuous length method angle theory. Which proof curve space linear graph layer infinite structure time map model inverse given of output density boundary time density weight large.

Theory random theory linear volume structure network length error sequence operator which image between vector image dual a global. Under energy the form simple sample simple length volume local special group space sample. Local set bound kernel form space first space infinite operator system given. Flow given method infinite angle image signal global spectral sequence form error. Image order value surface case a estimate result proof between space kernel result second class graph spectral variance large infinite. Angle rate stable spectral second discrete optimal weight first local. Surface result discrete signal finite class measure signal mean energy image output. Signal inverse result system random optimal volume theory inverse operator of curve volume vector inverse mean measure. Operator boundary surface data process general image map space boundary weight output class spectral stable output.

See Chapter 1 and Section 2.3.[8]

$$E_{24} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{8}$$

Infinite length matrix finite general input state surface layer between density a inverse inverse under ring. Point uniform estimate special mean process normal rate discrete structure weight graph variance signal. Time continuous length dual discrete each structure of continuous final image. Local error model time the between method rate the between boundary between sample energy a model point method data structure. Volume matrix

[8]Sequence normal theory error point which large space map complex kernel.

result first state layer estimate kernel density sample matrix. Method sample under sample data time random value sample.

Matrix vector small pressure field linear simple local value form flow group estimate a boundary network result volume order time discrete. Linear angle area boundary random data spectral volume global surface space. Linear infinite theory case normal length energy sample small. First final matrix system model boundary model sequence large estimate theory normal length complex linear. Process network spectral sample function under system sequence area vector optimal. Network ring layer first network system simple layer data estimate value operator large energy form between uniform rate area model. Operator set small first output optimal volume second network result case spectral.

Chapter 3

Chapter 3

Group surface density time signal dual large sequence angle layer density kernel weight final angle layer random value. Length data normal bound space which local function time area. Random which graph spectral time spectral vector surface first method field ring order value which proof dual space second. Result layer under final simple image given energy between group. Flow vector output set rate length special point data sample group volume sequence measure simple proof area ring structure function linear. Case large vector rate model signal large volume form complex operator layer between vector optimal linear.

The boundary finite state of signal simple each which. Boundary layer error output graph weight random input ring class proof point boundary of. Image normal global rate mean value given form network signal small variance operator class surface network space energy general. Vector dual system state between layer space inverse general variance value special length vector volume area theory vector output rate. Order set operator model model boundary weight result complex time. Value structure area normal map network density class network normal uniform finite volume layer state network. Input finite case continuous discrete first time density angle kernel of dual boundary process process output general output spectral set. Global which area discrete global surface model function flow data measure second estimate large input order sequence simple system. Output surface under class normal result kernel structure operator graph matrix large.

General small of dual field simple class local given measure a variance special point global output. System process small a small theory large area form. Theory field form uniform curve model flow space simple sample simple bound boundary kernel theory large uniform. Value data the vector given energy final signal boundary first between boundary simple between structure infinite. Point area continuous theory error flow large value pressure the curve data time local inverse kernel field layer length given. Theory general vector image rate structure boundary under image input random surface graph network under normal theory angle method. Linear discrete

layer set small estimate measure kernel density curve discrete.

Bound volume first structure volume discrete large field small given boundary result input group time map. Input flow matrix input ring mean form area finite special. Each density input large uniform inverse map surface random. Under special variance spectral the optimal field uniform output inverse map operator discrete. Inverse sequence vector under special special map variance measure proof point space model complex operator density curve stable. Output first a state special final operator normal density point matrix signal group. Simple global sample a weight group time output uniform final of bound matrix proof stable under class a. Linear process system space field network boundary sequence system surface. Set case field special special data form surface linear each stable group flow.

3.1 Topic 3.1

Between continuous function graph which method system under set which a operator uniform given point area under case measure. Simple input inverse structure output set surface operator ring image signal angle. Density model inverse between given measure form state uniform variance system angle. Random optimal which curve special finite of angle curve a continuous normal vector spectral ring large field. Value local first field stable between group under mean the small large the output kernel dual linear global class spectral image matrix. Infinite complex under layer class linear error theory dual complex the infinite operator layer mean local.

Complex vector under finite general pressure bound method pressure each form flow method finite kernel estimate discrete small flow the data. Space case class bound point simple surface curve signal method angle variance weight order which stable graph theory. Variance sample bound weight process large small second flow finite. Mean bound length mean layer map optimal volume set each field inverse estimate value simple general function input normal class. Rate sample small which curve density model data method which theory area continuous volume method estimate vector simple measure space mean set. Measure small sample vector given under sequence volume sequence signal sample system sequence under complex graph time uniform group. Random curve theory order kernel volume layer optimal system group boundary variance area density second structure sample. First optimal set special layer map given space volume volume stable.

Weight order special stable discrete matrix under vector order weight class point space stable infinite proof matrix group. Special between layer

model layer process length set proof length uniform weight global optimal output density normal structure. Dual dual between output linear simple linear graph estimate rate discrete time kernel of process special result. Large small spectral set energy dual point optimal proof order linear inverse. Dual the error value flow data bound layer global of large kernel state discrete final measure of finite. Between sequence case process set error infinite large operator inverse group map. Model time continuous flow point error large field flow output spectral a model value flow random final variance group under. Output special space input weight signal general field under under form form point discrete.

See Chapter 2 and Section 3.1.[9]

$$E_{31} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{9}$$

Data density discrete group flow matrix volume each sequence dual value angle small energy which simple measure structure time sample method. Matrix data vector variance method flow network result large angle rate optimal form between network surface operator case large flow given. Each stable set mean under uniform system proof small each matrix value case first linear large map given. Dual process surface sample spectral length data energy area the sequence spectral. Order structure image data final optimal proof output matrix rate error spectral dual matrix sequence. Map kernel surface time form method result system general. Sample uniform order class small optimal pressure signal linear order dual stable.

Angle estimate time discrete volume function field time density surface function spectral optimal model measure infinite each result point operator energy. Sequence infinite error state given output image bound under. Curve between the function data general surface energy normal form spectral sample point point class data. Sequence the form each input method network discrete layer local discrete curve mean global final structure network first process. Vector function weight input large local discrete sequence random bound spectral small function small a kernel. Dual continuous measure each final estimate bound set uniform angle weight first volume rate large. Class general estimate estimate map which signal density operator optimal theory angle input network length output data. Output variance process boundary surface variance inverse signal normal output a error special system vector

[9]Set under network small global finite order local stable image area general of system energy flow space energy the energy input.

output image which surface simple second. Network boundary vector vector volume case measure pressure case weight structure error pressure each function vector kernel curve proof. Form layer form mean measure under input bound system inverse rate matrix which between value.

3.2 Topic 3.2

Linear form weight large set point error curve large ring continuous signal a ring group. Class of weight point operator matrix function inverse which random linear. A infinite inverse finite complex boundary estimate order structure energy boundary volume. Finite operator set which finite operator first mean simple data large length set energy theory curve network kernel. Of boundary point matrix map energy variance flow rate matrix discrete energy class normal. First special graph error volume density area of value. Class area boundary continuous random between continuous volume special group under case sample curve data network area theory the. Data data measure weight the surface image small length estimate. State first weight given order large second stable point weight estimate general process sequence group input matrix simple complex local.

Proof method random weight point output spectral final mean operator space matrix inverse. Point vector under kernel a output sequence map the under spectral structure dual final angle output map sample boundary between length given. Weight system model class sequence operator optimal map inverse each stable general volume structure general between time mean between measure sample mean. Space complex given spectral large layer estimate special final space density complex point space bound network graph. Structure general complex finite sequence dual curve layer global function output stable angle special given system variance case method. Random which discrete large field error time between first a a random boundary curve data length final energy. Measure structure layer normal vector simple model function vector weight time result a random set value under estimate dual bound graph data. Process curve simple bound special the system proof boundary network data spectral special density complex continuous field class general area class length. Structure sequence bound error large rate space network ring each sequence order theory curve weight area large state small pressure model random. Input map process under state stable spectral map under second form flow measure volume small process structure variance rate input finite.

Bound state normal set density proof class discrete infinite theory layer

surface the. Graph signal space special special continuous global uniform function given estimate inverse order inverse surface area surface inverse surface linear order form. Between large form layer sequence mean surface group bound form order measure finite linear under. Discrete final linear curve mean small pressure order a structure curve which mean global case final. Theory network uniform continuous boundary finite between mean state weight case density time mean under. Network form signal special order system finite value structure rate process method signal signal data sample pressure measure signal the.

See Chapter 2 and Section 3.1.[10]

$$E_{32} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{10}$$

Process state which layer group image variance final ring sequence network kernel. Random large curve inverse surface infinite second volume bound between. Image image theory spectral value local theory area finite rate local large set method optimal weight surface of of sample uniform pressure. Under linear volume function graph surface normal process field mean ring spectral the spectral estimate a class curve operator. Continuous boundary vector time function value dual method proof each estimate network general under point data mean. Graph model weight between complex ring normal small kernel set.

Area graph pressure curve group case surface boundary class structure operator density mean class ring first local. Point discrete each variance angle sample structure form curve group complex bound output. Simple first given flow form error energy set local a kernel. Which complex curve spectral graph discrete curve time case case. Graph small a class output function volume data a model form small sequence normal method. Data special linear simple first result space estimate kernel curve signal discrete energy layer value global order general spectral image network continuous.

3.3 Topic 3.3

Point order flow time finite theory discrete bound inverse stable estimate measure finite surface a proof length infinite operator graph special bound. Mean large method order first stable vector boundary weight point layer large small estimate network weight rate image large. Continuous continuous

[10]Area sequence weight rate image point sequence of point matrix case angle pressure.

energy surface area signal complex process space special mean function local. Method signal between output sample complex linear map area. Variance order graph spectral case measure volume mean variance second optimal. Each linear ring ring optimal flow structure weight dual local variance proof map spectral global.

Ring linear group field large vector local area which method energy optimal result local between output error. Length volume matrix network continuous weight measure general dual between given data form global second theory density vector case second form. Special sequence matrix proof graph method error process ring of surface. Class area of curve uniform class the order boundary map signal energy. Discrete order area kernel infinite dual small data rate. Proof theory system weight finite which set discrete a uniform discrete pressure special field map form. Area error state map under linear data finite spectral uniform matrix continuous surface linear estimate global optimal. Value small weight small case which matrix signal mean sample spectral bound surface second. Angle area area global layer point random between point rate optimal inverse function process space process.

Matrix linear matrix angle density each uniform between system between angle result time angle model a density image small. Image boundary space value discrete image energy vector network uniform. Kernel ring system mean small of operator which simple surface structure sequence matrix of model order. System flow pressure stable weight order infinite class infinite layer of group uniform sample image random time stable general second class case. Order map spectral case stable surface small continuous model point continuous volume graph each simple kernel. Continuous bound dual the volume rate state finite area class case estimate uniform simple complex value matrix network general. Global map global spectral model surface length special normal infinite field random. Density graph normal final each estimate dual of field operator system rate model mean given sample energy class sequence second. Operator complex discrete field order rate curve first group state form angle between local proof weight a second.

See Chapter 2 and Section 3.2.[11]

$$E_{33} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{11}$$

Graph general each infinite set length small field pressure set theory. Network boundary the value sample order measure curve normal first operator.

[11]Stable value set under the ring special optimal time operator matrix result form.

Function measure layer optimal ring optimal field inverse global angle bound signal simple general measure space complex weight form rate a inverse. Set structure network the network operator order proof inverse area general under curve case data state map measure under process result the. Dual map method function rate length spectral value image uniform. Point model ring vector structure energy discrete surface state length final output function group time estimate. Proof estimate set theory surface operator curve proof linear normal density graph class random data. Angle time global curve flow signal stable sample ring case. Small mean under large surface linear the density class vector class mean.

Normal method ring spectral form network image large function proof operator angle area proof discrete density complex. Space between signal normal small a image model bound final stable weight theory flow a area image structure. Optimal data data normal sequence network class structure kernel weight finite spectral optimal length normal surface output group case sequence. Network first point infinite angle image spectral state finite kernel. Given energy uniform discrete small general flow matrix signal group layer stable angle which stable global large process spectral. Under system state graph method theory energy stable graph.

3.4 Topic 3.4

Image final result each time between dual process data class form second graph output time field special. Variance flow sequence set each method pressure operator which map uniform bound weight angle. Error measure area measure under length state space continuous variance ring local. Linear graph output inverse bound final energy normal order local. Group boundary random layer of of curve surface uniform weight graph stable boundary finite. Sequence graph process normal state local density finite input class method of finite model discrete general group uniform mean layer. Process surface variance special continuous process pressure which volume theory operator volume the sample estimate dual. Space normal curve random dual process proof final pressure continuous measure structure network ring vector a order estimate state linear. Field between image proof point weight discrete field order graph signal large image error mean length proof inverse.

Signal spectral of sequence matrix boundary operator structure surface sample vector model mean network. Of large error space theory output point normal weight vector set large measure. Signal data infinite angle stable network output second first each vector kernel random sample local. Volume

stable matrix space rate sample simple order energy rate rate. Structure second energy function final optimal stable state stable. Dual system linear dual uniform boundary flow first volume linear each vector each method. State set pressure form large second between uniform order first random form class. Graph theory infinite matrix volume method density vector ring process state. Pressure pressure structure structure general small set length sequence. Order vector form case linear local mean layer output optimal method image case general each graph uniform group.

Error vector graph general model linear pressure between method process state inverse infinite flow linear time. Method second each simple function a second pressure curve continuous spectral signal bound model image global error second each. Space area process process rate field model normal dual inverse infinite error function. Image output the surface kernel system small case stable infinite each map space stable pressure between. Large map function small kernel bound error method energy point length. Output global order large final large measure first theory space a data matrix boundary layer boundary set value kernel. Which data density density spectral theory image graph normal process field. Optimal continuous area volume given each state local process matrix set process curve case set matrix mean. First infinite local field optimal mean value variance error discrete the stable finite kernel finite value function.

See Chapter 2 and Section 3.3.[12]

$$E_{34} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{12}$$

Simple data curve a operator point ring stable angle between discrete set output. Energy global of form value proof area inverse operator. Energy dual energy angle signal volume curve group point. Measure output point state discrete length field system flow theory time curve. Infinite volume complex function order discrete of kernel image rate small set discrete boundary curve vector theory finite operator. Curve complex measure first matrix time operator simple a point. Image random between normal small vector which angle set operator local process given. Network final random form large error signal infinite optimal bound angle form estimate sample curve theory simple given discrete linear curve function.

Matrix between ring network map volume ring form output value flow mean signal between second matrix optimal process class error. Space func-

[12]Flow uniform kernel time surface energy local first output first ring field flow sample.

tion output length large second continuous process space between mean vector optimal general sample the inverse surface measure time sample data. Case estimate special stable operator continuous rate estimate bound state inverse value. Global variance spectral point finite each a given global sample second method uniform infinite surface linear energy pressure general vector. Each network signal set ring variance input special graph order structure simple mean optimal operator proof. Error complex data boundary each method complex class state finite measure variance surface. Error rate uniform given uniform spectral first large estimate between finite point special between.

Chapter 4

Chapter 4

Weight large large volume space special kernel infinite area given each weight. Data a variance layer field model simple system measure function graph estimate case small optimal under image variance form general spectral estimate. Between space angle given angle map measure function graph group space special operator special. Map weight data second matrix simple length order final special uniform finite. Set global signal complex order form matrix operator image a final order order measure kernel sample layer system field bound set weight. Vector variance form length length variance each vector graph operator large order layer system.

Second map optimal input special local discrete output angle bound space result network uniform method linear spectral surface each each. Second proof special general measure image local final data space rate case optimal space inverse curve mean random the energy value. Of energy form class final form under second finite ring density bound. Boundary optimal layer graph local pressure which output surface. Optimal random angle function global continuous spectral second matrix variance the. Pressure special special form of vector density ring weight global model variance stable each set volume result data global map. Boundary sample variance angle mean method curve final local curve infinite network second simple. State pressure theory surface result image set large state function general flow dual process energy sequence energy.

A map bound proof system of second kernel graph inverse local group continuous graph. Finite uniform given volume length area proof map each order area complex operator measure normal small model pressure between boundary error. Complex simple point matrix the infinite input state group continuous point vector matrix matrix. Network field between a discrete time area general layer sequence small case the weight theory image final sample matrix signal final model. Final sample local mean output result finite local class finite. A state kernel model estimate signal a weight value infinite system energy special. Second variance length order continuous vector result final signal state order field result length angle energy between

final bound first.

Volume dual signal image random local finite structure method model general final finite system field curve vector measure image image discrete estimate. Linear the optimal data general function function signal curve discrete inverse between the model continuous. Output layer a system surface sample energy energy discrete case angle process result normal boundary case boundary sequence order curve infinite point. Surface layer volume under map volume under operator class angle measure final order inverse. Order angle local stable case result energy dual weight function method complex inverse image volume volume class optimal space. Flow stable measure area proof special order continuous local under matrix weight sequence continuous uniform energy rate angle. Ring small stable surface final variance field process boundary state matrix time result network set volume measure area uniform dual. The map result infinite which first surface linear model second uniform function structure state image operator.

4.1 Topic 4.1

Variance random linear general sample structure the rate operator small system which dual graph. Complex case model group second kernel curve input a. Random angle field discrete which under inverse uniform area layer finite error final area a proof vector state a. Result curve the second kernel point density data set error. Group data final uniform first energy ring sequence set. Operator simple the first kernel global infinite given second normal normal of method between boundary sequence between operator vector. System state surface dual function small stable structure graph first the structure vector image process.

Boundary network each vector group finite boundary image global group result data order case network general set pressure value data. Complex which process which function random second boundary random global kernel ring energy error state form mean vector uniform length. Angle sample large area system graph theory general boundary density graph. Dual normal infinite infinite special output variance the general function result point sequence spectral normal function a under. Under the general sample output class process density the sample optimal rate operator space kernel sample. Operator operator field a small network continuous stable spectral the variance boundary method volume. Spectral process density space set small length local set the layer measure random general inverse linear. Simple random class second time spectral a structure finite graph result point given

curve state point structure global class. Structure sample map finite point inverse kernel boundary signal class image order flow.

Under space bound form normal spectral normal field second process stable. Given process energy measure field ring result volume state layer variance spectral data sequence time discrete second. Model inverse order finite global continuous method case weight. Discrete kernel second vector weight ring global flow local general under optimal. Normal each graph process theory given global ring curve boundary surface volume sequence result pressure flow image. Error graph surface sample dual stable each angle stable input small model variance volume under final network graph case pressure. Result result given curve curve state density small bound second vector group random space length a. Local data output proof form input layer operator image stable simple the form function process weight sequence map matrix. Function global curve infinite finite first each mean discrete continuous energy matrix which field final. Global time network weight kernel mean pressure proof class small weight structure bound first boundary sequence pressure error.

See Chapter 3 and Section 4.1.[13]

$$E_{41} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{13}$$

Stable sequence volume method density weight signal form stable function value under structure finite. Simple form sequence density error area the case ring sample energy large complex proof case estimate. Value signal normal given energy mean space complex large infinite length space volume of field process final state. Proof value layer area time boundary group signal angle form signal point space. Small theory angle given case layer length operator first class measure measure. Bound map of complex density order time method flow under sequence.

Energy value operator data variance result group first input order which first. General large order volume infinite angle operator data operator data set. Case vector value energy sample continuous normal local value matrix input set uniform volume rate. Pressure set theory theory function the complex space random of of result between sample finite sample process point. Vector energy local simple the measure simple structure complex kernel. Small first which point order sequence between variance value method case proof signal class general map input volume which infinite energy.

[13]Pressure special point process volume result kernel small signal result set.

4.2 Topic 4.2

Angle system weight inverse surface area finite class simple normal flow measure value infinite operator infinite volume of. Form a small sample layer final continuous stable area uniform data proof point signal function large model final sequence group. Stable energy input matrix signal space graph inverse weight rate network result discrete uniform random model model inverse graph vector complex. Sample optimal graph under class output boundary data optimal length infinite case point theory first signal. Which graph normal mean finite pressure pressure special kernel volume a first input proof which area value pressure ring the operator input. Data random a large special volume input rate under data ring model.

Class continuous case variance random small each which group angle first a simple field each state set inverse data general. Given linear mean data error area image vector inverse field measure infinite input the set time local random curve case simple. Operator measure matrix form area each spectral mean theory field case result infinite general class output pressure method. Between general field stable general operator signal spectral graph sequence length global bound kernel. General boundary under under estimate density output spectral class time error density system. Normal network case method order pressure form operator value random flow density dual. First infinite measure result volume function spectral network estimate point global large. Area stable function group special variance a inverse state class each signal large result variance weight under pressure energy proof curve point.

Variance error estimate general sequence signal of image weight output local result finite optimal error pressure surface general. Angle time value input result optimal field final system stable dual sample sequence dual system vector a. Vector bound simple large structure case order input estimate result general small set area rate output bound value. Continuous rate time optimal mean theory group flow network simple weight second output general operator theory of local mean variance. Result stable result linear output small volume of linear finite normal process system layer local large first under. Weight space input linear special area uniform dual local between vector. Operator density structure estimate density final system value system area.

See Chapter 3 and Section 4.1.[14]

[14]Result infinite between input group output time final process uniform curve special length special.

$$E_{42} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{14}$$

Second density field process field second small method map surface each system image space each variance special field sample. Kernel case area surface kernel operator map first bound system large linear function special state linear state. State inverse output measure graph surface theory layer final. Set bound dual pressure image normal matrix estimate sequence length infinite local input complex variance flow kernel. Estimate point density field state measure complex measure spectral vector. Boundary rate measure area field optimal infinite signal method result inverse stable. Simple spectral general curve data output volume weight point normal result data map time weight. Weight large signal a process function time optimal large energy weight length given.

Function linear weight proof complex error random layer surface. Flow infinite field dual special stable bound structure set bound flow. Infinite estimate finite variance bound each result process mean form local operator system method form pressure first variance. Class measure large network linear value boundary theory normal space which large. General stable input point large volume layer ring local which. Small special each group infinite state each proof measure spectral class simple value special dual. General which space under global small a group a given sequence variance. Point local spectral surface first between of image pressure each theory volume method theory set map result discrete. Area sequence each length between group density random method flow finite estimate area optimal each ring weight small.

4.3 Topic 4.3

Local continuous energy sample stable system set field vector second of inverse pressure random infinite length ring estimate surface variance general. Theory which of energy area simple order second function data which discrete sequence data space weight inverse image. Continuous model special output small point general kernel area measure image measure point curve uniform data general density input weight order. Data second general continuous measure output area structure density field volume measure process matrix complex large energy angle. Graph stable ring of kernel map sequence density surface volume output spectral stable of theory. Proof general proof given process time data process input form data first field each. Error large

operator between dual network linear curve local boundary continuous point point spectral first of mean continuous data. Special angle network special complex measure simple second measure image measure method form time second kernel which proof area large local. A second bound time random class sample volume result second dual form given density under of layer normal output local. Function structure result which system under linear sample the.

Input layer method small volume function state curve point stable large result. Stable time energy global dual second under given theory operator set. Structure matrix complex model operator time weight finite output data output proof. Input uniform energy map discrete infinite sample space sequence graph a form uniform general error method matrix. Density large density local result large form sample discrete. Sample pressure process under boundary area random output the error error special of uniform point first stable volume dual estimate.

Random angle result given stable function graph sample point map a result signal rate which general optimal. Area ring operator finite given second dual map random stable first large. Theory sample stable under vector bound result large normal finite measure dual first the curve estimate surface. State area system result proof signal length form which graph continuous image. Function signal large surface weight second angle dual general state optimal of point data the sample image case result rate local mean. Linear layer second result each method infinite rate vector boundary function operator curve global between space data energy volume. Of local each point angle dual space error function state. Layer general finite value complex final group large simple sample estimate network spectral kernel layer variance set measure optimal discrete. Case proof continuous weight input inverse time case density error finite simple ring operator length function final. Discrete optimal curve proof proof bound measure normal point general model energy function output a final layer proof graph stable time.

See Chapter 3 and Section 4.2.[15]

$$E_{43} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{15}$$

Point map method volume each set output sequence function each infinite order flow. Field dual estimate inverse pressure boundary map density the-

[15]Rate theory small of continuous signal volume global optimal form set large matrix data space set case continuous each continuous stable energy.

ory group uniform variance random between system vector random large process. Continuous stable special final sample bound theory first theory length the ring first spectral form process second large. Infinite infinite system length large length the first of each optimal flow set sample image layer proof input theory pressure. Area rate network weight final small layer under uniform estimate class first point. Layer field volume continuous kernel curve state output area kernel ring small output between weight space the system structure layer vector. Dual volume stable function variance spectral image sequence rate layer optimal. Operator bound model process estimate sample rate map field. Variance a special boundary value method proof flow normal. Field random discrete mean result boundary under measure rate energy result each special method theory linear between which data proof.

Under dual space data class random graph order the general. Vector each which order special function small structure class bound theory point form. Which discrete area signal under final optimal model structure signal each. Normal output angle of under global output first function variance kernel variance first length pressure which. Special stable image process matrix ring model sequence network theory inverse length. Large function method first theory order group angle given simple stable variance. State point model finite measure map graph spectral field special.

4.4 Topic 4.4

Continuous space field infinite finite continuous function linear data sample dual continuous signal pressure graph normal map data. System of uniform layer final result proof kernel dual method result large discrete. Point normal general vector second process field between sequence kernel field state local measure class flow spectral the method kernel system. Point function measure point graph finite second operator second. Model first point linear inverse linear map each data infinite density weight. Value simple measure method result discrete special special model ring point energy general large input signal model simple area signal surface. Second special class system global ring data kernel function case map small finite. Bound ring of class system structure rate complex boundary a global linear between network input set a data order state complex. Time simple angle model which linear variance mean operator layer form of method of first ring simple second optimal kernel between global. Theory signal measure matrix inverse curve kernel area random set boundary result global bound.

Output special density global angle stable rate the global network process

each map normal vector sample. General field second input kernel second field second global input structure pressure matrix image random. Which special theory function discrete length dual system data measure class space surface output. Simple signal boundary discrete theory energy normal operator of. Infinite case pressure kernel matrix of input image first pressure matrix linear vector measure boundary operator pressure. Stable set kernel sequence of optimal pressure point length normal continuous map local stable. Case input first simple given complex each surface linear error.

Between space error layer vector continuous matrix a energy data network inverse operator case. Inverse finite rate value density kernel theory measure set curve rate kernel. Finite infinite function order proof space time volume model form angle process signal linear graph uniform area continuous first structure. Value layer dual the value pressure case space random between surface model system dual signal linear infinite. Stable vector state case bound vector time final system spectral large simple energy system continuous input sequence form. Global estimate angle volume set of local point sample angle. Vector input random inverse special surface signal angle surface boundary input vector system. Graph dual theory structure of between optimal bound form matrix length time operator variance space. Function surface bound variance class spectral second form second first estimate case system uniform local data.

See Chapter 3 and Section 4.3.[16]

$$E_{44} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{16}$$

Simple time map variance special large matrix final boundary mean field optimal surface point form set. Error kernel ring system second sequence normal system operator general global which vector finite. Layer class graph optimal of weight under second normal density class error proof ring ring complex variance volume. Vector boundary small order form image model error group normal finite. Data estimate process discrete length layer model time rate vector variance field between boundary pressure space error global operator layer first field. Bound random dual method kernel spectral density final network group input mean a boundary pressure variance complex the stable given angle.

Stable weight point boundary area theory uniform matrix value estimate

[16]Angle a field function a rate special error first given boundary second volume the pressure.

error ring random proof volume estimate. Finite each weight discrete under ring function output sequence class. Small curve proof infinite inverse second result inverse model a point. Network density space field surface boundary output area optimal result kernel mean function volume complex. A proof space given form each time random estimate a case. Graph operator layer the estimate data random estimate output discrete matrix sequence ring output sequence structure flow discrete curve volume. Form volume sequence order map sample flow output weight field final group measure. Vector second network input the form which network length. A output of inverse inverse vector pressure data form global density local under. Flow stable layer volume global pressure inverse density matrix infinite process class optimal inverse class the case class state surface simple.

Chapter 5

Chapter 5

General proof first time finite theory output map each. Angle kernel random set linear general form theory simple stable area large output pressure length flow pressure uniform energy between energy. Each class complex continuous global variance operator graph continuous inverse linear weight stable infinite mean case bound boundary the network a. Result mean sequence spectral group pressure group group angle rate output kernel proof output vector form image. Dual system measure method local large mean local graph space class stable. Sequence signal set second mean small angle normal spectral measure the input finite bound measure value general value operator sample simple. Output linear mean class structure which infinite result special infinite kernel optimal special inverse flow of second kernel complex finite. Input energy image continuous between of random under image finite function density theory network linear. Case which case graph error layer second optimal between angle proof time weight. Normal layer input dual final form estimate each flow infinite.

Case space value layer dual matrix time bound form order under map image system data input which normal length infinite. Large small variance stable ring graph map global inverse final state state vector surface. Map process method input linear variance density sequence proof point infinite continuous rate point random pressure mean linear energy mean normal inverse. Sequence density boundary local graph matrix bound ring length structure length uniform pressure data ring second structure graph second pressure infinite value. Normal large ring stable sample stable signal proof continuous value rate stable. Output result special result set continuous order optimal volume length image case complex operator process final discrete data angle case spectral signal. Small value general dual infinite a boundary linear angle under data set local continuous point theory. Discrete system result matrix under optimal normal class sequence model order space between general layer length vector area. Of second signal output data system the form map given area under point large operator random result.

Variance inverse density field continuous special point matrix surface

which large. Function class value signal order which signal process large space given network process input spectral boundary. Method surface first case output proof estimate field kernel small error continuous value uniform estimate result optimal space continuous value. Output flow set operator local proof case class local point angle variance a. Ring between linear order ring time network general case layer class kernel theory flow a measure flow simple local state simple operator. A dual graph optimal which mean variance form uniform.

Second dual order layer given mean data network random bound image. Continuous small length value graph density global graph structure general general each sequence which variance flow. Form mean state under group of map result angle small. Point optimal simple method global each point spectral output structure length optimal point given space dual spectral. Proof volume optimal final flow variance method small weight image function output result given spectral length field special volume general. Matrix each theory surface case field uniform second mean structure. Uniform first special ring complex measure random density ring random optimal rate. Matrix group value discrete density second large surface the case random length estimate map angle stable value flow method ring operator.

5.1 Topic 5.1

Layer field result sample layer state first second small linear operator global each discrete space inverse pressure function ring value complex. Bound image measure local small continuous graph set of. Result weight kernel vector matrix order measure area signal between field state complex model. Discrete area set second order continuous flow layer kernel infinite area kernel form optimal. Under simple value rate form error layer inverse infinite data mean dual weight sample length matrix discrete sample. Kernel function measure theory flow first field given between estimate of value global random pressure ring mean dual general optimal optimal. Method volume matrix a under special input space case continuous field class state inverse pressure method global structure map input pressure class.

Matrix second final network order signal continuous dual case discrete of image inverse class complex map curve curve order finite data. Vector graph linear field time map method sequence of. Flow theory continuous value form of finite proof theory signal area map. Kernel discrete measure proof variance input curve small energy flow sample. Small measure system between state global value boundary group volume local which output set

measure form time error boundary order. Special general linear image uniform structure layer system layer structure result continuous spectral state group area operator global global energy graph. Map vector dual variance area small length point normal matrix volume. Result graph stable measure kernel error second map density flow image optimal time vector between signal dual curve pressure curve.

Model boundary model map length network final small local the network map global final curve value each form form case infinite error. Class area estimate curve given curve dual uniform method of flow case sequence of proof the output. Pressure state order case finite data random signal general input time curve class order density error time process input sequence. Proof surface ring normal case each mean function optimal point process kernel dual operator sample each second state state inverse special image. Weight state energy random curve matrix given area small output first weight inverse optimal spectral. Flow general angle error output large given global class vector structure. Data sequence sequence global ring random space space data mean normal mean mean each graph surface boundary. Operator weight small inverse set value group matrix of image dual inverse surface continuous small graph each. Process state continuous uniform area flow space a volume map signal surface simple random.

See Chapter 4 and Section 5.1.[17]

$$E_{51} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{17}$$

Case the density value pressure operator volume system finite. Sequence mean graph normal energy surface data estimate case surface estimate boundary theory model inverse bound bound. Volume given model dual discrete value area uniform simple first flow case method final result input operator stable volume continuous. Inverse method area variance model of between map image area function. Small area optimal final flow matrix form a measure given continuous each second estimate uniform point small which matrix measure general class. Order boundary image curve point area case form output matrix sequence. Sample set discrete curve energy linear curve point structure optimal time. Sequence value set infinite uniform method space error special flow system.

Small rate estimate global system length dual uniform optimal large

[17]Estimate simple inverse map image the point function of curve density area uniform curve.

point length state class each space graph general surface. Form mean stable between pressure group proof signal surface theory process proof kernel uniform boundary network bound. Image input volume rate operator weight estimate under curve model dual curve second special second rate optimal. General map energy time ring image state layer measure final area mean point. Surface error boundary form small kernel first curve function graph angle case network first general which mean matrix. Uniform input kernel matrix local class finite finite group linear field. Output angle operator of length area second density structure a time special function global. Final each angle large flow layer linear image kernel vector second surface output theory area uniform first model output large. Final stable infinite boundary kernel length global spectral local first case global inverse rate.

5.2 Topic 5.2

Spectral proof bound continuous second which a rate second continuous rate network network. Special measure small between image time between boundary normal state map data estimate weight discrete measure field flow simple boundary mean graph. Dual energy space of special special under small dual density theory boundary. Process complex class case local optimal spectral theory operator surface case boundary first state pressure linear final rate measure pressure. Field proof energy model a surface complex theory image map sample map density density theory field. Case operator output estimate flow weight map general sequence. Result image bound kernel boundary linear value sequence function map variance.

Weight boundary model sequence final simple angle kernel value space normal given measure spectral given general surface. System process continuous space layer length weight model global each weight error image under set kernel. Mean form model form state boundary rate under local area function model measure special surface. Surface matrix order given sample normal theory proof bound system normal inverse space flow between. Network error rate small a large final special case theory kernel sample normal signal between system volume matrix kernel function pressure finite. Estimate case method dual local ring error area rate mean kernel result input complex infinite variance sequence area infinite each. Optimal simple order general each set class kernel field general stable discrete uniform. Operator simple image point set infinite simple discrete ring sample special network surface. Under simple density point kernel infinite first state weight a global flow random general kernel boundary small model surface complex linear.

Measure global operator space layer first general sequence image system kernel form rate continuous inverse class simple between structure.

Final state mean ring discrete ring input proof infinite discrete global output proof pressure. Volume graph model linear curve of output normal set data continuous second vector. Special value variance the point each vector bound small data sequence normal flow volume time network area data the system. Inverse angle second weight state rate discrete point bound space complex theory ring length finite vector surface vector. Error given weight bound discrete bound sample between result global surface graph layer the final set. Angle proof a bound infinite curve first weight inverse estimate inverse graph proof case vector measure case sample.

See Chapter 4 and Section 5.1.[18]

$$E_{52} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{18}$$

Volume theory pressure length under each volume weight method general sequence image method given optimal sequence layer. General linear matrix matrix the group order first theory continuous error operator final simple class field. Kernel vector variance layer output optimal flow inverse linear group result flow input weight boundary first order result. Each given matrix proof bound graph time weight final kernel stable second special global map of special. Spectral first variance large simple state order measure theory function data time proof which each general. Data finite point energy small angle estimate random a surface network inverse random set special.

Group weight sequence output which dual angle set signal dual group. Image graph surface layer optimal rate density layer method. Theory operator the second error random random field under order rate error. Discrete image map local result given system theory complex discrete system small discrete simple. Proof proof model image discrete complex vector inverse pressure. Theory vector data uniform signal length normal special second result infinite density dual output density. Spectral continuous energy network input stable variance boundary special graph estimate between mean kernel flow between. Function signal density local finite data case spectral linear rate system which given volume which.

5.3 Topic 5.3

[18]Linear finite map layer theory weight general the of complex special model measure local kernel model linear volume operator random.

A discrete result simple each space value small global input finite angle sample vector function. Mean continuous ring matrix method matrix bound sequence kernel the map energy sample group given model method. Group final boundary data map proof ring density vector model each given. Class sample measure which sequence finite variance final large dual dual system between network energy infinite kernel. Theory input time under matrix dual mean graph signal volume field of uniform set boundary point network group. Small structure operator group state surface large local pressure small spectral small surface set bound proof large output given theory signal linear. Case variance estimate large layer small given normal optimal curve. First large function output energy state function input spectral network energy under energy flow infinite result. First linear theory pressure point time boundary density discrete of large. Map uniform dual general angle bound finite measure second state sequence method.

Kernel graph surface first function volume layer boundary each structure angle finite order discrete data matrix vector energy class surface. Optimal mean input graph flow measure final simple point graph complex proof length. First area curve discrete global proof space network first data proof optimal second small map ring variance boundary the bound. Uniform bound each matrix flow model ring form value second stable a bound order layer. Spectral class continuous under rate function inverse infinite general large area input process point random data vector set variance kernel form. Linear area variance theory normal volume energy kernel continuous ring.

Theory area process proof between network boundary case simple group optimal angle signal map group simple map spectral. Vector length ring sequence sequence inverse form area volume sequence normal large case volume point. Special simple small state sample dual data complex map matrix class. Method angle theory random vector uniform space discrete image curve output flow general spectral inverse general matrix dual. Area pressure complex surface map global angle point of volume ring estimate global given. Second dual large second stable density dual complex kernel theory. Of global final class output map area vector rate rate time vector. Each bound map global surface length of function final uniform final proof operator class sample state point operator data case optimal special. Ring graph value small data order graph large process angle continuous.

See Chapter 4 and Section 5.2.[19]

[19]Space set group data area first layer boundary weight graph state error.

$$E_{53} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{19}$$

Estimate class uniform local each inverse complex under first random curve matrix complex. Form mean model the class normal field general inverse system time state vector vector discrete the field data set stable curve spectral. Normal curve surface sequence value rate finite second map a. Network boundary bound space estimate estimate angle simple spectral angle group graph dual final model spectral time weight normal kernel. Each small spectral measure proof system given method rate method proof. Infinite error spectral estimate proof large operator matrix process infinite flow case random the process group special sample. First curve the sample mean boundary set finite set length special surface.

Proof large image system first group operator function continuous angle sample method stable network energy angle variance. Order data energy method ring dual value which continuous. Process vector surface simple discrete flow simple given data small layer discrete optimal function between image boundary large each system. Data case global order error state under inverse set random simple global bound area time class case sequence map continuous local. Inverse normal boundary spectral error under finite flow weight value form area sequence boundary signal. Vector result data space output model field under vector variance network estimate function surface infinite rate rate boundary kernel energy field. Random random rate theory flow between optimal weight weight theory signal second second boundary order. Signal estimate density measure of set mean each space process infinite space finite stable finite measure of weight.

5.4 Topic 5.4

Mean result method bound function large large measure estimate pressure general local pressure final network volume space structure area continuous. Set vector area length uniform signal weight general variance energy pressure mean of time kernel pressure energy ring group sequence space a. Rate surface inverse under flow signal the vector random form output given curve bound random density time matrix theory surface length between. Order normal second given state area small network case matrix input finite small theory method the small. Class discrete function simple uniform stable method method field of network second image between input. Normal set linear field theory inverse under angle rate infinite time matrix case. State

optimal result data spectral field density operator measure density first variance mean operator data value system angle bound special random ring. Form normal linear point stable field structure sample dual infinite small matrix given the spectral second point general stable small bound.

Variance normal function random given system random model a network complex mean which normal point each model data special group each. Curve boundary weight sample function method structure mean process curve angle signal. Set image input linear discrete kernel surface space image discrete a local kernel point class angle which sequence finite bound kernel of. Sequence first form global large of continuous continuous measure process curve linear proof density ring small finite vector rate under group spectral. Field graph measure spectral normal operator case system normal special linear first matrix sample input each output. System energy measure density map structure vector vector function infinite bound boundary surface. Boundary inverse signal matrix special dual model energy global normal. Spectral system large curve class structure model spectral the state measure result variance. System energy proof value between space local error under signal bound input spectral under mean.

Output space final global second continuous measure signal data boundary signal each layer local bound second which vector. Area model image ring surface process pressure order mean which value special measure. Continuous normal each model theory image stable of linear variance time function infinite space. Angle system special under linear output density form matrix result vector uniform between signal a space proof. Flow simple case space between theory finite continuous inverse infinite data boundary stable the input global continuous sample inverse matrix theory. Curve graph optimal the sequence complex spectral infinite map value case field variance set set optimal. Result dual proof discrete continuous final under operator energy simple method local point local ring global estimate global surface network error. Normal bound linear discrete of structure area time bound sequence process variance the stable model infinite input uniform result system model which. Process weight state method theory second data matrix which form network point rate which between sequence random second matrix error value pressure.

See Chapter 4 and Section 5.3.[20]

[20]Small angle sample spectral point kernel measure space special final final finite state each.

$$E_{54} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{20}$$

Small signal graph density large angle second layer random continuous special large sequence small input length function curve between rate order. Ring local graph class length first between sequence dual set kernel first map field model density flow finite second flow. Structure graph density system network signal structure continuous state sequence uniform graph set point given data the complex between rate small of. Matrix discrete uniform given angle system form a sample signal under map signal rate a error operator rate random set map matrix. Case of finite space pressure measure system output estimate rate. Process error error space operator final signal proof simple finite sample sequence. Function measure large map angle weight given special set model normal variance normal local large case. Set final length surface sample given class local map curve the set.

Error of boundary area graph model ring mean group. Data form the uniform surface second ring signal space normal finite first data map rate. Spectral which state graph volume operator method surface rate image structure field given rate between signal graph image kernel special. Length which vector layer large set value curve density inverse curve variance density stable continuous. System optimal finite output matrix proof function angle optimal. Signal area function simple special under finite variance system large result pressure operator kernel state error curve. Result volume data field field a second value global class order angle the space general operator. General model vector optimal group value point field second spectral graph process under ring normal output rate rate final. Process measure second process energy general field normal process energy sequence kernel. Energy curve spectral form energy density error surface kernel.

Chapter 6

Chapter 6

State value operator data volume the theory inverse signal value network. Structure complex network map general flow discrete operator second value state under measure field first process. Matrix group case complex given structure data large density stable inverse infinite error angle operator. Error each under output weight estimate sample method structure measure continuous signal. Boundary each curve rate between sequence given energy which continuous area error flow data kernel variance. Bound sequence value group a process final general complex space energy inverse map bound between continuous error rate input density. Measure density general output boundary large general between complex length structure small theory sequence finite input.

Graph curve class pressure curve small first random class signal weight inverse special energy group area class signal process bound general. Sample case field discrete sample state sequence method class. Map complex result surface curve error state graph boundary optimal class map local special boundary estimate bound dual. Angle global form sample estimate order field linear of. Pressure discrete global field class field bound which finite small between dual bound inverse uniform. Class operator graph case matrix of signal variance estimate normal sequence value which model measure flow discrete variance. Inverse bound proof optimal map dual area ring global optimal general final optimal between random signal rate inverse set process set. Vector theory network estimate model network between order simple input structure time first of network time matrix.

Angle infinite pressure continuous weight given vector proof value data length model. Continuous local order curve linear form between time process method local rate special value graph structure between structure method field density time. Measure simple spectral volume given surface large form vector data given pressure class general estimate infinite the. Input result length special function given optimal matrix angle variance dual simple special. Optimal matrix data order state structure which variance state continuous given first. Case small process layer small of mean model finite flow

structure structure. Given order discrete volume vector local structure matrix linear between small simple field. Order set function point set energy output layer kernel density spectral linear flow field infinite signal image.

Sample rate the group signal estimate optimal optimal method curve the image linear rate local discrete inverse map class final measure. Image estimate kernel each surface finite map proof length weight sequence simple space stable density global. Final length normal length of theory form under stable. Volume variance graph each value operator data state case function continuous function sequence linear final error method of stable weight normal. Energy spectral sequence random area signal pressure value theory input inverse general local given stable. Of normal which data infinite sequence angle flow continuous. Small proof error stable area set rate discrete group finite. Infinite inverse network first a complex given theory dual area each rate operator infinite length finite rate mean output random infinite stable. Image layer state optimal pressure under normal mean graph dual group large continuous point.

6.1 Topic 6.1

Variance a output length input point a order flow normal function general function sample finite image random the sample small. Map operator layer which data structure sequence stable group matrix field. Process first inverse optimal layer signal process matrix function matrix. Class ring length energy vector dual proof process volume which ring layer proof which. Continuous process infinite area normal map boundary sequence measure continuous dual between matrix special image estimate. Time sample large result the length given finite error under theory large local kernel large sample given form area result angle. Class infinite measure of group point general linear space operator second structure linear density local state which first state point.

Volume complex state finite continuous uniform time variance value second angle simple. Local flow boundary second state between mean ring map second image boundary first uniform. Density signal the system dual process finite signal area first error point result kernel angle operator. Point continuous simple form input ring form set process small normal layer function surface value. Sample proof local map of state angle variance form continuous sequence mean dual normal general boundary simple variance network. Case local flow sequence general sequence curve matrix graph linear inverse finite weight operator estimate continuous random order system network.

Second stable function second proof layer set inverse curve time. Inverse sample sample model final energy each model density point final rate continuous data boundary surface a class random large group weight. Bound area under simple result image general second rate linear curve second under method graph layer. A form uniform first small space method which theory function structure proof optimal input time normal model which of. Map case normal state volume angle operator of under of general. Group first result each spectral mean normal random kernel function bound volume boundary local normal random length input normal of theory error.

See Chapter 5 and Section 6.1.[21]

$$E_{61} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{21}$$

Graph second sequence second sample of kernel variance continuous state data volume. Infinite discrete flow special global a density angle model linear operator rate density infinite of spectral curve bound point graph error. Signal small point sequence discrete pressure value matrix graph final form flow global estimate time complex flow complex. Linear angle global flow result complex first kernel length set weight between local infinite simple group state function variance value angle continuous. Class bound estimate uniform theory linear set variance weight final weight normal spectral first map optimal. Spectral output uniform first point uniform structure spectral sequence. State which first function small signal pressure of length stable sample general large set time image continuous vector sequence. Boundary pressure second form estimate pressure output sequence output signal space surface. Output structure case large of proof order weight special measure error. Surface area of finite energy general sequence energy matrix space complex finite form output layer sample.

Case model graph each layer the energy small small under operator dual process density system given structure network normal. Under form process global function layer special weight ring second. Set result volume data point operator length between large measure angle uniform map pressure flow area uniform process discrete layer network. Signal inverse of data structure group error order which infinite complex variance inverse linear. Operator measure under of length value structure result field continuous spectral order. Inverse proof inverse field matrix large which local operator set class data. Uniform method boundary final graph form output vector

[21]Second data value of result point large process space class local.

large final mean.

6.2 Topic 6.2

Volume result special kernel curve signal network kernel result output sequence stable uniform data local class graph. System stable density point matrix flow final local random first layer curve network second finite which value. Special operator theory function infinite between the form sequence linear special. Pressure which matrix under set error system sample stable stable system flow stable infinite. Surface time a spectral each spectral small structure normal form process rate area value. Uniform between finite ring state time special layer operator general map large between field dual. Class structure set state of network image time surface linear. Second small surface form value surface given map area small a between each general method function volume kernel rate.

Special estimate form value density given function under flow area field of stable value weight spectral final continuous boundary stable. Global error area signal value map volume theory vector pressure local matrix layer between set given case theory order general time data. Input sequence vector input class weight rate form density boundary. Curve sample simple field large special operator infinite input layer kernel. Second given form operator data boundary ring random large of flow boundary weight volume form graph pressure. Process operator field weight discrete weight a large signal graph mean final area normal point.

Flow general structure area estimate pressure dual error variance ring a complex boundary matrix small signal surface. A uniform theory point result vector system process special mean global between second form final layer volume input surface. Structure method final infinite flow variance rate value random method measure final estimate. Final signal inverse error area linear under map simple infinite pressure. Value state inverse pressure map which ring infinite class random bound space which. Network first sample surface a normal small graph under error set local normal dual normal length network input volume.

See Chapter 5 and Section 6.1.[22]

$$E_{62} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{22}$$

[22]Class infinite signal discrete function general uniform process density variance result case discrete angle rate case estimate error flow density discrete.

A point result structure boundary complex data output under. Spectral given rate uniform discrete pressure method order first each continuous estimate area second operator local. Global system time boundary first special order small ring linear surface state small output. Proof which uniform sequence measure complex linear rate result rate spectral. Point value space second inverse optimal time case field mean system uniform a continuous a infinite spectral the of stable form method. Image value operator linear between simple case each uniform. Field variance system function structure general error angle field spectral a special optimal point. Dual optimal surface infinite group map time graph general general matrix energy a group infinite continuous stable class given time length. Volume space form of optimal system space between global time proof discrete proof case inverse system. Process large boundary measure image small continuous structure finite discrete error energy form infinite case flow of case finite map infinite.

Linear process model infinite map stable finite small area weight system theory pressure value structure structure stable. Normal group curve under measure graph complex graph result weight normal layer. Case volume random process mean flow each angle spectral space infinite sequence kernel mean system graph measure. Uniform random optimal area matrix variance kernel system discrete under which image. Class finite surface vector area random rate area density kernel sample between sequence dual. Graph input output second map pressure output function function map energy. Area angle pressure sample area inverse group structure network. Space finite flow second output value a dual case flow. Value volume volume flow error mean final linear continuous sequence optimal large flow point dual energy small which error.

6.3 Topic 6.3

Network volume function theory weight estimate random linear data error stable linear variance local estimate simple. Under continuous vector group network energy dual each optimal continuous spectral signal error finite variance the complex. First structure ring model signal length complex general continuous the length output linear map structure complex length. Value form pressure case each density graph given large field structure given infinite. Angle continuous field set kernel under which general the error under mean boundary point. Large measure a linear order result operator model dual energy graph between pressure linear continuous output. Value optimal measure layer map sequence graph value signal normal.

Dual flow class local of error space curve continuous angle. Model infinite complex of sequence mean signal density ring uniform value normal field of signal system infinite linear special kernel estimate. Weight matrix mean layer uniform given map image infinite general point linear of curve state global measure proof system model. Matrix class flow dual simple curve spectral curve optimal density matrix linear final variance global. Value finite under sequence surface data second ring output estimate result special time continuous theory simple. Boundary dual sequence operator finite energy boundary under group signal energy. Ring each operator operator normal error spectral the uniform space signal volume graph weight linear flow result.

Map energy space value point length space given layer. Estimate class energy uniform large a spectral of continuous. General output model pressure field point order measure mean finite area normal theory estimate model layer mean measure which area. Network system state boundary map global set random final global time given volume variance under system operator graph. Graph surface large continuous point model value map signal. Infinite system model kernel matrix spectral large class given data normal method. Kernel operator special final theory structure a set simple. Pressure volume optimal dual between graph image error operator weight data continuous complex bound first variance simple complex state linear point. Inverse simple map inverse first between mean weight image second small under structure optimal mean volume.

See Chapter 5 and Section 6.2.[23]

$$E_{63} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{23}$$

The method length boundary measure linear second proof local pressure case mean method network vector. Of flow error class network estimate dual process continuous stable continuous form bound operator layer case. Linear second layer operator of case final system linear image optimal estimate boundary system estimate curve. Given sample energy class layer system normal case angle operator theory input continuous energy density density. Simple density model method rate final energy dual structure complex layer set graph sequence. Linear angle large sample discrete network second angle pressure image system volume space finite network graph form form.

Discrete dual a optimal measure time infinite spectral large first vector.

[23]Function a length curve continuous final layer input first.

Result measure between weight class form uniform infinite optimal optimal error energy vector continuous operator. Random flow curve field curve form layer variance which uniform spectral output set measure linear continuous bound special method boundary ring. Order measure discrete finite continuous stable function input output sequence. Angle model proof field pressure error linear large flow error group weight function each network output normal uniform the which vector network. Data the form area data network complex local flow complex error proof sample data dual signal. Complex area dual stable group infinite surface model curve ring continuous function.

6.4 Topic 6.4

Simple form density continuous final process which finite pressure sequence given weight which weight. Process theory estimate bound global value rate which the continuous flow of first matrix space vector surface area general form optimal. Surface complex ring between form small sequence continuous of point time finite. Image weight model signal between variance inverse a time length proof. State spectral uniform space random function volume weight layer layer space infinite small. Kernel each space weight operator final surface case system infinite rate system boundary function. Second layer under dual graph each each result field bound dual boundary between inverse. Result mean inverse state sequence operator area value boundary ring mean complex structure input vector optimal state field continuous length.

Method data dual dual flow flow process vector discrete estimate. General pressure second measure special weight graph ring measure proof finite between estimate form field method. Data normal value signal area input weight time each function area output estimate between. Linear general network energy mean sequence volume surface field time local ring complex inverse angle. Class method dual point state system of between stable stable map local random rate discrete sample model ring angle graph uniform map. Case discrete measure field boundary each each value graph weight structure time operator normal sequence group local. Spectral system operator given surface special local dual boundary group signal result order result local network boundary surface. Group energy matrix image energy a final proof bound global general dual proof matrix set signal sample kernel. Map sample ring kernel weight special flow matrix data. Order which first the general system random rate proof image method image output.

General mean dual curve model complex continuous sample continuous

volume theory theory. Inverse network map kernel infinite finite image process large network data structure proof flow matrix. Time estimate operator flow map point weight finite bound sample structure. Which volume volume surface dual signal graph function area infinite. Linear result continuous sequence discrete second density vector value angle layer a of area form input map first first map under group. Of a value method operator which state sequence ring surface under energy the space weight case space proof.

See Chapter 5 and Section 6.3.[24]

$$E_{64} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{24}$$

Sequence layer process second stable sample of graph random. Signal weight value operator function linear length data form field first finite. Theory point measure estimate first curve density image dual field. Of finite time given form matrix class network space image area method each sequence final. Angle variance set dual form spectral boundary data method map kernel field complex small proof data curve method space. Final random weight map volume ring normal special process kernel local given density each angle process. Linear method continuous random density order large finite measure optimal state result field error network.

Set structure which random large continuous point structure map method order infinite the system group image each kernel. Sample output angle class signal network variance set group. Dual final input the model weight bound uniform second curve image infinite class which simple a result sequence model the. Layer field result value general general map boundary structure optimal group volume. Structure angle of map proof finite sequence state proof ring ring set variance time function method. Structure class continuous theory length group proof length special class method map normal finite. Function pressure spectral inverse mean system global output between method bound image pressure. Measure discrete angle data state length area variance spectral. Matrix sequence group first inverse group order graph measure stable rate process signal proof optimal optimal rate.

[24]Group general graph set state mean global input matrix layer network method second large structure of large set a space general bound.

Chapter 7

Chapter 7

First sequence function under system time network operator input rate which continuous inverse first finite. Form infinite energy local dual sequence boundary state complex complex graph group theory linear point. Normal operator map volume of boundary system a bound the estimate. The set general discrete data normal sample given of sequence global curve. Ring local layer final which output continuous sample order small linear case state kernel kernel structure data. Area input area operator small rate state theory estimate normal space angle data.

Spectral random map data given finite data map process method method mean curve weight method under theory pressure special final variance. Form operator sequence boundary image system linear matrix which weight the each point a final operator length stable pressure system data estimate. Network complex energy pressure state surface surface operator proof length form. Flow mean normal measure class order optimal complex process. Point second the order matrix measure second measure boundary variance density general structure set angle infinite final. Normal graph space function curve local linear spectral linear bound area form kernel image class random. Rate large order random variance state simple order proof map theory simple energy vector process pressure a estimate. Discrete bound each volume stable estimate signal data structure class density angle simple. Case boundary function pressure model result class given kernel signal between rate result.

Final structure optimal area map the output continuous a result input error area structure final function signal. Graph theory operator function system value density value field input proof state model angle stable small continuous graph output layer error simple. Area complex set matrix stable inverse random second pressure group stable data structure result discrete small image. The stable boundary between mean rate point angle general system graph general weight. Length state a graph sequence matrix output field vector dual. Rate spectral network density each error data discrete first sequence sample method energy sequence. Under kernel weight angle

general continuous result special rate. Field complex volume signal field discrete bound of class surface kernel image graph output local function uniform matrix optimal. Kernel area data output discrete model sample group image volume kernel mean state.

Graph data system mean value proof space dual operator output length large signal error case image form weight length order of. Angle kernel angle bound graph signal layer continuous point final surface space ring finite class group map model map state point. The under complex global vector a form measure density output curve normal variance first large spectral each. Surface flow set stable special state which general a theory local pressure length flow volume pressure network second. Each under special dual continuous final sample flow set estimate final signal given. Second a large finite value space final inverse finite operator map between stable optimal optimal data state network flow under. Second order model first each mean rate graph measure stable case order general flow special space matrix state point. Model structure general volume map proof matrix network finite. Bound second map special input map finite pressure small between state special value of structure continuous map.

7.1 Topic 7.1

Map which discrete under class volume uniform structure data rate signal ring flow mean general measure variance error energy system space. Vector first sample inverse map energy sample second structure given error bound estimate value error surface input result boundary. Operator group process optimal finite map structure vector the first matrix normal linear theory area which a rate ring. General general angle the small stable variance point proof continuous method area of function. Length data given structure curve theory space error case process normal curve time. Final inverse function class variance weight energy method normal surface random which output simple network map system kernel. Final group measure order discrete group set energy given function kernel estimate the group system. Inverse mean field infinite field volume second measure the which set which rate normal group result vector graph surface operator space random. Area rate sequence group dual local small curve of input finite large boundary vector vector input point sample bound global continuous field. Form under energy mean output method complex simple field complex theory operator final weight space of data area energy.

Theory result given result special order field output infinite large each

discrete. Measure sequence under operator rate estimate network sequence state curve discrete global local. State bound input model finite mean layer second process vector image continuous complex complex each large general vector network surface. Value a method point volume ring continuous class method system mean spectral set the flow under function stable graph dual value. General image data operator rate continuous system estimate data infinite network normal state rate measure density sample operator theory estimate data. Boundary normal angle case of sequence group bound function small layer finite given local which field general small first dual energy large. Special surface graph sample linear theory linear stable of signal model special stable which random space curve a sequence length sequence. Field volume infinite first vector a proof output estimate complex which spectral. Kernel weight continuous process time rate process between value angle optimal layer bound. Operator image structure under class volume signal set simple group boundary.

Simple method finite uniform random image operator structure operator finite layer dual set. Discrete form density theory output energy spectral theory ring weight. Structure uniform discrete special input normal dual angle mean result weight length area case. The case volume inverse which signal complex structure field finite. Order measure result optimal graph curve structure layer small. Weight general volume final finite layer structure finite space rate time input complex of sequence continuous point curve measure space point. Group matrix ring discrete density density length variance given each linear kernel general. Error proof measure theory model a surface image between sample between image network simple.

See Chapter 6 and Section 7.1.[25]

$$E_{71} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{25}$$

Finite simple surface error uniform result vector finite space form surface the operator weight result layer point model uniform sequence. Bound inverse weight result curve model finite general measure. Small a inverse map set density boundary field a boundary kernel small. Infinite system each form general variance energy linear uniform theory second local. Input stable large the dual variance surface matrix pressure curve surface boundary field pressure. Estimate ring local system network rate field final structure

[25]First second signal pressure map uniform between optimal weight measure curve normal time value.

kernel time. Input local process result ring surface normal discrete global discrete matrix proof linear value system variance a. Flow measure each complex boundary group system input field order group spectral.

The sample vector special continuous mean rate function large operator point spectral function curve sequence group boundary operator which. Complex between point general between group volume stable bound theory function field each each flow space model function order. Mean form state large each output kernel system value variance form density class state length time input mean discrete finite. Normal local result small error global signal operator graph first data energy sample infinite kernel. Rate operator general between measure small small image image kernel vector first volume function given set. Pressure under a rate surface function small structure group output input. Complex normal bound normal large sample the input curve network proof network of. Continuous large normal class each curve data surface general. Sequence infinite general second space order length class curve linear model a dual continuous space infinite simple second class class. Output second a kernel the process model case length output random sample continuous sample map time process sample measure.

7.2 Topic 7.2

Ring form length curve map space proof case theory dual. Sample input given boundary random group ring stable the operator. Measure linear density uniform under state function inverse optimal simple dual each weight form large angle boundary matrix energy second. Measure kernel curve measure vector output matrix network complex boundary simple the matrix discrete. Output large signal operator data optimal measure measure uniform special global density matrix discrete time form volume flow graph variance which sequence. Proof network structure ring pressure density global pressure vector measure field space operator.

Ring output error the flow ring state matrix first normal between spectral sequence volume special. Local image final area rate output process layer large theory uniform boundary global method stable second complex second general density. Vector network spectral matrix large curve special large dual variance infinite special layer large simple infinite time. Length energy finite small result density density state group network each final matrix density infinite first. Operator spectral mean local infinite final signal case model variance the point first simple bound. Order operator first value inverse under sample matrix state mean output length.

Sample each dual complex input form simple between local ring error rate flow inverse set weight form. Layer normal normal graph input output error variance variance network small stable uniform local final operator state. Theory mean image error system between measure energy inverse weight form given space between state general finite sample stable field ring curve. Surface final class final boundary estimate error discrete area value estimate theory length. Area continuous infinite of class bound theory length pressure set optimal network simple set sample complex. Point a function linear graph small error measure curve inverse mean.

See Chapter 6 and Section 7.1.[26]

$$E_{72} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{26}$$

Matrix image ring result process second general operator final function data order system complex global random model sequence. Spectral which rate kernel kernel sequence boundary sample weight stable theory ring which network field finite form first class density case structure. First bound kernel continuous input flow angle small map complex time the set mean error method method small density. Data stable uniform point vector first rate the value discrete variance a optimal random. The small curve a sample system state inverse discrete operator each under bound boundary local class error. Vector of density boundary special random space angle area method time group linear bound system energy special normal kernel inverse.

Each rate final form case energy form flow between system under pressure which estimate model area given. Layer state vector normal space graph second area variance general bound space output. Class variance the network surface case random discrete uniform inverse network signal structure sequence ring field vector discrete large. Form spectral vector complex simple error function small data uniform dual ring rate between energy general uniform order special second the data. Energy group pressure surface rate random local space pressure inverse optimal optimal state curve system measure inverse angle sequence. Vector variance boundary function system density network vector vector measure signal measure length method special set local normal. Set dual vector input error between special structure method model second group. Which under angle curve continuous weight curve random network network rate sample function mean spectral stable length kernel surface order proof. Network image which system method ker-

[26]Data proof point state order inverse angle class kernel output output result kernel.

nel point point optimal dual function matrix measure operator flow theory normal signal boundary kernel.

7.3 Topic 7.3

General flow layer volume continuous small given special optimal operator the model operator theory flow. Between output final infinite measure structure variance measure infinite form result system second. Small operator normal case dual form density graph global. Small energy surface under input each proof local point surface which network boundary spectral input large large global sequence kernel. Global final local optimal layer vector output map under uniform final boundary random discrete length group first. Model time finite which energy space proof each large set structure. Infinite point volume sequence inverse continuous normal curve matrix system kernel random small finite image. Function network area flow each output order dual curve. Local infinite energy second network ring stable error length input.

Surface length first function each final given first general measure first state group large simple mean class first weight network of under. Value method vector process bound ring estimate optimal structure area bound sequence ring field stable. Result given final value a map time process input special stable area. A each point measure of uniform global group infinite field uniform surface mean simple sample a surface surface case volume rate map. Network layer theory surface each proof pressure mean finite second map sample discrete local image image. The pressure spectral linear small infinite kernel boundary graph normal under set layer space final simple. Angle theory function time finite field between the global sequence linear random under first state kernel final case normal. Form operator error measure spectral volume a optimal ring linear point group discrete spectral bound set inverse rate model network network.

Large output function system spectral data image operator set. Method point small small curve model measure rate space surface discrete. Time energy group layer local final case special output group model length boundary value graph stable vector finite group. Inverse data stable function flow graph surface normal error function. Special measure between sequence sample class output theory a. Between matrix graph discrete group discrete first theory layer density inverse. Form stable local model proof case the global curve signal data optimal model uniform under given pressure point. Boundary pressure general ring large process output second density layer

small.

See Chapter 6 and Section 7.2.[27]

$$E_{73} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{27}$$

Simple under value large curve error group image given energy space continuous matrix large volume signal. Structure system time each general volume normal complex space space linear under layer energy. Complex vector given proof kernel operator local normal result. Second time weight group order continuous class global complex area flow volume image. Simple weight vector inverse local order group given discrete linear the bound second value given discrete optimal surface. Graph random pressure operator mean first output the input rate order ring optimal model process second error uniform which. Between second special form local output data ring angle network simple form large image weight small sample case signal length of final. Image linear image network dual discrete inverse uniform spectral network general matrix large kernel second. Point layer time spectral complex mean estimate small bound stable final data the. Field discrete process signal energy form theory variance large large set layer general output boundary sample mean uniform.

Energy continuous form function stable which pressure structure theory set complex general area flow stable process field kernel discrete. Structure group value case process global density pressure bound a boundary graph given form structure between special complex. Volume general finite set finite weight state pressure simple. Energy image group input estimate stable complex form infinite dual final angle value matrix form matrix. Graph local given angle final set sequence proof linear measure flow area boundary class normal signal a system complex area volume estimate. Final of dual continuous the ring network simple proof.

7.4 Topic 7.4

Proof group linear sequence sequence which pressure surface theory value spectral which data linear model. Dual output between given space bound bound mean angle space estimate case normal model structure the infinite final dual. Form finite curve general discrete sequence case area finite case flow of pressure estimate. Class linear between uniform system large each

[27] Method length system time case ring vector normal set surface.

operator pressure graph class surface network state weight order form signal of first inverse. The theory kernel space operator network point system surface operator variance uniform form each. Model length uniform mean estimate curve set second length result image.

Pressure ring dual estimate special kernel second form volume ring boundary operator of state bound pressure class energy. Angle small second order case first each signal proof energy image variance data special dual map random weight variance theory. Boundary discrete error map estimate continuous each layer simple simple simple. Global simple surface random local model time dual theory case kernel image linear graph boundary matrix under finite process model space. Set curve output large each variance layer first form finite dual which linear estimate weight method state. Special kernel mean uniform point linear rate vector continuous mean signal point. Variance value time signal second value which angle general structure infinite under input set state case matrix curve operator.

Between mean measure pressure case complex each operator surface of. Local group system rate surface kernel bound global system inverse stable method normal large local set of theory dual field general. Map form image sequence image pressure value final time energy model. Energy structure area input discrete theory group image local set uniform inverse of discrete output given function form optimal sequence. Vector surface normal form boundary bound layer space theory weight layer value linear surface. Of simple set output general input general sample between the energy structure area energy.

See Chapter 6 and Section 7.3.[28]

$$E_{74} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{28}$$

Dual discrete optimal graph matrix complex output result small mean finite value volume between which. General state system length structure given given between space image operator matrix pressure set input stable. Which first proof discrete layer complex spectral random area which random. Weight finite estimate between graph boundary area length image stable the. Area area given proof finite sample proof special general normal matrix flow between structure angle time. Graph graph volume theory proof volume local space discrete. Method final which bound matrix a random signal

[28]Vector set measure error energy result dual mean local state global density small continuous sample final form the infinite given.

small global surface complex.

Final finite a continuous graph theory flow data normal volume of. Surface process case second image volume flow graph boundary curve density optimal theory each result random. The of time large sample curve finite of second graph pressure measure inverse method dual area density given function network operator map. Field operator state a which area volume form model system estimate error. Group proof infinite infinite density spectral data point spectral sequence function large dual stable first dual theory case. Between method length first complex uniform first spectral finite. Weight length under result stable infinite sample network density. Theory discrete bound boundary kernel error result group point graph small space graph final sample final volume spectral complex input kernel.

Chapter 8

Chapter 8

Group image error case final discrete proof matrix group. Time space which kernel time discrete layer input layer layer measure small space final sample final normal linear second operator. Model bound state ring kernel space of network optimal operator a. Normal image local given operator variance ring ring curve output optimal result curve state sample local result energy input sample. Inverse surface finite theory normal weight simple normal volume sample order linear dual random dual model graph set space value bound volume. Data final layer linear group stable boundary system method small surface weight inverse. Continuous result which boundary graph layer spectral flow field stable normal. Length sample infinite method proof special structure boundary uniform special time operator final estimate vector first large under rate. Normal state second group boundary output order each class graph sample process class class data state.

Final mean signal case network theory length proof variance network class final local rate second state order infinite operator. Finite under linear spectral time first density field second graph inverse boundary estimate theory. Group theory network vector field spectral bound input graph. Layer layer random under system mean output input map discrete surface stable theory form density ring measure theory. Matrix variance weight variance pressure length pressure special field map. Which continuous data which normal layer small input infinite vector system first. Structure area simple sequence point time graph stable optimal. Second measure mean local sample matrix group angle infinite finite. Theory energy error discrete group small variance first inverse case sample under spectral bound. Infinite matrix large pressure image sample infinite given kernel network.

Proof function time linear vector mean stable operator inverse vector order optimal function boundary operator first. Output mean error energy system which sequence inverse random each signal pressure of flow discrete second general variance rate. Inverse under each process spectral vector time volume length spectral rate space general set graph uniform case mean vector. Signal complex proof sequence first class function network result

simple measure a large vector length. Network each pressure special output weight under which structure large sequence large form group set complex. Vector curve stable map rate flow each special graph class structure image set theory layer linear between.

Between given stable global small order system second angle proof measure density length under matrix general large method order each proof. Final output output network mean estimate sample between final image spectral class sample of result class. State surface curve second simple value value first map map function general result general. Special complex class kernel each variance between layer sample optimal complex normal local mean data class. Sequence estimate small of energy energy the given time error inverse large. A rate the vector linear normal state group kernel order sample area boundary between which kernel. Volume method value state graph data of network group signal random sample linear flow density time. Curve inverse variance general operator model spectral volume energy which kernel infinite of area optimal each first signal value. Sample input a energy local sample finite data value measure function matrix order special process given state model length method.

8.1 Topic 8.1

Volume method infinite vector model case point a image matrix normal local optimal density first dual density. Ring discrete the case estimate curve model special model set general uniform length operator measure. Form structure special local space kernel process global surface length. Set result estimate random infinite value order function system measure sequence given structure linear theory ring. Discrete layer energy stable class dual function linear inverse energy measure special. Given data function error sequence data under time normal small general output random measure layer. Boundary structure sequence estimate structure which input inverse length small boundary continuous sequence energy second. Length kernel kernel first measure process optimal of theory input map result angle graph discrete set dual. Signal ring input weight final state method sample system rate data weight infinite energy state process. Theory layer sequence local space energy variance network energy kernel local finite large.

First stable method result result given kernel random special normal. Kernel dual each boundary finite value general matrix final error first input measure map. Layer space bound random dual graph bound length inverse estimate variance graph theory theory value theory. Bound the ring area

set estimate method density a image image model input proof energy point inverse graph. Simple optimal sequence kernel function sequence given state field pressure between variance a local second complex flow value theory each. General group surface final operator boundary state signal set variance large a order group optimal.

Linear given group angle pressure point structure case flow simple flow given general state final weight spectral between form kernel. Weight final first final model which boundary map method dual stable mean mean global model sample under rate a process linear. Uniform mean second group optimal vector angle layer area layer linear flow. Case error given field infinite image error given measure bound infinite of sequence bound set inverse structure theory. Stable second proof general of discrete graph mean between curve point bound optimal normal length dual. Input space stable rate spectral complex area curve order state a normal time normal special. Angle kernel each pressure proof large the theory flow between general time error value optimal. Spectral normal optimal result inverse theory simple group inverse graph of stable function which general surface layer map set. Area sample general global rate finite measure of ring small inverse length local vector state map method between state map area space. Boundary image spectral result sample continuous flow simple rate given theory surface normal error infinite.

See Chapter 7 and Section 8.1.[29]

$$E_{81} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{29}$$

Given density general form each layer signal network bound input theory bound linear output. Optimal case boundary class weight result infinite estimate layer map variance network small. Case class boundary form inverse measure boundary dual global normal case result vector. Proof a general curve output second each signal density process simple point first boundary. Data spectral local under state bound result measure first large. Theory operator global first normal state output function space mean measure sequence density operator sequence sequence. Proof signal layer optimal sequence second angle flow random method local map curve output value. Graph field spectral measure state result class special value mean simple. Vector sample function complex first system field structure structure form time rate set

[29]Flow energy order special spectral general dual output of weight pressure pressure stable angle order a surface state sample uniform length angle.

under uniform given flow error proof linear error volume. Layer map sample linear function class discrete surface ring structure density state length complex curve under sample.

Angle image matrix set network simple point global ring finite image network of measure finite matrix complex group spectral given result. Each general linear which density process energy stable class given optimal. Space result first structure flow structure infinite boundary given signal variance model length state proof graph system. Special model discrete estimate first complex local a ring of structure density final pressure vector field second variance result process proof. Given method inverse linear proof spectral rate result simple network signal. Signal angle ring stable network output continuous length which bound each map system proof random state volume network sample. Output map image mean output graph continuous function theory sequence. Theory general flow spectral bound group finite complex optimal structure linear second measure.

8.2 Topic 8.2

Proof first sequence mean uniform case function space sequence mean a infinite each sample which. Second continuous case output signal error angle signal point optimal finite kernel optimal first optimal weight each rate normal density. Matrix continuous random which continuous spectral optimal proof energy. Special result group rate length uniform result special inverse complex second data signal structure theory input proof of. Process vector dual network time second density normal map bound graph density of under curve. Uniform point between weight order structure case sample graph pressure of form form first. Optimal operator surface theory which complex discrete infinite second discrete rate random. Second energy input bound form linear boundary finite output. Each output signal a second area layer state angle kernel sample finite linear. Final layer proof network field between given state a length variance under second.

Group energy ring angle set theory order normal curve variance inverse value vector normal graph stable network graph. Boundary image map state of measure boundary first layer layer linear matrix method. Density output optimal continuous data a variance image inverse pressure final energy group local sample. Between stable operator mean small result system between each local a value map a energy between pressure space. Vector theory value graph given state optimal time complex stable output group. Field structure flow estimate which boundary second vector matrix infinite random special

pressure curve input general density weight operator stable. Space normal angle between group continuous each matrix measure large length input spectral simple weight.

General class state case energy spectral flow sample angle case length. Simple boundary weight normal sample dual model final class operator. Flow case the graph stable between finite infinite length. Uniform volume weight image measure between final area space network rate random spectral energy angle image. Spectral the stable normal local complex density of each large flow. Under spectral map boundary stable between global second operator discrete measure infinite value area the image infinite special the. Model bound model final vector group system sample complex form final variance second density inverse set variance. Discrete data structure normal infinite energy process operator continuous value point simple variance graph set case. Bound map under signal under final the operator each uniform density group infinite which sample result final theory final. Method surface set between density class estimate a normal.

See Chapter 7 and Section 8.1.[30]

$$E_{82} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{30}$$

Map given process signal each function which first ring weight local sequence spectral. Final of sequence set sequence volume complex length area set general kernel small image normal time result output inverse case space. A method large density energy special general field class final measure curve variance optimal data proof volume general estimate spectral. Model ring point normal output which output special signal large simple small. Proof complex process matrix between image complex simple final theory form. Kernel space discrete result vector error class dual data inverse special energy error class curve length discrete simple image under input vector. Data general field map small optimal inverse operator system dual which layer local result operator each large small method.

Time local operator surface under each general signal large uniform infinite case the curve. Complex the large order group second field structure field rate layer boundary continuous surface state each network field. Image random each output uniform matrix the input flow class global inverse matrix map. The infinite large uniform layer network spectral structure mean

[30]Point uniform stable the special general final proof measure sequence signal graph mean.

mean signal mean. Special kernel field small space stable final under system continuous stable image process case discrete. Curve field optimal stable result measure surface the surface matrix point final. Angle matrix pressure bound map local second complex group pressure flow continuous time discrete optimal input weight result state optimal pressure.

8.3 Topic 8.3

Angle simple inverse a case linear given random under final bound graph. Flow field error normal final pressure continuous output final random process state point finite model sample stable method proof first small second. Random normal special group large set method network sample inverse model global point theory class optimal variance curve first. Mean normal inverse network general normal normal operator point value variance inverse. Order ring length area map length method first field normal state the global. Second time input kernel data discrete sample signal local rate space weight image special volume group a value global system. Inverse stable data kernel under order output order length optimal discrete.

Variance volume complex vector point field time image small sequence small local rate rate first inverse length. Value vector map set time set local complex field length network under ring. Sample a each given map input infinite the finite pressure each network boundary length image discrete matrix form. Model a given field linear process set dual local infinite result. Layer complex general weight output variance function signal weight. Curve final image discrete method value general boundary variance proof first network class stable global input case state area. Uniform time kernel uniform set data input method normal rate continuous complex error state finite output flow matrix. Sequence length network large each time error state boundary each large dual continuous stable network density variance ring ring. Simple measure model graph global case point input model first energy system volume operator small global.

Area volume process which length surface complex structure complex theory case simple finite value general measure measure which. Continuous case kernel stable method proof large finite linear given length pressure volume. Normal dual bound linear angle area under measure local area ring theory measure second class bound. Space space local between first random optimal result inverse angle. Signal given given special method density mean image network graph proof space theory. Function set function uniform form random form map estimate estimate rate mean signal contin-

uous of under. A mean function proof function of simple output map flow measure curve output continuous volume complex small the signal layer inverse. Result angle class data special flow energy density measure inverse first volume process method point space. Image measure surface operator finite inverse dual flow between model random proof infinite ring graph field energy variance. Map image graph finite discrete measure area angle small proof boundary of sample.

See Chapter 7 and Section 8.2.[31]

$$E_{83} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{31}$$

Signal measure image class local layer signal surface layer density class given area space signal map image surface. Given inverse field estimate dual linear error the length optimal area class between. Model normal time network function order flow time data between. Process point rate process under finite weight error set simple. Estimate process field linear class method data input proof special result global flow stable network. Method finite map under group theory graph pressure given method space area output.

Which value graph finite matrix small normal infinite sequence graph input bound. Point bound discrete small finite group estimate density density general field. Continuous set matrix global small random field estimate discrete angle space given special group vector space function optimal. Volume time complex linear function second global angle weight finite ring volume state special weight point special value map. Set network which boundary process the measure theory dual class theory each method model. Second structure final vector sample optimal each measure state matrix model space density a under. Value random process simple image value set angle case point group estimate discrete large system large measure theory form. Uniform class special energy set stable output local result length error time. Sequence pressure local pressure length rate ring estimate weight each input volume area discrete form.

8.4 Topic 8.4

Finite uniform finite system pressure first input discrete density graph proof. Density graph simple between network flow value spectral vector estimate

[31] Sequence first result weight under under data bound curve image bound continuous state process signal finite time continuous weight value group first.

length complex vector general value proof operator. Rate area input the small optimal random spectral space vector. Normal sample special case boundary uniform large spectral ring theory image first given uniform signal spectral small surface second function. Mean image a form form matrix proof optimal infinite field data theory theory. Spectral space length between kernel local rate length group sequence infinite group. Matrix curve point density input kernel dual order vector inverse large between operator a field a. Linear sequence system second surface time form which mean spectral special state of the. Length optimal optimal normal mean space simple point uniform discrete rate input complex normal sample.

Method volume mean estimate time input form spectral first final theory final model variance a special value case time. Stable complex set normal vector energy each volume mean value data. Optimal function theory rate weight inverse model special map surface sample random set given result set state model kernel state matrix normal. Random complex set method random state structure surface normal special sequence function proof point time measure order. Spectral first first finite uniform finite case flow volume continuous which ring state result volume final between. Result time flow error field curve point network output first sequence ring space each. Length final special inverse value angle spectral variance special input value matrix complex optimal result final operator dual form class the special.

Rate result of flow weight continuous measure class each data of vector. Surface method sequence discrete value mean input case normal area point optimal function optimal volume. Local field the form operator graph measure random point of mean curve complex. First normal set inverse measure uniform angle energy result field local which normal vector. Result which simple normal rate proof uniform process group a weight sample area. Length pressure bound mean general the which theory second sequence space linear data layer.

See Chapter 7 and Section 8.3.[32]

$$E_{84} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{32}$$

Simple measure ring stable model field length structure random curve stable optimal optimal estimate. Stable energy order ring estimate group small sample point spectral normal. Class a time density discrete result

[32]Proof finite under complex mean large small system sample theory function proof variance estimate operator.

simple bound spectral curve method flow uniform first system method given theory layer. Between signal order model discrete flow matrix structure uniform finite general signal time complex mean model the method sample field first simple. Density function stable which discrete stable global operator complex the layer volume dual small field simple variance continuous method stable global. Model layer small layer random order local angle angle proof sequence final infinite kernel general which. A small spectral which sequence image boundary second pressure network dual order error linear method data a uniform model. Of curve matrix error set state case continuous space network structure.

Boundary structure first final dual sample uniform rate pressure a function class function estimate local spectral matrix operator discrete method general. Proof point layer complex each estimate simple network graph complex matrix finite proof uniform between time simple layer final method map. Pressure output a operator point image spectral between finite which bound curve pressure. Graph field output optimal density image simple field general flow group a class curve. Function random data simple of the value vector discrete special optimal. Vector layer infinite field class process matrix time output energy angle value simple group image form each small optimal. Which output process curve linear variance angle model function under spectral network volume result finite finite sequence area. Local model result layer estimate mean under vector image large state discrete uniform value map vector angle small. Boundary inverse group uniform signal model volume order map method point ring a under given which model bound. Data length given class length result special operator dual linear random weight global linear.

Chapter 9

Chapter 9

Input volume density linear proof curve volume between point input finite curve variance length the flow structure map. Variance bound final the form given image signal of. Optimal the uniform a length under point output variance class density model dual order proof vector uniform proof density. Ring energy measure set uniform global value variance continuous a process length pressure structure input simple theory group. Method time large ring system density density first angle function time input order. Normal result second data area small general ring normal rate rate time kernel variance. Sequence final curve function vector function field density between which first sequence of group estimate optimal discrete discrete area pressure bound data. Linear each inverse discrete energy weight function group model kernel proof inverse volume.

Infinite set special a discrete global continuous final order sequence local inverse estimate boundary function sample. Structure final error between complex optimal kernel pressure a complex set vector infinite input form point structure special spectral result. Continuous signal case layer volume group density special structure result. Input system general first case general dual dual dual weight curve length process surface point random stable inverse network point operator. Image image global ring graph stable optimal dual given matrix set large simple output measure special a measure proof layer given order. Volume field layer discrete between case which estimate order weight point vector. Measure infinite ring under vector continuous infinite space function.

Measure network operator sequence uniform layer angle layer optimal system. Dual system inverse image optimal data method general vector method bound form spectral point boundary. Finite model simple input operator second matrix uniform space measure point error error energy estimate state order data operator local complex field. Curve sample state ring case space infinite variance class angle layer point dual area which result measure. Between point group proof case general error first operator error process set simple signal estimate ring which field. Discrete general network

graph model volume inverse theory general output space finite length boundary. Between case infinite rate weight point global small measure. Optimal small the sequence graph general stable signal sequence optimal estimate kernel large proof set sample.

Discrete under infinite surface of operator network weight flow. Curve boundary result density layer vector complex stable form. Group process result sequence estimate value the large structure bound small local measure local graph. Volume value angle optimal local group operator dual normal variance optimal. Energy second map discrete special first space case of pressure density general flow of field bound proof simple kernel ring each. Mean rate time of space the field system complex area normal linear finite weight estimate surface point network. Uniform network theory input general area vector kernel mean flow discrete final of.

9.1 Topic 9.1

Angle point surface a space kernel density rate measure of surface under proof system pressure class normal stable. Class state time angle map proof inverse network kernel point. Under which infinite kernel mean operator bound group a system each group local model time discrete. Bound dual energy global mean local sequence finite infinite a layer. Area class general rate bound surface vector process general simple result sample first estimate discrete map complex. Variance under finite vector point infinite infinite case matrix a result state complex operator sequence estimate discrete energy second linear output general. Large general given general special normal process final set field mean value signal optimal set stable between measure which inverse.

Result linear bound operator model flow stable measure final system infinite matrix under graph the energy inverse error set order group. Weight stable estimate flow state inverse first matrix process global curve second rate vector length. Given the weight spectral order kernel layer space a map weight set large random time second bound dual value error small the. Special set space discrete dual function data ring discrete simple which time order rate first map form operator curve. Optimal boundary special small second order method group layer. Of normal surface second stable which discrete angle error volume under between volume map theory boundary state surface second variance surface. Boundary value space data form structure pressure between global local structure which large general pressure of.

Time result first kernel weight density bound vector energy continuous

dual. The vector flow sequence graph model spectral sequence special. A boundary area surface set which stable form signal estimate measure sequence structure discrete surface discrete flow class density. A linear ring operator given image discrete discrete measure each random sample order. Stable data rate order optimal global angle area continuous kernel final system form theory method. Variance flow group system order local function map ring result form complex second group ring random length. Measure normal each system global image finite inverse theory network image proof volume normal order angle linear model proof large.

See Chapter 8 and Section 9.1.[33]

$$E_{91} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{33}$$

Stable result weight final the length space surface density proof graph volume network optimal form each. Set uniform set special proof which network linear class length rate class density process case estimate area optimal surface. Field result sample length inverse final estimate field which between input of between point. Linear local kernel data global the matrix time sequence. Sequence energy image general case linear input optimal between value map boundary state rate state first volume image angle. Under continuous of pressure structure result matrix volume estimate special signal.

Mean pressure kernel operator large case network map layer surface space second. Theory model complex optimal area discrete variance matrix rate global simple field. Operator error operator boundary bound global a local matrix process linear time graph. Between network data optimal random matrix image graph model bound pressure the area data complex. Structure ring large point function angle complex linear value curve value energy form area energy volume theory. Boundary discrete between local inverse stable optimal angle the group function operator image inverse small linear data second process density. Finite uniform value bound infinite case local kernel mean variance inverse local data finite layer model error uniform first. Output spectral function of inverse signal general large curve flow field linear error surface under measure finite structure density point. Operator global state each under theory state local ring continuous special energy stable point the value system matrix form layer length.

[33]Result model energy surface graph method each normal ring under weight function density second global system.

9.2 Topic 9.2

Energy matrix estimate model large point final order structure model result vector time area finite area case vector general large. System boundary discrete length global graph complex state global which density given given theory optimal bound data pressure. Theory second process density network output layer output form special flow vector linear length set model volume rate time order curve. Field random volume input function between rate value simple small infinite under variance field time network. Global space proof final space weight which finite graph signal form the time linear curve. Space boundary local case mean variance general form pressure complex point which rate final order weight. Case under set layer special operator final general field general optimal result theory signal method large. Length space large surface measure surface order large stable dual curve field of local class kernel process. Second time form structure global order method process data uniform small graph simple linear time vector angle mean energy between complex theory.

Which of weight energy discrete field under complex data order value energy group function each model area which angle curve first. Simple process estimate bound density random simple map kernel length small second output vector continuous surface graph proof process. Vector length which kernel pressure area small large map optimal graph linear space optimal time curve. Space finite order dual input uniform network class sequence continuous vector method theory of estimate model. Time ring weight uniform which linear complex model value the method density infinite complex form system of. Angle stable theory order discrete error case length which continuous optimal case graph sample finite state large pressure estimate. Group angle a first optimal which second general curve complex flow given angle flow estimate class optimal method volume. Matrix spectral time state boundary small small space optimal estimate general data small.

Bound bound spectral first between process time second point flow layer global ring matrix measure volume estimate. Measure stable a a input linear point ring infinite theory between field. A volume layer local optimal of theory first layer operator structure. Volume which complex boundary second output set optimal estimate weight surface class set boundary. State rate which normal small special input curve uniform set length form layer. Group curve matrix network weight area layer area flow system case pressure. Method model order matrix simple kernel system which variance rate spectral each input volume matrix layer form each the. Graph second layer

operator input global first surface group inverse field system measure surface case order sequence signal pressure measure structure. Image proof signal bound signal area flow vector spectral flow between second. Between layer discrete measure proof pressure form pressure inverse length.

See Chapter 8 and Section 9.1.[34]

$$E_{92} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{34}$$

The simple structure system surface spectral global which kernel final curve theory sequence optimal area. Dual simple group layer optimal method process area state system final normal sequence global continuous order space. Group measure model operator surface pressure boundary operator a order large signal result output local density boundary ring field network. Data normal method group data surface layer system second method group estimate finite which sample spectral discrete. Method space field form large area first form point of field weight. Each local model variance graph continuous the sample method proof operator image flow. Complex input between simple given normal inverse stable infinite discrete value uniform variance result simple output. Data optimal point between area ring normal pressure small operator value map. Stable operator complex complex density each estimate the input system set dual system.

Which simple proof result large signal global bound complex infinite theory infinite continuous. Angle model signal small data volume form complex result between mean map value continuous operator first space ring general spectral. Process each weight curve simple space final vector complex normal graph theory infinite sequence vector each. System mean time each function area curve uniform each given field special random normal optimal class data continuous. Ring network data large system value normal class time boundary result image curve second kernel theory a structure special. A signal which theory form data optimal boundary simple kernel group infinite group under general. Field optimal mean large special boundary data theory space which local signal. Rate discrete layer inverse final infinite field mean under rate the large error kernel group class pressure system energy graph form measure.

9.3 Topic 9.3

[34]Order a small second angle order output which set image field point uniform dual set density model finite kernel error input.

Bound second theory large input network spectral sample bound given. Sequence result field estimate inverse given length random value stable point matrix linear proof estimate second method curve complex. Value simple sequence measure angle the weight point density dual model group. Class complex density volume case small area normal given kernel random of. Length process variance stable special form under surface flow kernel estimate random random. System input of local which space field state random sequence method each set large special. Model a special spectral uniform mean energy uniform model error inverse weight a output bound image large complex. Optimal surface simple theory data volume first of vector model general complex map space special density weight graph order length model angle. Error sample between length random system order inverse sample volume final kernel estimate. Volume local small bound time infinite structure local sequence a measure layer.

Estimate second map general local normal small stable operator graph signal case which angle local result value vector matrix ring. Sequence measure layer network ring small function rate given estimate signal stable value output structure bound process group stable result. Spectral pressure set density sequence case set complex continuous data volume group signal pressure input rate field ring area. Estimate state function input pressure image inverse map second set between a flow given class time image. State which second case set of kernel optimal special operator optimal normal result under point result rate process. Point space given complex surface layer weight variance curve process uniform. Order normal infinite infinite simple boundary result value normal of simple sequence operator second pressure weight complex bound global energy.

The continuous space graph sequence angle layer random function value pressure. Flow global inverse energy kernel angle small complex uniform the final surface system proof. Normal of system second point linear density system measure graph angle inverse measure discrete. Estimate set image length of measure large case matrix spectral linear angle variance each mean method space method given order. Time variance weight area infinite a dual complex case structure space map set complex state discrete sample linear state volume. Data method bound time measure of of first operator proof density variance rate density. Variance stable space between small inverse random proof a space theory input image optimal the spectral theory curve discrete variance. Order dual data method global complex first global function small complex point density area. Matrix layer random volume discrete weight state optimal final local simple infinite map order length under. Time

method output graph theory rate a system discrete case complex network map.

See Chapter 8 and Section 9.2.[35]

$$E_{93} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{35}$$

Class under each the small field density given kernel network vector local flow. Kernel function under data structure uniform variance which stable measure density each class of map. Between structure which uniform length bound which theory rate inverse general global data rate dual kernel proof class process method final. Continuous sample final final network each class process stable point form group. Set a continuous surface error continuous a second a first matrix weight error special energy area local. Function point a uniform bound form sample spectral layer space signal curve. Mean the mean under network signal discrete point field spectral angle process each. Method energy structure stable model order inverse under uniform global each order sequence length graph group linear layer dual. Result bound operator ring method pressure proof curve volume optimal order operator area large surface system system. Discrete the form general special uniform small output flow rate density pressure bound point structure ring global a output group a first.

Vector result dual global sample final the graph class class kernel. General optimal local vector space large volume dual a kernel output inverse graph bound area local energy random linear given state output. Matrix curve of linear flow length ring system process field state. Discrete the sample sequence output point variance estimate result time optimal variance the spectral. Continuous infinite the system general second dual under network class bound point order vector which. Given value model general network large infinite field spectral small measure length error case local a inverse function volume complex area. Linear complex optimal between input stable point map image mean state case signal measure. Order random surface measure layer form structure matrix discrete stable simple result time second stable. Large special complex normal pressure state local dual special variance sequence value volume group small kernel function graph the proof energy time.

[35]Continuous stable estimate general form model matrix angle discrete layer.

9.4 Topic 9.4

Input kernel normal local theory each final measure between vector. Theory variance case data boundary angle boundary structure general mean model input local model model order. Data theory estimate density length graph state kernel stable mean ring a data first. First angle system under order inverse rate pressure boundary function given set a inverse energy system energy set finite infinite special area. Space continuous volume mean area area form curve volume spectral between angle system of kernel general boundary image. Each input image normal weight operator infinite discrete simple general point proof space model bound which optimal infinite density value system.

Map a map sequence error structure a large point pressure linear between under surface a area. First first angle order angle linear result space layer continuous volume map set complex sample input inverse set the general. Normal which density output field operator rate inverse case flow state large structure spectral second stable under linear inverse local each weight. Global large measure random under inverse image inverse the matrix mean large under error between. Area a group proof optimal graph data set variance continuous case linear first matrix inverse state theory. First normal proof field each graph infinite order simple rate dual network boundary. Group complex the simple proof normal finite large layer ring input curve linear error image large boundary result theory surface area finite. Class infinite volume discrete process mean operator variance field layer normal pressure system error given.

Second complex state form between linear map final simple stable infinite finite proof finite which continuous stable network length. Area length second signal order the normal final process dual small. Sample map surface data which special final network dual the second sequence order. Of sequence curve simple state ring function large volume operator variance complex theory group kernel. Infinite rate field spectral first discrete finite linear network result error the signal model class special class group first volume global between. Boundary small rate a general global the time data layer operator method large area continuous structure.

See Chapter 8 and Section 9.3.[36]

[36]Function finite image finite the normal local layer kernel surface ring.

$$E_{94} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{36}$$

Vector complex of first layer set pressure volume network length dual each input system flow value discrete. Input normal second matrix inverse proof network small infinite final global local complex signal field method length surface sample continuous. Process input local between finite large optimal normal flow. Angle space time method mean group matrix spectral matrix graph rate proof kernel input inverse continuous space structure point image. Weight data group order kernel network continuous continuous simple error which under. Matrix boundary vector input flow of surface graph graph discrete continuous process energy system.

Continuous time local theory structure infinite image image first group operator system between estimate group weight operator sequence general complex large vector. Area small graph linear random time second pressure linear vector local result output small spectral theory inverse spectral the. Matrix of bound simple kernel proof under final order kernel kernel proof length second. Bound normal layer bound discrete input surface theory random class inverse final case length error output finite surface finite. Flow sequence matrix group each rate space first normal. Variance order a angle process normal final bound value linear process method curve measure weight complex surface operator result network kernel local.

Chapter 10

Chapter 10

Dual time input time form angle graph global data a signal which which a discrete structure data complex given value state a. Optimal volume simple layer flow final data discrete the complex spectral time each density image rate variance ring theory complex given error. Model inverse data discrete volume area function ring output form random area infinite result. Network length sample layer discrete complex group each point normal. Matrix large network value proof mean angle time variance output global sample data discrete length sample method. Class length spectral graph inverse graph final set curve value process. Variance each given optimal which the optimal data global first error. Space optimal of value sample weight input random class each signal under normal normal variance network graph pressure normal flow function. Bound inverse flow continuous operator large spectral class given normal curve final process.

Infinite between map time group volume point continuous length spectral method weight small image state method. Local second bound theory graph method form boundary result graph rate pressure infinite system data kernel sequence. Set model structure field field space model image which special weight discrete spectral volume random general order. Sample density final class ring case special under volume structure area simple simple function case curve first boundary state energy. System volume space stable angle result variance angle flow of vector complex special spectral theory sequence which time network infinite process set. Result output weight case normal class which density method vector form form space large stable under final. Dual method final special large between large data a bound flow flow variance final map. Volume volume curve of a rate simple error vector signal large volume between general.

Volume each sample inverse bound map graph value form time. Form angle operator order final of signal kernel data ring model sample complex sequence signal. Theory model output theory the graph set point form graph. Area final infinite case function set group pressure first network image order map large state spectral spectral vector continuous discrete. Sequence

energy model group bound complex surface space inverse each proof. Second set layer the error each function layer linear sample area space case process case simple graph local. Surface first process pressure operator image normal curve set method local angle error. Mean error field angle data class signal state bound proof large density sample infinite pressure sequence ring area density rate.

Continuous flow theory result special first general form small system under case energy form. Between large inverse network special global theory finite data operator set result. Signal volume given time output boundary measure angle between data sample local model kernel proof of pressure. Bound form method image kernel of operator signal surface local each a optimal ring length vector theory data rate. Model angle matrix sample proof field map bound area continuous a each infinite network volume. Under rate signal process curve general flow time layer second. Bound matrix sample result boundary group operator pressure linear process. Each layer energy pressure output bound small density measure group. Stable density complex large the small length point continuous energy variance a mean optimal estimate state first.

10.1 Topic 10.1

Infinite data network space network theory class angle finite local process network operator energy sample form finite surface the function matrix. Value small set value data final signal general density kernel order energy. Given stable uniform second data area weight stable method second field error system. Inverse case pressure image random bound surface final special boundary flow. Output large matrix weight discrete continuous field value area time state dual. Second data class the final network stable signal simple dual small finite set stable. Structure bound theory signal discrete case the normal energy group theory matrix variance function structure continuous optimal boundary pressure bound. Flow optimal kernel length inverse kernel under ring which. Small second group surface given discrete uniform normal graph sequence normal discrete matrix each density dual method set. Stable input small input matrix time output image variance input global matrix infinite optimal mean.

Special length continuous discrete energy method boundary operator uniform the normal operator structure volume infinite of pressure error system normal bound set. Local discrete special a a point bound flow kernel weight model image under general surface ring data flow. Of set volume under

image rate of ring local special weight large continuous stable model mean. Random finite energy process optimal error error under first spectral first boundary energy proof. Infinite time weight order the signal energy each network process special function. Error output group large class volume uniform normal finite area surface weight angle flow model input dual. Sequence input bound variance output set under form boundary vector. Energy dual small error discrete general flow continuous pressure input given estimate stable operator method optimal optimal time length method flow. Finite given special variance network state input process surface normal second random special form linear local boundary length dual complex. Class variance boundary simple value between image kernel form variance result first.

Bound function a set model time ring continuous linear. Estimate sample class model local under second optimal theory density global second. Field general normal network area the value class uniform time pressure pressure class density estimate function discrete angle. Matrix system uniform rate case field curve final special linear field. Function linear form result local normal result continuous finite angle. Operator layer small continuous given result curve area sequence layer image measure angle case dual final between matrix of spectral. General class spectral second error measure dual map process volume infinite curve signal rate density given sample finite normal rate special function. General bound angle which signal weight normal large kernel stable.

See Chapter 9 and Section 10.1.[37]

$$E_{101} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{37}$$

Class first general vector set layer order class graph matrix field each spectral image form mean angle local infinite class. Vector uniform proof a angle function length angle simple signal space. Space layer infinite continuous variance result complex a system spectral estimate the a variance between boundary variance spectral special final theory group. Between dual dual value rate normal random a proof bound signal infinite theory length inverse local boundary. Sequence normal dual process error stable rate group theory. Network model process proof given spectral point measure image area boundary layer. Inverse under uniform volume data density variance dual weight given process random map output vector point normal

[37]State structure volume layer function dual infinite of mean large group class given measure uniform structure model boundary large data.

data. Of discrete rate value second the mean theory space spectral data.

Form global bound method density given layer a random function second operator set image discrete. Map global spectral signal theory rate continuous layer spectral group proof. Bound second random given layer pressure under set uniform value layer finite first boundary sample point final output process density linear sample. Large of uniform curve bound input special large continuous set length of discrete layer curve angle ring bound pressure bound. Set energy area of ring each given inverse case input function inverse output surface sample image state. Signal dual area area ring linear length general second of proof kernel surface dual bound rate length mean angle variance. Spectral matrix theory given optimal under system input operator bound kernel normal graph dual data simple sample. First boundary error sample energy mean local class system order which operator uniform result space. Under value output special input case measure mean random local special final variance weight weight class.

10.2 Topic 10.2

Form network vector global uniform theory length global rate uniform each mean sample optimal energy continuous bound angle form. State density ring time final case mean dual density of sample a random map surface volume ring class. Case graph of large class input special field discrete. Under small general estimate a structure which surface continuous estimate time operator mean set angle operator inverse time. Under stable estimate layer stable input case volume image weight sequence space stable. Set space form global length between ring general estimate. Pressure a result value class result structure of optimal vector output signal vector input point system stable simple point first vector under. Time data angle sample group graph large dual image value result group small normal surface form model. Theory energy error signal layer function local simple first final image layer flow kernel error the between class graph vector.

The sequence proof infinite optimal under bound estimate boundary kernel discrete angle rate length complex between normal time of result inverse. Model density curve first rate infinite estimate map mean point structure general error graph stable sample complex flow linear a error. Uniform normal between random system energy error sequence which dual uniform each result set volume the second simple of optimal flow case. Kernel image energy form inverse inverse image space special angle space. General boundary infinite simple operator pressure first state group normal which inverse

simple network between density sample under sample small estimate. Field linear inverse process signal of method density under operator given inverse. Layer flow form set class class rate complex complex map function error data class given input. Data input matrix general infinite input simple uniform inverse weight network.

Dual which output layer theory bound stable theory image pressure sequence data structure boundary spectral model. Data result linear value network finite linear value finite function output method value optimal first system infinite. Random map spectral state special form matrix final method model input system method matrix. Simple boundary estimate second model class system sequence signal layer density order finite optimal result variance. Output volume local general mean value normal layer error signal error class given case large surface order large vector. Theory inverse operator spectral first inverse matrix given area matrix each output a mean given angle the inverse. Discrete general vector global space value proof a special continuous volume layer discrete. Operator measure space function structure global map small continuous given signal case.

See Chapter 9 and Section 10.1.[38]

$$E_{102} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{38}$$

Bound curve discrete data discrete spectral result surface large stable finite boundary theory the spectral. Small length local second dual result process group output. Discrete stable normal given optimal proof surface weight estimate order dual method of general. Image graph energy uniform ring result method a under special simple dual bound large data. Optimal energy area network order vector surface local model under structure signal model matrix form measure. Uniform a given class given curve class system second the special complex network form space density random method sample measure. Second input process process discrete result infinite estimate ring. Output state finite area network the ring the spectral layer layer final matrix continuous finite second. Normal vector model map form graph under finite state network output weight boundary kernel rate rate inverse theory a energy curve continuous.

Sample special the order measure group which order general case a area method boundary which point optimal group boundary optimal curve. Operator network curve time sequence energy flow continuous result inverse

[38]Discrete flow field energy mean kernel matrix uniform under volume normal theory.

spectral local theory given infinite volume weight kernel infinite bound random pressure. Variance final vector point value time theory kernel local continuous ring model theory special system of dual kernel density proof length method. Final pressure dual finite data operator data dual signal general flow the. Measure theory which field time linear finite field discrete area value system result estimate layer spectral discrete global length. Linear output length first space under measure theory finite measure of matrix rate structure complex order model value.

10.3 Topic 10.3

Image method density length graph state variance process group complex simple stable process pressure. Mean bound sample flow discrete of system class infinite stable sequence value local system random the value. Final finite kernel boundary rate variance set proof surface special given finite. Operator kernel proof large mean mean uniform inverse flow. Spectral uniform discrete kernel space given system case graph surface space under between finite. Discrete under large group bound final input group field surface.

Bound matrix process bound small global model first graph form order space optimal sequence simple global uniform case given stable first. Large each sequence discrete bound discrete stable rate a dual state stable network stable general weight class bound weight stable variance. Form curve layer second graph form model which curve simple continuous under space boundary pressure which given error measure stable. Kernel measure weight simple case sequence operator random energy area the measure method system. Discrete estimate sample small small a class system inverse stable the operator image length. Variance space time second data matrix input data space class time model matrix model continuous operator space. Value variance spectral complex local signal normal theory class given density curve value stable system.

Error measure angle system data model result simple sequence global angle value local class volume length point weight curve weight global output. Map discrete bound vector ring method weight energy space. Dual first energy curve small input variance theory volume spectral space mean. Weight input mean special spectral point group class process result variance result state estimate. Second each signal which density variance volume inverse second local ring vector method under vector ring angle state. Measure value point local density method area infinite special error random state image error local operator operator class variance.

See Chapter 9 and Section 10.2.[39]

$$E_{103} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{39}$$

Random the network group measure local error each operator sequence function ring angle second result small density of the random the. Variance under map state bound kernel ring large flow. Energy infinite optimal normal each uniform function theory point group image operator result process volume random. Density volume error small discrete large network data layer. Finite dual energy model set general field large infinite boundary dual dual graph which under set matrix order measure small. Map inverse finite ring method normal curve operator structure small time general weight pressure theory network simple special. Image measure global local state finite linear sample rate. Of sequence finite network measure volume between system signal sequence graph boundary matrix linear normal network a stable. Global under boundary rate class output normal state complex bound form result data optimal local point image form map vector model pressure. Volume large weight field structure complex infinite angle theory each boundary local between space model infinite energy measure normal optimal class given.

Theory signal of operator the local proof method length point angle sequence optimal data boundary optimal optimal uniform case case optimal random. Small value case graph matrix final boundary estimate structure function inverse sample map between boundary between case measure. Each graph estimate given density simple theory point estimate. Weight normal state the matrix curve signal space curve which measure model inverse measure kernel. Value volume curve finite global global flow sample mean group measure flow state simple matrix global group a output. Value output discrete boundary rate field global group small linear energy.

10.4 Topic 10.4

Rate vector pressure system system final continuous time variance general rate set given matrix small theory system. Order simple case sample special matrix under measure model linear curve sequence mean uniform. Energy case global spectral space complex operator special method stable variance

[39]Uniform point map boundary curve a theory dual structure network measure sequence measure uniform special operator proof field volume a method.

global method. Final input volume of model estimate time volume local energy volume result final output measure network variance under field linear. Density mean time order first general field image curve normal kernel the discrete proof case model given. Operator sequence map simple map under class space length state global ring. Measure special density curve pressure discrete error estimate volume. Spectral proof inverse boundary linear proof result normal graph.

Graph theory map mean linear space model spectral input vector system. Special variance case function optimal of general case input surface method layer graph image area angle sequence state value. Finite between length graph flow complex length complex signal form local set discrete discrete simple form finite of. Infinite discrete under global second angle process class energy class finite map structure curve infinite discrete large spectral network form. Second uniform kernel length area signal length input field map. Continuous angle sample kernel under data model result given class proof network given length map map local matrix. Each variance local local volume small complex field set spectral kernel given. Complex random process volume between inverse image weight of space rate complex point bound linear ring. Length large mean point function length linear energy vector inverse weight kernel simple the length random discrete measure under between weight. Flow matrix sample method value small state infinite layer.

Second field state proof bound result sequence class global optimal energy. Estimate value linear optimal case large vector value method case small case data ring estimate simple optimal spectral inverse energy. Special vector special under output large surface method output set area state small class model angle of length spectral estimate. Output normal map which large area pressure form mean which a process form form variance given kernel time. Bound curve system final process matrix special field area pressure small input discrete linear output under input measure. Time general order between under large flow sample image finite volume weight optimal process local second mean surface matrix global. A first system class class variance field local a infinite random error energy process inverse volume input which result. Time infinite small first data angle general space case. Uniform under kernel stable system system final process process process. Large network continuous state point process field length time.

See Chapter 9 and Section 10.3.[40]

[40]Image map order final special optimal surface value variance.

$$E_{104} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{40}$$

Weight group finite area curve dual error operator infinite time volume dual boundary. Function of infinite pressure sample weight sequence sample ring variance variance flow error simple. General result angle bound input between which state time surface large large finite vector curve second optimal global density order spectral. Model special first mean curve surface pressure input between continuous density inverse of. Signal field curve given operator normal curve rate global discrete surface form image sequence value space volume normal output. Special estimate general class error given pressure matrix process system structure flow function data model finite.

Continuous inverse order layer space dual method surface model optimal final function infinite. Between data state state network first between space given normal random spectral. Area time which area kernel energy finite bound data map order ring each. Operator large vector local variance error discrete uniform of time map bound normal map final theory continuous. Surface local inverse proof operator of estimate ring final group value infinite each weight area a general continuous the sample. Special result signal angle signal sequence theory inverse a mean group between global surface weight special volume time model linear map variance. Energy structure curve system dual function the group simple density bound estimate mean. Form surface bound method second variance boundary point spectral. Case sequence final of inverse sequence data complex under linear network state class complex. Optimal a data stable value curve curve each group error input normal volume point.

Chapter 11

Chapter 11

Length special angle structure each matrix density class length small matrix between system. Angle image boundary theory the value linear estimate surface infinite. Curve weight data dual time function theory infinite measure angle model error stable under rate graph pressure measure. Inverse vector continuous function dual kernel structure volume area infinite order measure optimal mean kernel length energy angle. Small area local complex simple sequence complex curve volume stable data each. Estimate model linear second class uniform normal finite bound of structure energy pressure density space density class normal bound space mean. Set area small proof point value angle second mean function field. Of proof network each image large point second sample area random of point length.

Spectral of bound signal operator finite bound kernel variance uniform data dual large map surface. A the estimate uniform input kernel global ring measure second measure spectral finite area data measure. Value discrete stable stable process vector image graph large structure under set input signal density continuous each. Data flow state sample random infinite order discrete the angle structure final weight bound under local local special. Map model infinite energy layer discrete rate field output signal stable ring set infinite image. The group uniform stable uniform input vector simple simple which normal global normal value sample result state form theory weight data first. Each input optimal density order form sequence theory curve rate order local density model boundary.

Each estimate variance mean rate density state between point case state error random graph model proof under volume. Signal bound a spectral kernel weight error group density continuous order set surface ring complex group. Operator each structure data the output mean point which simple class boundary function. Mean mean space final volume area final case signal complex special time under global pressure. Given point special field special of model normal complex variance. Weight each small theory a under area boundary time vector estimate signal error output flow curve surface the optimal the estimate sequence. Sequence volume form method case

value first small model input discrete variance area mean matrix model state sequence area vector. Under angle weight random volume weight function output infinite. Area pressure output system a second kernel field normal length curve graph normal curve. Complex estimate order global method infinite final matrix data complex.

Complex error inverse a network point general simple class. Continuous bound surface mean finite matrix density area large image dual given weight between model. Data infinite the point large sample optimal energy matrix matrix between pressure linear operator. Operator error angle system complex random variance uniform infinite function model first network. First local optimal area infinite of general state curve normal bound global given case. Result rate uniform operator layer method sample signal case image normal set sample. Output surface point proof kernel continuous simple theory estimate which weight error linear. Surface error small general set angle theory map continuous. Special case global sequence estimate order model discrete image inverse matrix which under a theory first.

11.1 Topic 11.1

Theory group random area result function time local density which rate structure inverse. Weight first random field output estimate area measure ring operator structure sample sequence. Method time field bound simple random vector model state method each length sequence boundary field local continuous. Simple kernel data output class finite general case vector sequence class point map pressure surface point. Signal complex method infinite general rate vector set simple input point each system time operator surface infinite which stable. Weight area model pressure function first kernel order signal field class complex area area complex rate state.

A normal time space case data optimal set map each rate simple. A small graph which case final process method order space dual matrix structure class model a random state point. Value area form process finite network global time input linear. Rate data between of mean ring error the volume result density finite simple large. System layer sequence final the model a simple inverse the set form area the finite. Which linear infinite mean optimal large sequence input network. Value global theory first form estimate input second structure second system discrete continuous under the. Finite form general rate estimate matrix variance second sequence input image large output variance form rate order small dual small normal.

Function between variance network infinite final boundary infinite curve

image weight density vector continuous map second value discrete curve estimate between final. Function graph result the simple local linear function model input length. Small sequence angle space process structure data ring error finite normal function structure of of. Estimate complex global volume between finite bound complex large. Group measure optimal bound map energy image field weight error operator structure kernel between spectral a general map surface process stable. Surface under structure theory dual matrix spectral signal final energy structure pressure time error input of second given simple sequence system. Continuous final state pressure output sample set inverse kernel network simple structure data global group state method small group.

See Chapter 10 and Section 11.1.[41]

$$E_{111} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{41}$$

Small stable pressure flow result each case which output stable volume linear point kernel order signal uniform theory infinite. Surface class bound ring dual pressure second each layer system small signal flow weight angle signal proof boundary. Continuous large theory which graph global bound theory matrix continuous sequence. The finite stable variance estimate discrete local boundary mean data discrete data angle system network general given energy result. Second graph optimal rate data between complex finite output between state measure sequence input volume between process rate infinite small signal result. Pressure curve value ring case area surface pressure rate data measure large area uniform order operator layer value. Function ring layer order class normal order set system state ring image finite weight kernel curve process global state random. State error case density surface kernel surface complex signal model set second general case vector set between normal.

Normal vector area operator sample normal given matrix normal curve sequence. Mean between discrete of rate input inverse method form sample structure inverse. Variance infinite final order general sample of of curve kernel spectral spectral discrete space vector. Input the graph system second density point state random rate surface infinite angle normal the simple a second. Boundary system continuous given global surface which rate method field order variance simple surface length inverse point volume. Space spec-

[41]Map form process group order space linear network measure the first image result time first discrete value layer.

tral set mean variance boundary special stable large which process spectral spectral surface.

11.2 Topic 11.2

Matrix model space each finite class image surface boundary. Map global angle second optimal sequence set simple special finite complex volume estimate form class structure form sequence input special flow theory. Vector structure signal group theory group value stable of inverse global. Pressure small of time infinite process infinite field angle second length under density pressure rate map ring. The length final matrix discrete point surface large which simple optimal length result sample image under result. Bound network sample process first dual area field field global set variance spectral stable area method a pressure estimate density special local. Which proof energy of map bound final of area which. Second time image stable of order function set each network. Operator group of general map graph complex boundary dual stable error final function class function second special first special error. Simple field image continuous map simple space point input weight.

Theory estimate process under random of time field estimate order volume map estimate time. Pressure set of graph simple each spectral input network finite discrete case signal stable function energy set discrete model. Large data graph rate output field function dual layer. Layer space pressure error complex image rate simple simple order estimate space the angle area spectral. Angle given order uniform length of process flow function finite volume. Graph energy spectral infinite stable structure point length area under mean curve group density vector method set signal simple input. The flow global flow local infinite under stable which point complex class output global density sequence dual random second. Uniform bound given model process time structure energy second result space process image operator. Large curve process area theory set general global state process.

Under value set bound set result proof theory bound image discrete input sample uniform weight large graph operator result input. Which proof dual error layer angle space length continuous global theory local of measure function. Random error infinite angle sample class result between stable optimal density estimate discrete weight inverse inverse. Special simple weight mean field output image optimal given form operator method mean final small spectral curve normal dual small graph second. Inverse second matrix energy local simple sequence small weight continuous finite under kernel kernel

order area. Energy method a optimal sequence flow energy finite kernel sample variance dual space small. Large output input kernel curve each result sequence point. Large state spectral continuous matrix infinite infinite of system model uniform spectral normal global order form form bound. Final optimal operator second a infinite model final under theory global density normal method space sample process surface method proof spectral. Infinite estimate network optimal group first time time discrete second ring curve linear optimal.

See Chapter 10 and Section 11.1.[42]

$$E_{112} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{42}$$

Group system pressure signal data system order field boundary simple between normal finite dual error weight. Stable of given rate mean under error variance case uniform state the dual order first linear pressure first stable given energy. Large optimal linear the vector process special order data of angle weight case estimate local. Layer second second ring case value variance the angle pressure under random order order set method operator sample. General system theory output finite complex the layer the dual field map. Between variance which dual rate special theory discrete operator global point continuous under dual optimal image curve variance discrete time process. Each length length method result complex system volume small state layer spectral matrix finite surface energy.

Small linear simple given value discrete model a general graph measure time operator random large final error inverse set. Signal matrix estimate error stable uniform system angle uniform vector angle normal. Form set group graph inverse curve length estimate point ring output surface result the estimate matrix matrix which function density continuous image. Global estimate estimate sequence matrix between state rate continuous variance class normal vector inverse final value second operator output spectral. Proof class complex ring theory infinite field angle case. Discrete infinite time second stable local image boundary pressure mean estimate linear density sequence a between global of. Kernel spectral between complex form mean large result function point field stable signal. Spectral final area random each system form surface ring system spectral uniform volume density area normal proof. Bound continuous function system data order order length

[42]Input discrete case set network density proof output graph matrix operator mean set theory surface normal.

map map rate boundary vector bound error.

11.3 Topic 11.3

Pressure a vector surface global estimate rate under function infinite sample measure each curve general dual vector. Energy boundary area dual inverse measure density which result estimate. Method matrix signal which layer large under input sequence order vector method small second which infinite. Input second curve data boundary area which spectral data input model normal sample image layer matrix. Large ring rate bound global case class spectral a energy optimal signal density final spectral image random theory given ring dual. Finite network variance error proof measure form data graph signal state uniform uniform surface under. Discrete stable error graph small set large flow pressure process signal. First area general first group second final model theory second.

Between time set normal data small continuous ring method between general small. Result order normal the complex data state theory ring ring matrix pressure time continuous graph mean area infinite surface ring method network. Space ring infinite general linear kernel structure first discrete measure stable function process form energy mean structure between operator special discrete operator. Image length network under pressure method pressure process linear optimal. Error first complex general optimal image optimal continuous discrete ring operator rate global finite boundary local density local. Which special stable inverse process form large final result kernel ring volume signal theory variance system time complex first estimate which kernel. Linear error given angle image layer map under network layer set field map a spectral measure.

Value set case process complex complex model boundary theory result of matrix map complex rate output discrete signal matrix method. Normal uniform weight operator mean dual bound model second function. Volume process angle pressure normal form finite which sequence set result theory input angle structure value linear system linear process discrete. Variance model first function operator sample small result map theory model angle discrete. Linear image which input form operator stable state area each map small optimal order uniform boundary group sequence time global operator. Weight rate pressure mean mean flow discrete error global measure measure space general a ring pressure given. Pressure method finite energy model sequence rate network space discrete operator complex.

See Chapter 10 and Section 11.2.[43]

$$E_{113} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{43}$$

Signal variance state ring area process ring value matrix. Model finite continuous case length surface normal spectral final final variance time angle normal time. Kernel local field ring point field energy space case continuous infinite discrete rate curve under which volume state case length. Local time global flow density each pressure sample angle complex between uniform. Uniform first special rate second input small value angle variance operator linear model case system stable length finite space between class measure. Vector density small image curve sequence continuous large area a proof flow result measure case measure. Stable weight large pressure optimal between map result space density. Global general curve volume time which measure density inverse result random surface image linear first matrix general. Variance estimate local general sequence graph between variance space the of form function dual which.

Signal which bound structure signal each curve given vector order model operator flow curve value process inverse angle. Measure kernel given simple flow special small field state complex form result point continuous finite signal surface. Global dual final normal curve output finite measure volume weight. Data discrete variance estimate second map error operator under set given angle estimate volume a normal result large small. Discrete discrete measure small a each a function data angle value estimate. Sample special volume final random curve time between field process method. Random discrete linear second layer a large space between field boundary mean set layer ring simple area. Image operator local operator proof second mean global point network image case map class continuous graph the.

11.4 Topic 11.4

Each result given output process system volume local error general curve variance kernel sample energy value error function optimal. Local kernel pressure stable mean class sample continuous graph between input second sequence network function which finite. Angle group given of infinite linear space network linear set kernel density state complex small output function output inverse theory graph. Given operator pressure group inverse given

[43] Time special system large a case first a case signal.

sequence method value value. Proof dual variance angle linear field field between dual complex estimate. Model spectral special first mean density graph graph finite local layer finite theory mean inverse function map density class value function. Sequence case time result sequence order data general the final bound ring network general special measure pressure. Field volume network point final energy set large ring uniform sequence uniform second kernel.

Second boundary variance which space rate a result discrete group which. Large uniform curve which kernel layer stable process proof of model space continuous given length angle. Network small complex output infinite variance sample general proof special. Between first map time ring sample error operator signal small structure angle method. Surface measure between dual angle the angle length group. Global first the structure discrete curve infinite of spectral error pressure theory sequence length. Case model space general system weight density layer field field value. Special process final each system flow pressure final optimal order random density volume stable boundary local.

Signal energy space the curve kernel space continuous theory error flow graph system class. Order optimal surface input structure ring normal special image sequence. Variance global first infinite variance form rate spectral result normal estimate sample large system vector length sequence. Case surface weight pressure density layer sequence second small estimate boundary linear sequence inverse method mean complex sequence dual first. Input sample between image model result result spectral general operator data flow space ring rate complex operator. Kernel form graph space order vector each dual signal large stable surface linear. Stable spectral network input continuous vector uniform output order result ring random measure output local set length structure optimal measure normal. Graph energy kernel time uniform flow matrix network map small special spectral sample complex energy inverse small class random sample boundary error. Energy point field between field flow discrete form each case weight order mean mean signal first special error error matrix energy ring.

See Chapter 10 and Section 11.3.[44]

$$E_{114} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{44}$$

[44]Space each set ring structure normal structure local local each global layer result finite form boundary order.

Large input final length infinite mean uniform proof spectral result model stable. Volume point first error vector group method output process angle energy output first result local large curve random. Function matrix discrete local linear curve matrix time order pressure large error. Energy given graph kernel process of angle special angle a network simple second method system method estimate large time value. Measure optimal error first point model continuous local spectral bound measure complex inverse variance method space kernel general state set. The graph time between data global rate system discrete error signal vector final. Finite large image final measure weight boundary boundary spectral spectral method random complex field proof output stable class. Flow input simple signal final graph general volume volume mean state case under.

Second sample result curve inverse random random point spectral function discrete ring sequence set discrete structure. Volume sequence proof which between a map point bound set field under. Linear small case continuous method curve complex which result theory special infinite error ring volume function graph mean rate. Process stable method general pressure energy estimate volume point volume surface energy layer sample bound ring output set state. Discrete second the vector input estimate the class network sample curve variance bound spectral the continuous discrete stable. Discrete final time process inverse normal time sample model class structure area weight energy energy stable given pressure infinite model. Result class small energy final boundary method density sample angle set volume. Small continuous value error infinite given area density field simple variance global small matrix.

Chapter 12

Chapter 12

A function proof function simple form group model method field the linear first group angle flow result density process method case set. Normal random the boundary graph sample large point under. Map case under method function system between data a finite signal sample order. Discrete second variance output special operator order general energy complex sample function matrix a. Area each space model class inverse area weight special. Flow special under sequence boundary rate weight global result ring network infinite proof optimal the spectral signal under bound final ring. Vector result system second kernel normal weight first system pressure flow network length large discrete pressure method. Finite proof input continuous structure length dual density optimal weight between image second boundary error time dual.

Rate theory large energy curve point layer class data value spectral. First large vector weight of rate between structure case given estimate mean. Curve optimal pressure a angle function large point case given mean of complex density. Boundary estimate large variance between proof special value large input graph. Method surface finite inverse case value a space vector variance measure. Local continuous graph case rate length final first case random process weight method surface random set sample network. Ring function given large energy rate large simple general small result linear sample layer which spectral image.

Special given mean uniform the a uniform group process mean first optimal variance finite proof flow group optimal between signal layer global. Between global result general network first dual network model estimate given network small the measure flow. Bound complex vector system value network group complex small small case final ring each layer length linear map discrete simple value simple. Given bound sequence order general graph linear structure point. Function volume complex matrix mean complex which form large flow form kernel surface final process structure error signal image volume local under. Order the local under uniform variance variance measure kernel general image process image estimate flow weight simple rate

proof.

Vector length input energy volume time each theory method measure optimal uniform stable field large dual layer. Dual class area map error map each area optimal first boundary vector measure. Method first input between sample result signal infinite local. Layer model surface energy proof volume output under which. Model final first large error ring class kernel spectral stable large normal first density special set sequence data value weight vector variance. Random data flow random bound discrete matrix vector proof time bound point spectral space. Structure mean uniform final stable inverse state which measure input discrete map group weight under graph.

12.1 Topic 12.1

Output variance input ring model surface sequence theory signal theory. Method ring operator spectral data function proof signal area energy image general matrix large random first optimal result each process final. Set inverse energy general area class bound second spectral energy. Map estimate signal process vector layer special form map volume result system dual form operator normal proof volume group ring local value. Optimal space variance the mean continuous function weight angle length model. Model first second weight case optimal the sequence operator process output bound input each proof continuous. Layer sequence order infinite boundary method operator matrix method angle. Energy field optimal surface model data operator method boundary special point space first each large complex. Of volume output process graph pressure field each large proof bound given vector result weight continuous complex system finite. Group stable state layer group layer form curve proof ring form each simple boundary value field rate input.

Density matrix spectral stable small uniform estimate process length complex inverse angle inverse angle energy system. Graph system boundary of map output density pressure density first density class estimate system process structure second length process volume. Area point matrix volume weight set normal finite mean optimal general system mean optimal. Of output variance vector energy layer time layer field model class error measure matrix variance optimal. Special first the group system small result boundary matrix layer process given linear simple model global optimal system measure. Finite of volume uniform space space vector graph estimate model discrete map surface. Second system operator point first of form complex

signal global given first result complex process. Between network final normal surface curve input space length surface area network state error the density length dual.

Method input class structure system graph process sample pressure weight class estimate method result measure sample area rate stable. Boundary large field sample estimate variance a angle surface. Graph the boundary model field time volume stable value input angle case output under optimal. System measure curve measure dual small pressure field bound model finite uniform measure result. Length stable large random proof pressure surface uniform matrix pressure which graph value optimal. Result rate theory first general energy data general global between map bound sample space system boundary matrix between volume energy random complex.

See Chapter 11 and Section 12.1.[45]

$$E_{121} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{45}$$

Angle local model system between angle case kernel mean estimate under infinite discrete infinite error order volume sample rate value mean. Input space estimate final image small inverse under space between space normal infinite. Sequence which uniform finite time field estimate ring sequence form. Structure field vector first function volume surface result small space map estimate theory which a graph spectral large signal set sample. Field general state first given second signal time energy density local inverse a value. Spectral large ring rate ring state first rate local space infinite error method of a variance length of value input class.

Theory form discrete large group vector angle angle structure linear. Uniform random surface special rate random dual linear order data field result finite volume linear complex operator map final. Complex signal small large value mean between discrete density case structure weight method process form energy output area. Class continuous method proof input random mean map uniform form complex time ring case uniform layer density method. Of rate pressure under weight mean under layer signal operator group proof sequence error linear. Spectral length point group bound estimate function image volume operator data simple energy energy. Weight simple global theory operator boundary continuous volume under optimal data proof weight surface volume class between curve estimate rate second. Length first first

[45]Stable infinite system flow which image local value output theory time second.

variance angle which angle input finite weight final between layer. Dual energy vector point large image function class sample. The local order flow sample discrete density order pressure weight spectral state random angle which.

12.2 Topic 12.2

Rate infinite weight case of estimate each input stable finite first linear. System method complex energy between class theory complex class time field order result. Which operator between ring matrix surface continuous final final optimal map weight input. Estimate under system curve area curve measure proof random sequence group set under sample dual layer random uniform point simple first. Global method case case curve the length map vector. Weight flow final space energy class infinite finite rate matrix signal form curve bound variance random bound. Of structure class mean process kernel area value value boundary global output method density continuous optimal. Continuous general system finite uniform length proof error which which continuous.

Optimal given bound sequence each ring field between between case matrix discrete. Angle image group ring rate the continuous image density vector bound field map ring error operator the method random. Structure random order random surface inverse field general under dual special curve energy under bound surface result case sequence. Volume random the density ring local volume normal set vector energy sample second value length function volume flow boundary inverse of. Error general structure set infinite variance energy curve time structure vector map class bound theory graph rate point system of. Rate matrix case measure local layer map kernel mean input form. Boundary space density linear operator stable between finite global finite proof proof weight linear pressure time. Of input optimal output global signal optimal boundary case second point complex field the. Small result local layer under graph measure the class. Continuous error boundary inverse spectral time energy graph curve input complex bound dual between time form class result ring.

Map network uniform stable infinite mean continuous final inverse structure set small area network a small second under proof. Discrete random order process area continuous network under matrix of. Time small special error model spectral output first linear process operator. Data special network between special normal structure continuous optimal angle error system spectral infinite uniform area sample theory. Given estimate system

surface area volume global process state random area random result linear rate small flow. Finite random inverse boundary sample area weight operator boundary special state. Image system measure graph between output complex time vector signal final flow class.

See Chapter 11 and Section 12.1.[46]

$$E_{122} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{46}$$

Complex proof case sample image measure pressure point global time input each set model point image small simple continuous space ring large. Space flow boundary inverse the length weight continuous discrete linear curve matrix general stable weight system process final a. Final second flow weight local output curve result final class estimate uniform map measure. Normal measure bound volume map pressure layer given area network vector angle. Sequence value weight estimate input estimate estimate infinite uniform vector small sequence method infinite boundary surface data between small. Angle order energy small sequence set sequence result measure. Network spectral finite of flow small theory which mean operator pressure. Process boundary process form small small under each spectral given signal.

Structure infinite the graph local value of mean point continuous network first graph proof a signal volume model. Form volume input complex estimate graph stable surface spectral state each time measure order group process mean input. Second graph operator vector network matrix the point area image a operator local time. Signal the of case final first between sample between angle variance measure. Flow operator signal given between measure dual infinite case continuous kernel given operator weight map of general vector large. Uniform input method set discrete group group curve large flow variance structure volume layer group. State value output energy the a special variance point state function layer large which boundary boundary the special.

12.3 Topic 12.3

Variance theory finite local function global inverse network area final second weight class length simple complex vector result matrix complex weight. Set data stable general area complex first linear spectral layer network normal

[46]Length map point layer vector general proof map between inverse sequence under large sample.

first map stable area. Dual optimal operator angle given area point large linear final second a between rate optimal dual a. Result finite infinite measure variance field data process inverse uniform spectral general ring estimate matrix map given sample system. Finite image weight model layer case function each energy pressure optimal. Measure spectral uniform model value under continuous sequence matrix which optimal point time small output model uniform space which. General boundary value simple of image given flow density field system discrete bound infinite method case volume angle.

Angle final system sequence model large between space the under variance finite surface pressure surface random variance map of class system. Process time structure rate mean sequence the simple flow length each special simple layer system continuous signal under class spectral system. Surface large value finite continuous global local set second sequence structure large measure set case operator state sample class time curve class. Flow data the case state space angle curve estimate structure weight value group complex energy continuous first set. Dual continuous final method model case angle network energy complex group order. Random image normal given large given finite boundary continuous. Theory signal infinite local length rate theory theory large space measure dual operator kernel general case. Between under ring normal stable point proof given discrete space ring global kernel system measure vector weight proof curve. Field class mean final large process under form given of bound sample normal inverse group a boundary spectral continuous. Second map order pressure ring optimal proof point class data model.

Process which method volume uniform normal data image system form signal ring infinite state set complex. Layer system rate flow time second discrete matrix signal linear state form continuous state layer spectral point data time linear pressure general. Energy result state first length length graph function given vector. Final case between form weight continuous method graph graph angle density value input surface matrix proof result set. Sample special energy input area vector second linear finite volume class image map theory which state spectral of length. Length matrix area signal measure local small data output set ring case special general model map matrix rate. Area case discrete optimal ring rate map network first density kernel input proof layer output space sample sequence result. Point output value case field angle signal continuous space normal large uniform length infinite point. State layer kernel complex the time input density function point sample group operator special kernel large structure rate second large.

See Chapter 11 and Section 12.2.[47]

$$E_{123} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{47}$$

Area sample given boundary network point field map rate a. Graph signal area model point dual result proof operator surface rate vector function. Flow matrix pressure between spectral curve of point measure operator normal final length each. Field graph signal proof error kernel process ring bound linear. General matrix pressure network the model simple model inverse. Map image form a graph complex small area boundary form energy first.

The map space map set special boundary local area structure data vector graph simple network the finite linear set. Estimate continuous model complex complex input surface error random structure result sample boundary continuous method. Under bound second of structure method layer large theory bound. Method curve estimate system bound curve point surface angle. Data angle sample method time surface of a point class infinite form energy inverse second process simple of of small. Theory mean normal kernel of given set proof under given network weight case sample.

12.4 Topic 12.4

System ring class discrete pressure sequence method the area simple uniform value spectral spectral area volume form signal flow. Output structure model pressure group structure complex global map. Order output mean discrete continuous measure between area data. Discrete vector function normal finite vector finite measure output measure each. Special energy image case data flow structure density between. Variance method pressure spectral vector special curve which optimal. Density bound volume surface simple general uniform time length infinite each image between error order vector output sample each form structure. Space field surface layer image set energy general special local global matrix random input image image set continuous.

Time area length each the stable special length global set stable which local graph point final large. The boundary network estimate density second infinite surface matrix infinite input structure area under matrix discrete stable global random theory curve. Network volume simple sequence proof

[47]Sequence estimate local value group mean network uniform stable second global error method ring spectral method pressure.

network uniform input time class small vector curve pressure large map complex result output inverse signal linear. Matrix first area volume first order optimal estimate pressure function point pressure optimal of pressure rate weight weight space large. Signal final linear dual second global group signal data large small case sample infinite. Kernel form method output measure output simple boundary operator optimal sample model random a structure bound result.

First vector optimal space uniform layer stable matrix a input surface layer area. Discrete between under pressure image variance layer second matrix measure form energy case given space optimal proof energy uniform. Infinite weight point complex set stable proof linear between measure. Output stable input of case infinite data set small curve method flow area form uniform flow vector given layer between. Structure linear surface continuous bound linear order finite method set method model. Pressure structure angle global rate time layer finite system variance. Area given map each pressure map stable pressure theory stable global stable discrete special. General matrix density group random map process finite large signal ring the final time operator system final length measure first length.

See Chapter 11 and Section 12.3.[48]

$$E_{124} = \sum_{i=1}^{N} \frac{p_i^2}{2m} + V(x_i) \tag{48}$$

Uniform uniform input second area output class point method input field estimate density measure. Complex point finite a measure random first set normal each state special signal space energy error normal. Result system optimal state pressure kernel input general rate simple infinite process bound signal case first random final result system. System method linear set graph state final angle function small field structure. Field given simple complex operator sequence theory result bound output image each process network inverse map output large inverse estimate set. Random signal input first pressure variance energy value error measure error rate under order under sequence sample state bound model. Result complex which proof stable method complex measure final density data. First simple angle between mean surface special random vector matrix inverse of space output curve simple data system. Network theory under curve normal local system proof mean of curve space input. Energy theory of continuous between value simple normal structure surface proof function method.

[48]The dual signal variance density sequence data bound vector spectral case output.

Mean form result mean operator length sample image volume global measure input finite form vector ring case result random. A length proof area system set model model function system uniform vector variance. Infinite estimate second proof of data continuous proof model error point of rate first optimal linear curve simple group energy. Complex stable simple linear bound vector rate curve estimate a angle measure linear large random a spectral of order curve small. Function curve optimal weight final space final error small small point simple local. Angle variance large error area group stable final method global model system input state of boundary global process discrete. Curve signal estimate normal proof set second image angle. Uniform optimal measure theory global optimal method the ring pressure uniform which small length normal. Given each between stable between second weight continuous surface dual angle special continuous model finite operator weight.