Version comparison / paired processes

AMD EPYC 7763 64-Core Processor · 9 process pairs per workload · ratio below 1 means less time

Matrix multiplication

128 × 128 · 128 × 128 · f64

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
0.9947257383966245	0.9851694915254238 – 1.0042328042328041

Matrix multiplication

128 × 128 · 128 × 128 · f32

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
0.997872340425532	0.6146788990825688 – 1

Version comparison / paired processes

AMD EPYC 7763 64-Core Processor · 9 process pairs per workload · ratio below 1 means less time

Matrix multiplication

256 × 256 · 256 × 256 · f64

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
1.0014998636487593	0.8458338148618976 – 1.0089151008092168

Matrix multiplication

256 × 256 · 256 × 256 · f32

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
1.0002831257078142	0.9943804439449283 – 1.0014124293785311

Version comparison / paired processes

AMD EPYC 7763 64-Core Processor · 9 process pairs per workload · ratio below 1 means less time

Independent matrix operands

128 × 128 · 128 × 128 · f64

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
0.9985915492957746	0.9950980392156863 – 1.4880581516095535

Independent matrix operands

128 × 128 · 128 × 128 · f32

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
1	0.9974059662775616 – 1.0039011703511054

Version comparison / paired processes

AMD EPYC 7763 64-Core Processor · 9 process pairs per workload · ratio below 1 means less time

Cholesky factorization

128 × 128 · f64

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
1.0076957899502037	0.972101133391456 – 1.0108790252393385

Cholesky factorization

256 × 256 · f64

Observed time reduction

CURRENT / BASELINE	95% INTERVAL
0.695573074590661	0.6864988558352402 – 0.7127808988764045

Version comparison / paired processes

AMD EPYC 7763 64-Core Processor · 9 process pairs per workload · ratio below 1 means less time

Cholesky factorization

512 × 512 · f64

Observed time reduction

CURRENT / BASELINE	95% INTERVAL
0.5457797784753895	0.5446214676125131 – 0.5541659264523006

Matmul · 2 workers · reused output

128 × 128 · 128 × 128 · f64

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
1	0.9640371229698376 – 1.0133010882708586

Version comparison / paired processes

AMD EPYC 7763 64-Core Processor · 9 process pairs per workload · ratio below 1 means less time

Matmul · 2 workers · reused output

256 × 256 · 256 × 256 · f64

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
0.9986489529385274	0.9724872420678944 – 1.0055121727147451

Matmul · 2 workers · reused output

128 × 128 · 128 × 128 · f32

Timing direction unclear

CURRENT / BASELINE	95% INTERVAL
1.008695652173913	0.9948186528497409 – 1.0373001776198933