## 1 User Story Implementation

This document contains the implementation of the below-mentioned user story.

## 1.1 User Story

- Payment by card(US03): As a commuter, I want to recharge my travel card because I use public transport frequently.
- Formulated by : Dolly
- Implemented by : Naren
- The user story is implemented in HTML
- For this implementation, basic HTML is used with the inclusion of jstyle; tag to enhance the presentation of web pages.
- It consists of 7 .html files.
  - 1. index.html
  - 2. InsertCard.html
  - 3. Recharging.html
  - 4. RechargeSuccess.html
  - 5. RechargeNotSuccess.html
  - 6. RemoveCard.html
  - 7. HomePage.html

## 1.2 How to run the program?

1. Double click on index.html.

## 1.3 Walk-through to my implementation

- 1. Open index.html in a browser to execute the code
- 2. Press the "Recharge Card" option to Recharge the travel card
- 3. Press the "Insert Card" option to insert your travel card. (This is for the lack of hardware.)
- 4. Press "Cancel" option to Cancel
- 5. Press the "successful" option to replicate the payment successful scenario.
- 6. Press the "Unsuccessful" option to replicate the payment unsuccessful scenario.

- 7. Press "Cancel" to Cancel
- 8. "Recharge successful" message is displayed.
- 9. Press the "Remove Card" option to remove your travel card. (This is for the lack of hardware.)