

JILI

**FREE SPIN Guide for Seamless Wallet Version
V1 12.05.2023**



1 、 Purpose of FREE SPIN :

Partners can offer free spins to players as a reward during their promotional activities.

2 、 Instructions for usage :

After integrating with our API, partners will be able to offer free spin rewards through the API integration.

3 、 Parameter Description :

1. **[Account]** Player's account.
2. **[Currency]** The player's currency (Leave the **empty string** for transfer wallet) .
3. **[Referenceld]** Used to **tag activities** for easy tracking in the future.
4. **[FreeSpinValidity]** The free spins will have **an expiration date**, and they will not be usable after the expiration date.
5. **[NumberOfRounds]** The number of spins given as a reward.
6. **[GameIds]** **The list of games** that the free spins can be used on, and the player will need to complete the binding process upon entering one of the games.

4 、 FREE SPIN rules: :

1. Each bet made using the free spin reward will be set to the **minimum bet amount**.
2. The number of free spins will be **bound to the member upon entering the game**, and the game will enter free spin mode **until all spins are used up**, after which the player can resume normal gameplay.
3. If the player exits the game before using all of their free spins, **the remaining spins will be saved** and can be used during the next login.
4. The record of free spins' betting amount is based on **the minimum bet**.
5. During the free spin process, the Free Game and Bonus Game features can still **be triggered as normal**.

6. After the player who receives the free spins enters the game list, their account will be **bound to the first game they play**.

5 、 How will the usage costs be settled :

All usage records will be recorded in the backend and the cost will be calculated at the end of the month for settlement. For more detailed specifications, please **contact our business team**.

6 、 Currently supported Games :

GameID	中文名稱	English Name
2	秦皇傳說	CHIN SHI HUANG
5	火熱辣椒	Hot Chilli
6	發財樹	Fortune TREE
16	叢林之王	Jungle King
21	極速發發發	FAFAFA
27	極速 777	Seven Seven Seven
33	極速豬來了	Fortune Pig
35	瘋狂 777	777
36	包青天	BAO BOON CHIN
40	瘋狂一路發	Crazy Fa Fa Fa
45	瘋狂搶金樂	Golden Bank
47	衝鋒野牛	Charge Buffalo
51	瘋狂錢來也	Money Coming
52	幸運辣椒	Lucky Chilli
58	黃金艷后	Golden Queen
77	拳王	Boxing King
78	秘境奪寶	Secret Treasure
85	法老秘寶	Pharaoh Treasure

87	黃金之書	Book Of Dead
91	象財神	Lucky Coming
100	真有錢	Super Rich
102	羅馬 X	Roma X
103	黃金帝國	Golden Empire
108	阿拉丁	Magic Lamp
109	迦羅寶石	Fortune Gems
110	阿里巴巴	Alibaba
115	王牌特務	Agent Ace
116	快樂計程車	Happy Taxi
126	慶典之月	Bones Fortone
130	雷神 X	Thor X
134	無限王牌	Mega Ace
135	瑪雅帝國	Mayan Empire
136	森巴嘉年華	Samba
137	瘋狂淘金	Gold Express
142	賞金獵人	Bonus Hunter
144	吉利財神	JILI Caishen
145	招財貓	Neko Fortune
146	世界盃	World Cup

7 、 API Description :

Please refer to the Free Spins chapter of the technical document. (§3.1.8, §3.1.9, §3.1.10, §3.1.11)

§3.1.8 Give free spins to a member

URL	<API URL> /CreateFreeSpin	Method	Get/Post	Return	JSON
Description	Give free spin rounds to a specified member				

Request:

Parameter	Type	Require	Description
Account	String	Yes	Member account.
Currency	String	Yes	Currency used by the member.
Referenceld	String	Yes	Unique identifier of the free spins given by this request (50 characters at most).
FreeSpinValidity	Date	Yes	The date when the given free spins are expired (GMT-4). Format: YYYY-MM-DDTHH:MM:SS (2006-01-02T15:04:05)
NumberOfRounds	Int	Yes	Count of the given free spins.
Gamelids	String	Yes	IDs of games for the given free spins. Comma separated if more than one. (200 characters including commas at most)

Response:

Parameter	Type	Require	Description
CreateTime	Bigint	Yes	Timestamp

Error code:

Error Code	Message	Description
0	Success	Success
9	Execution Error	Server error
101	Invalid Date Time	Format of FreeSpinValidity is not correct
101	Incorrect NumberOfRounds	NumberOfRounds is not a valid number
101	Incorrect GamesIds	Some of id(s) in Gamelids is invalid or

		does not support free spins
101	Too many Gamelds	Gamelds is longer than 200 characters
101	Empty Referenceld	Empty ReferencedId
101	Referenceld too long	ReferencedId is longer than 50 characters
102	Referenceld Exist	ReferencedId is used
104	Currency Not Exist	The game provider does not support this currency

Sample of the request body

```
{
  "Account": "test01",
  "Currency": "THB",
  "Referenceld": "freespintest0001",
  "FreeSpinValidity": "2023-01-01T12:00:00",
  "NumberOfRounds": 10,
  "Gamelds": "108,110"
}
```

Sample of the response body

```
{
  "ErrorCode": 0,
  "Message": "success",
  "CreateTime": 1659693600
}
```

§3.1.9 Query overview of FreeSpin

URL	<API URL> /GetFreeSpinRecordSummary	Method	Get/Post	Return	JSON
Description	Get summary of bet and send and used records by specific time range				

Request:

Parameter	Type	Require	Description
StartTime	DateTime	Yes	Start time
EndTime	DateTime	Yes	End time
Currency	string	No	Currency code. If not given, summary BY each currency will be returned. P.S. please ignore when generating the key.
FilterAgent	bool	No	Filter records which not belong to the agent If not given, summary of all agents will be returned. P.S. please ignore when generating the key.

Response-Result:

Parameter	Type	Require	Description
BetAmount	decimal(16,4)	Yes	Bet Amount
PayoffAmount	decimal(16,4)	Yes	Payoff Amount
WagersCount	int	Yes	Bet record count
Currency	string	Yes	Currency code
WinlossAmount	decimal(16,4)	Yes	Payoff-bet amount difference

Response-Overview:

Parameter	Type	Require	Description
TotalSend	int	Yes	Number of free spins were given
TotalUsed	int	Yes	Number of free spins were used
TotalUnused	int	Yes	Number of free spins were unused

Error code:

Error Code	Message	Description
0	Success	Success

2	Invalid Key	Invalid key
101	Invalid DateTime	Invalid time format or start time > end time.
4	(other failures)	Other failures

Sample of the response body

```
{
  "ErrorCode": 0,
  "Message": "",
  "Data": {
    "Result": [
      {
        "BetAmount": -0.2,
        "PayoffAmount": 0.2,
        "WagersCount": 2,
        "Currency": "USD",
        "WinlossAmount": 0
      },
      {
        "BetAmount": -4,
        "PayoffAmount": 0.2,
        "WagersCount": 4,
        "Currency": "THB",
        "WinlossAmount": -3.8
      }
    ],
    "Overview": {
      "TotalSend": 20,
      "TotalUsed": 6,
      "TotalUnused": 14
    }
  }
}
```


§3.1.10 Query the detail of FreeSpin were given

URL	<API URL> /GetFreeSpinSendDetail	Method	Get/Post	Return	JSON
Description	Get the detail of free spins were given by specific time range				

Request:

Parameter	Type	Require	Description
StartTime	DateTime	Yes	Start time
EndTime	DateTime	Yes	End time
FilterAgent	bool	No	Filter records which not belong to the agent If not given, summary of all agents will be returned. P.S. please ignore when generating the key.

Response:

Parameter	Type	Require	Description
Account	string	Yes	Member unique id
ReferenceID	string	Yes	Free spin given id
SendAmount	int	Yes	Number of given free spins
SendTime	DateTime	Yes	Time of given free spins
ExpiredTime	DateTime	Yes	Expired time of free spins
SendGame	string	Yes	Games of given free spins
UsedAmount	int	Yes	Number of used free spins
UnusedAmount	int	Yes	Number of unused free spins
ClaimGame	int	Yes	Claim game of free spins (0: unclaimed game)

Error code:

Error Code	Message	Description
0	Success	Success
2	Invalid Key	Invalid key
101	Invalid DateTime	Invalid time format or start time > end time.
4	(other failures)	Other failures

Sample of the response body

```
{
  "ErrorCode": 0,
  "Message": "",
  "Data": [
    {
      "Account": "test001_THB",
      "ReferenceID": "1683016002999",
      "SendAmount": 10,
      "SendTime": "2023-05-02T04:27:10-04:00",
      "ExpiredTime": "2023-06-01T00:00:00-04:00",
      "SendGame": "134",
      "UsedAmount": 4,
      "UnusedAmount": 6,
      "ClaimGame": 134
    },
    {
      "Account": "test001_USD",
      "ReferenceID": "1683016170598",
      "SendAmount": 10,
      "SendTime": "2023-05-02T04:29:32-04:00",
      "ExpiredTime": "2023-06-01T00:00:00-04:00",
      "SendGame": "77,78",
      "UsedAmount": 2,
      "UnusedAmount": 8,
      "ClaimGame": 78
    }
  ]
}
```

§3.1.11 Query game records of FreeSpin

URL	<API URL> /GetFreeSpinRecordByTime	Method	Get/Post	Return	JSON
Description	Get free spins game records by specific time range				

Request:

Parameter	Type	Require	Description
StartTime	DateTime	Yes	Start time. Format: YYYY-MM-DDThh:mm:ss such as 2021-01-01T03:00:00. GMT-4 should be used.
EndTime	DateTime	Yes	End time. Format: the same as StartTime. P.S. Bet records could possibly be delayed. Please DO NOT use current time as EndTime. Using the time 5 to 10 minutes ago is recommended.
Page	int	Yes	Page(start from 1)
PageLimit	int	Yes	Number of transaction record per page. Must not more than 20,000 and not less than 10000.
Gameld	int	No	Game unique id. P.S. please ignore when generating the key.
FilterAgent	int	No	Filter records which not belong to the agent If not given, summary of all agents will be returned. P.S. please ignore when generating the key.

Response-Result:

Parameter	Type	Require	Description
Account	string	Yes	Member unique id
Gameld	int	Yes	Game unique id
WagersId	bigint	Yes	Game record unique id
BetAmount	decimal(16,4)	Yes	Bet Amount.
PayoffAmount	decimal(16,4)	Yes	Payoff Amount
WagersTime	bigint	Yes	Bet Time
Currency	int	Yes	Currency code

ReferenceId	string	Yes	Free spin given id
-------------	--------	-----	--------------------

Response-Pagination:

Parameter	Type	Require	Description
CurrentPage	int	Yes	Current page.
TotalPages	int	Yes	Total pages.
PageLimit	int	Yes	Number of transaction record per page.
TotalNumber	int	Yes	Total transaction amount.

Error code:

Error Code	Message	Description
0	Success	Success
2	Invalid Key	Invalid key
101	Invalid DateTime	Invalid time format or start time > end time.
4	(other failures)	Other failures

Sample of the response body

```
{
  "ErrorCode": 0,
  "Message": "",
  "Data": {
    "Result": [
      {
        "Account": "test001_THB",
        "Gameld": 134,
        "WagersId": 1681973017020873134,
        "BetAmount": -1,
        "PayoffAmount": 0,
        "Currency": "THB",
        "WagersTime": "2023-05-02T04:27:47-04:00",
        "ReferenceId": "1683016002999"
      },
      {
        "Account": "test001_USD",
        "Gameld": 78,
```

```
        "WagersId": 1682472371000077078,  
        "BetAmount": -0.1,  
        "PayoffAmount": 0,  
        "Currency": "USD",  
        "WagersTime": " 2023-05-02T04:42:35-04:00",  
        "ReferenceId": "1683016170598"  
    },  
],  
"Pagination": {  
    "CurrentPage": 1,  
    "TotalPages": 1,  
    "PageLimit": 10000,  
    "TotalNumber": 2  
}  
}
```







FREE SPIN 說明文件 單一錢包版本

V1 12.05.2023



1、目的：

夥伴推廣活動時，可以 FREE SPIN 贈與玩家作為獎勵。

2、使用方式：

合作夥伴串接 API 後，可以透過 API 來贈送免費旋轉次數作為獎勵。

3、參數說明：

1. **[Account]** 指定**玩家帳號**。
2. **[Currency]** 該玩家**幣別**(轉帳錢包須填寫空字串)。
3. **[ReferenceId]** 用於**標記**活動，便於日後追蹤。
4. **[FreeSpinValidity]** 免費旋轉的**使用期限**，到期後將無法使用。
5. **[NumberOfRounds]** 贈送的**局數**。
6. **[GameIds]** 贈送的**遊戲清單**，進入其一遊戲後完成綁定。

4、FREE SPIN 規則：

1. 免費旋轉獎勵，每一次的 **BET 皆為最低押注額設定**。
2. 免費旋轉的次數，在會員進入遊戲時綁定，遊戲會進入**免費旋轉**模式，直到次數用盡，玩家才可進行一般遊戲。
3. 若**提前離開遊戲**，沒用完的**轉次將會保留**，直到下次登入再次觸發。

4. 免費旋轉的**投注金額紀錄均為最小押注**。
5. 在免費旋轉過程，依然可正常觸發**免費遊戲(FREE GAME)**以及**獎勵遊戲(BONUS GAME)**。
6. 被贈送玩家在進入遊戲清單的第一款遊戲後，**該帳號對該遊戲進行綁定**。

5、使用成本如何交收？

後台將會記錄所有使用紀錄，並於月底計算成本，後續進行交收。**(詳細規格請洽商務)**

6、目前已支援產品：

GameID	中文名稱	英文名稱
2	秦皇傳說	CHIN SHI HUANG
5	火熱辣椒	Hot Chilli
6	發財樹	Fortune TREE
16	叢林之王	Jungle King
21	極速發發發	FAFAFA
27	極速 777	Seven Seven Seven
33	極速豬來了	Fortune Pig
35	瘋狂 777	777
36	包青天	BAO BOON CHIN
40	瘋狂一路發	Crazy Fa Fa Fa
45	瘋狂搶金樂	Golden Bank
47	衝鋒野牛	Charge Buffalo

51	瘋狂錢來也	Money Coming
52	幸運辣椒	Lucky Chilli
58	黃金艷后	Golden Queen
77	拳王	Boxing King
78	秘境奪寶	Secret Treasure
85	法老秘寶	Pharaoh Treasure
87	黃金之書	Book Of Dead
91	象財神	Lucky Coming
100	真有錢	Super Rich
102	羅馬 X	Roma X
103	黃金帝國	Golden Empire
108	阿拉丁	Magic Lamp
109	迦羅寶石	Fortune Gems
110	阿里巴巴	Alibaba
115	王牌特務	Agent Ace
116	快樂計程車	Happy Taxi
126	慶典之月	Bones Fortone
130	雷神 X	Thor X
134	無限王牌	Mega Ace
135	瑪雅帝國	Mayan Empire
136	森巴嘉年華	Samba
137	瘋狂淘金	Gold Express
142	賞金獵人	Bonus Hunter
144	吉利財神	JILI Caishen
145	招財貓	Neko Fortune
146	世界盃	World Cup

7、API 說明：

請參閱技術文件 Free Spins (§3.1.8, §3.1.9, §3.1.10, §3.1.11)

§3.1.8 给予玩家免费游戏局数

URL	<API URL> /CreateFreeSpin	Method	Get/Post	Return	JSON
Description	给予玩家免费游戏局数				

Request:

Parameter	Type	Require	Description
Account	String	Yes	玩家账号 (新玩家则会自动创立账号)
Currency	String	Yes	玩家使用货币
Referenceld	String	Yes	免费局数序号, 长度上限 50
FreeSpinValidity	Date	Yes	有效期限, 格式为 RFC3339 (2006-01-02T15:04:05), 时区为 GMT-4
NumberOfRounds	Int	Yes	局数
Gamelids	String	Yes	可使用游戏 ID, 超过一笔时以逗号分隔长度 (含逗号) 上限 200

Response:

Parameter	Type	Require	Description
CreateTime	Bigint	Yes	时间戳

Error code:

Error Code	Message	Description
0	Success	成功
9	Execution Error	后端执行错误
101	Invalid Date Time	不正确的时间格式
101	Incorrect NumberOfRounds	无效的局数
101	Incorrect GamesIds	无效的使用游戏
101	Too many Gamelids	游戏过多
101	Empty Referenceld	序号为空
101	Referenceld too long	序号过长
102	Referenceld Exist	序号已使用
104	Currency Not Exist	货币无效

请求范例 Post Body

```
{  
  "Account": "test01",  
  "Currency": "THB",  
  "Referenceld": "freespintest0001",  
  "FreeSpinValidity": "2023-01-01T12:00:00",  
  "NumberOfRounds": 10,  
  "Gamelds": "108,110"  
}
```

响应范例

```
{  
  "ErrorCode": 0,  
  "Message": "success",  
  "CreateTime": 1659693600  
}
```



§3.1.9 查詢 FreeSpin 總覽

URL	<API URL> /GetFreeSpinRecordSummary	Method	Get/Post	Return	JSON
Description	取得 時間範圍 內免費遊戲注單和贈送及使用統計數值				

Request:

Parameter	Type	Require	Description
StartTime	DateTime	Yes	查詢開始時間
EndTime	DateTime	Yes	查詢結束時間
Currency	string	No	查詢貨幣代碼 未帶時，回傳結果所有幣別都會個別加總 P.S. 計算 key 時請忽視
FilterAgent	bool	No	只查詢所帶之代理 (AgentId) 下的注單統計 未帶時，回傳結果為所有代理加總 P.S. 計算 key 時請忽視

Response-Result:

Parameter	Type	Require	Description
BetAmount	decimal(16,4)	Yes	投注總金額
PayoffAmount	decimal(16,4)	Yes	派彩總金額
WagersCount	int	Yes	注單數量
Currency	string	Yes	注單幣別
WinlossAmount	decimal(16,4)	Yes	派彩投注差值總金額

Response-Overview:

Parameter	Type	Require	Description
TotalSend	int	Yes	贈送總局數
TotalUsed	int	Yes	使用總局數
TotalUnused	int	Yes	未使用總局數

Error code:

Error Code	Message	Description
------------	---------	-------------

0	Success	查询成功
2	Invalid Key	检查码错误
101	Invalid DateTime	不正确的时间格式 · 或开始时间大于结束时间
4	(other failures)	其他错误

响应范例

```
{
  "ErrorCode": 0,
  "Message": "",
  "Data": {
    "Result": [
      {
        "BetAmount": -0.2,
        "PayoffAmount": 0.2,
        "WagersCount": 2,
        "Currency": "USD",
        "WinlossAmount": 0
      },
      {
        "BetAmount": -4,
        "PayoffAmount": 0.2,
        "WagersCount": 4,
        "Currency": "THB",
        "WinlossAmount": -3.8
      }
    ],
    "Overview": {
      "TotalSend": 20,
      "TotalUsed": 6,
      "TotalUnused": 14
    }
  }
}
```

§3.1.10 查询 FreeSpin 已派送细节

URL	<API URL> /GetFreeSpinSendDetail	Method	Get/Post	Return	JSON
Description	取得 时间范围 内免费游戏赠送细节				

Request:

Parameter	Type	Require	Description
StartTime	DateTime	Yes	查询开始时间
EndTime	DateTime	Yes	查询结束时间
Currency	string	No	查询货币代码 未带时, 回传结果所有币别都会个别加总 P.S. 计算 key 时请忽视
FilterAgent	bool	No	只查询所带之代理 (AgentId) 下的注单统计 未带时, 回传结果为所有代理加总 P.S. 计算 key 时请忽视

Response:

Parameter	Type	Require	Description
Account	string	Yes	会员唯一识别值
ReferenceID	string	Yes	免费局数序号
SendAmount	int	Yes	免费局数赠送数量
SendTime	DateTime	Yes	免费局数赠送时间
ExpiredTime	DateTime	Yes	免费局数过期时间
SendGame	string	Yes	免费局数赠送游戏
UsedAmount	int	Yes	免费局数使用数量
UnusedAmount	int	Yes	免费局数未使用数量
ClaimGame	int	Yes	免费局数绑定游戏(0: 未绑定游戏)

Error code:

Error Code	Message	Description
0	Success	查询成功
2	Invalid Key	检查码错误
101	Invalid DateTime	不正确的时间格式 · 或开始时间大于结束时间

4	(other failures)	其他错误
---	------------------	------

响应范例

```
{
  "ErrorCode": 0,
  "Message": "",
  "Data": [
    {
      "Account": "test001_THB",
      "ReferenceID": "1683016002999",
      "SendAmount": 10,
      "SendTime": "2023-05-02T04:27:10-04:00",
      "ExpiredTime": "2023-06-01T00:00:00-04:00",
      "SendGame": "134",
      "UsedAmount": 4,
      "UnusedAmount": 6,
      "ClaimGame": 134
    },
    {
      "Account": "test001_USD",
      "ReferenceID": "1683016170598",
      "SendAmount": 10,
      "SendTime": "2023-05-02T04:29:32-04:00",
      "ExpiredTime": "2023-06-01T00:00:00-04:00",
      "SendGame": "77,78",
      "UsedAmount": 2,
      "UnusedAmount": 8,
      "ClaimGame": 78
    }
  ]
}
```


§3.1.11 查询 FreeSpin 游戏纪录

URL	<API URL> /GetFreeSpinRecordByTime	Method	Get/Post	Return	JSON
Description	取得 时间范围 内免费游戏纪录				

Request:

Parameter	Type	Require	Description
StartTime	DateTime	Yes	查询开始时间 格式: YYYY-MM-DDThh:mm:ss, 例如 2021-01-01T03:00:00。请用 GMT-4 时区的时间。
EndTime	DateTime	Yes	查询结束时间 格式同 StartTime P.S. 由于游戏纪录会有写入延迟, 请不要使用当下时间; 建议使用 5 到 10 分钟前的时间作为 EndTime。
Page	int	Yes	页数(从 1 开始)
PageLimit	int	Yes	每页资料笔数, 最多 20,000 最少 10000
Gameld	int	No	游戏的唯一识别值 P.S. 计算 key 时请忽略 Gameld
FilterAgent	int	No	1: 只捞取该站长(AgentId)代理的注单 0 或不带值: 捞取所有站长代理的注单 P.S. 计算 key 时请忽略 FilterAgent

Response-Result:

Parameter	Type	Require	Description
Account	string	Yes	会员唯一识别值
Gameld	int	Yes	游戏的唯一识别值
WagersId	bigint	Yes	在游戏内注单唯一值
BetAmount	decimal(16,4)	Yes	投注金额
PayoffAmount	decimal(16,4)	Yes	派彩金额
WagersTime	bigint	Yes	投注时间
Currency	string	Yes	注单币别
Referenceld	string	Yes	免费局数识别值

Response-Pagination:

Parameter	Type	Require	Description
CurrentPage	int	Yes	当前页数
TotalPages	int	Yes	总页数
PageLimit	int	Yes	每页笔数
TotalNumber	int	Yes	总笔数

Error code:

Error Code	Message	Description
0	Success	查询成功
2	Invalid Key	检查码错误
101	Invalid DateTime	不正确的时间格式，或开始时间大于结束时间
4	(other failures)	其他错误

响应范例

```
{
  "ErrorCode": 0,
  "Message": "",
  "Data": {
    "Result": [
      {
        "Account": "test001_THB",
        "Gameld": 134,
        "WagersId": 1681973017020873134,
        "BetAmount": -1,
        "PayoffAmount": 0,
        "Currency": "THB",
        "WagersTime": "2023-05-02T04:27:47-04:00",
        "Referenceld": "1683016002999"
      },
      {
        "Account": "test001_USD",
        "Gameld": 78,
        "WagersId": 1682472371000077078,
```

```
        "BetAmount": -0.1,  
        "PayoffAmount": 0,  
        "Currency": "USD",  
        "WagersTime": " 2023-05-02T04:42:35-04:00",  
        "Referenceld": "1683016170598"  
    },  
],  
"Pagination": {  
    "CurrentPage": 1,  
    "TotalPages": 1,  
    "PageLimit": 10000,  
    "TotalNumber": 2  
}  
}  
}
```

TotalNumber	int	Yes	Total transaction amount.
-------------	-----	-----	---------------------------

