Analytics container — request to infra

From: the OMS BackOffice team · **Date:** 2026-11-05

Please run **one container image** that we supply, the same way you run our other apps. We build and test the image ourselves; you only run it. All its settings are built in; you set only the three secrets in §4. A ready deployment file comes with the image: `oms-analytics.k8s.yaml` (Kubernetes) or `oms-analytics.compose.yaml` (Docker).

1. Run it

Image	`oms-analytics:<version>`, linux/amd64. Delivered the same way as our other apps' images.
Size	**4 vCPU, 16 GB RAM** (may later grow to 8 vCPU / 32 GB).
Instances	**Exactly one.** Never scale it out or run two at once.
Disk	**None.** Nothing needs to persist; it rebuilds its cache on start.
Restart	Always restart on failure. A restart is always safe.
Port	The container listens on **4000** only.

2. Name and certificate

- An **internal-only** DNS name (not published on the internet), e.g. `oms-analytics.<internal domain>`.
- A Cloudflare certificate on **443**, routed to container port **4000**.

3. Network

From → to	Port	Rule
Production SIS.Api and staging SIS.Api → the container	443	allow
Your monitoring → the container	443	allow (health check only)
The container → `DWPOSREPL03` / 172.23.27.47	1433	allow
Anything else in, and the container → the internet	—	**deny**

4. Secrets (environment variables, set at deploy time)

`CUBEJS_DB_PASS` · `DBT_ENV_SECRET_PASSWORD` · `CUBEJS_API_SECRET`

We give you the values in person or through your secret store — never by email or ticket. The container refuses to start (exit code 64) if one is missing.

5. Health checks

Path	Use it for	Healthy
`GET /livez`	liveness (restart if failing)	`200`
`GET /health`	**monitoring and alerts**	`200`; `503` means the service or its data is stale. The JSON body says which.

Please alert **the OMS BackOffice team** when `/health` returns 503 for more than 15 minutes.

6. What we need from you

- **Back on this request:** the DNS name, the source IPs of production and staging SIS.Api, and how we hand you a new image version.
- **Running:** read access to the container's logs, and a way to see it running and restart it (or a named contact who can). **No shell access is needed.**