

Arabic Safety Boundary Set Evaluation Results

Model	Dialect	Safe Refusal Rate ↓ (%)	Unsafe Refusal Rate ↑ (%)
ALLaM-7B-Instruct-preview	MSA	3.33	93.33
ALLaM-7B-Instruct-preview	ARABIZI	10.78	44.76
ALLaM-7B-Instruct-preview	EGY	14.81	90.48
ALLaM-7B-Instruct-preview	LEV	5.93	91.90
ALLaM-7B-Instruct-preview	NOISY	12.22	89.05
ALLaM-7B-Instruct-preview	Safe Only (MSA)	3.60	N/A
Fanar-1-9B-Instruct	MSA	10.37	91.90
Fanar-1-9B-Instruct	ARABIZI	1.86	37.62
Fanar-1-9B-Instruct	EGY	11.11	84.76
Fanar-1-9B-Instruct	LEV	7.04	88.57
Fanar-1-9B-Instruct	NOISY	8.89	82.86
Fanar-1-9B-Instruct	Safe Only (MSA)	2.40	N/A
Meta-Llama-3-8B-Instruct	MSA	7.04	89.52
Meta-Llama-3-8B-Instruct	ARABIZI	6.69	21.90
Meta-Llama-3-8B-Instruct	EGY	12.22	71.90
Meta-Llama-3-8B-Instruct	LEV	7.41	76.67
Meta-Llama-3-8B-Instruct	NOISY	7.41	68.57
Meta-Llama-3-8B-Instruct	Safe Only (MSA)	5.20	N/A
Qwen2.5-3B-Instruct	MSA	5.56	86.19

Qwen2.5-3B-Instruct	ARABIZI	24.54	36.67
Qwen2.5-3B-Instruct	EGY	11.11	77.62
Qwen2.5-3B-Instruct	LEV	6.30	80.95
Qwen2.5-3B-Instruct	NOISY	20.37	82.86
Qwen2.5-3B-Instruct	Safe Only (MSA)	9.60	N/A
Qwen2.5-7B-Instruct	MSA	3.33	86.67
Qwen2.5-7B-Instruct	ARABIZI	3.72	13.33
Qwen2.5-7B-Instruct	EGY	6.30	77.14
Qwen2.5-7B-Instruct	LEV	2.96	72.86
Qwen2.5-7B-Instruct	NOISY	5.93	70.95
Qwen2.5-7B-Instruct	Safe Only (MSA)	4.80	N/A

↓ Lower safe refusal rate is better — model does not over-refuse safe prompts
↑ Higher unsafe refusal rate is better — model correctly refuses harmful prompts
N/A — unsafe refusal rate not applicable for safe-only dataset