FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

BRIDGE FOUNDATION REPORT

Cotton Creek Ranch, v1

Prepared by Tamsin Geotechnical

2026-06-01

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

Soft clay at both abutments may produce up to 3 inches of settlement.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

Bridge piers should be supported on 4-foot diameter drilled shafts extending about 70 feet.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

Approach embankments should be surcharged with wick drains for approximately 6 months.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

APPENDIX

Boring logs (not reproduced in text).

1.0 INTRODUCTION

FICTIONAL DEMONSTRATION DOCUMENT. All names, agencies, values and criteria are invented. Not for construction or professional use.

2.0 SUBSURFACE CONDITIONS

Borings at each bent and abutment.