

Cucumber Report

10-Oct-2021, 12:50:34 pm

Start : Oct 10, 12:49:04.034 pm

End : Oct 10, 12:50:33.302 pm

Duration : 1 m 29.268 s

Features







PASSED - 3
FAILED - 0
SKIPPED - 0


Scenarios

PASSED - 8
FAILED - 0
SKIPPED - 0


Steps

PASSED - 64
FAILED - 0
SKIPPED - 0





| # | Feature Name | T | P | F | S | Duration |
|---|---------------------------------------|---|---|---|---|----------|
| 1 | <u>Login Functionality</u> | 3 | 3 | 0 | 0 | 31.730 s |
| 2 | <u>MiniStatement Functionality</u> | 3 | 3 | 0 | 0 | 34.733 s |
| 3 | <u>Transaction List Functionality</u> | 2 | 2 | 0 | 0 | 22.769 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------------------|--|----|----|---|---|----------|
| 1 | <u>Login Functionality</u> | <u>Login With Valid UserName and Password</u> | 6 | 6 | 0 | 0 | 10.906 s |
| 2 | <u>Login Functionality</u> | <u>Login With Valid UserName and Password through Data Table</u> | 6 | 6 | 0 | 0 | 10.217 s |
| 3 | <u>Login Functionality</u> | <u>Login With Valid UserName and Password with Data Driven</u> | 6 | 6 | 0 | 0 | 10.561 s |
| 4 | <u>MiniStatement Functionality</u> | <u>Verify MiniStatement Is Display</u> | 8 | 8 | 0 | 0 | 10.979 s |
| 5 | <u>MiniStatement Functionality</u> | <u>Login With Valid UserName and Password through Data Table</u> | 8 | 8 | 0 | 0 | 11.794 s |
| 6 | <u>MiniStatement Functionality</u> | <u>Verify MiniStatement Is Display With Data Driven</u> | 8 | 8 | 0 | 0 | 11.938 s |
| 7 | <u>Transaction List Functionality</u> | <u>Verify Transaction List Is Displayed</u> | 11 | 11 | 0 | 0 | 11.656 s |
| 8 | <u>Transaction List Functionality</u> | <u>Verify Transaction List Is Displayed With Data Driven</u> | 11 | 11 | 0 | 0 | 11.103 s |


(F)- Login Functionality




(S)- Login With Valid UserName and Password



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password + | PASSED | 0.159 s |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" | PASSED | 3.668 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password + | PASSED | 0.139 s |
| 2 | When user enter userName as "1303" and passWord as "Guru99" | PASSED | 0.150 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password  | PASSED | 0.157 s |
| 3 | When user click on submit button | PASSED | 1.219 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password  | PASSED | 0.217 s |
| 4 | Then user verify home page as "Guru99 Bank" is displayed | PASSED | 0.042 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password  | PASSED | 0.180 s |
| 5 | When user click on logOut from Application | PASSED | 0.454 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password  | PASSED | 1.499 s |
| 6 | When user close the browser | PASSED | 0.091 s |


(S)- Login With Valid UserName and Password through Data Table



| # | Step / Hook Details | Status | Duration | | | | |
|----------|---|----------|----------|------|--------|--------|---------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table + | PASSED | 0.189 s | | | | |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 3.320 s | | | | |
| 2 | When user enter userNmae and passWord <table border="1"><tr><td>UserName</td><td>PassWord</td></tr><tr><td>1303</td><td>Guru99</td></tr></table> | UserName | PassWord | 1303 | Guru99 | PASSED | 0.157 s |
| UserName | PassWord | | | | | | |
| 1303 | Guru99 | | | | | | |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 0.169 s | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | When user click on submit button BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 1.561 s |
| 4 | Then user verify home page as "Guru99 Bank" is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 0.026 s |
| 5 | When user click on logOut from Application BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 0.427 s |
| 6 | When user close the browser | PASSED | 0.070 s |


(S)- Login With Valid UserName and Password with Data Driven




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_with_Data_Driven + | PASSED | 0.254 s |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" | PASSED | 3.763 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_with_Data_Driven  | PASSED | 0.147 s |
| 2 | When user enter userName as "1303" and passWord as "Guru99" | PASSED | 0.148 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_with_Data_Driven  | PASSED | 0.171 s |
| 3 | When user click on submit button | PASSED | 1.183 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_with_Data_Driven  | PASSED | 0.172 s |
| 4 | Then user verify home page as "Guru99 Bank" is displayed | PASSED | 0.038 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_with_Data_Driven | PASSED | 0.187 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  + | | |
| 5 | Then user click on logOut from Application | PASSED | 0.481 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 1.572 s |
| |  + | | |
| 6 | When user close the browser | PASSED | 0.095 s |

(F)- MiniStatement Functionality



(S)- Verify MiniStatement Is Display




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Verify_MiniStatement_Is_Display + | | |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" | PASSED | 2.527 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |
| | Verify_MiniStatement_Is_Display | | |
| |  + | | |
| 2 | When user enter userName as "1303" and passWord as "Guru99" | PASSED | 0.129 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s |
| | Verify_MiniStatement_Is_Display | | |
| |  + | | |
| 3 | When user click on submit button | PASSED | 1.199 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | Verify_MiniStatement_Is_Display | | |
| |  + | | |
| 4 | Then user verify home page as "Guru99 Bank" is displayed | PASSED | 0.034 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| | Verify_MiniStatement_Is_Display | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 5 | When user click on Ministatement link BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display | PASSED | 0.485 s |
| |  | PASSED | 0.233 s |
| 6 | Then user verify Ministatement Form is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display | PASSED | 0.043 s |
| |  | PASSED | 0.135 s |
| 7 | Then user click on logOut from Application BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display | PASSED | 0.441 s |
| |  | PASSED | 2.465 s |
| 8 | When user close the browser | PASSED | 0.085 s |

(S)- Login With Valid UserName and Password through Data Table




| # | Step / Hook Details | Status | Duration | | | | |
|----------|---|----------|----------|------|--------|--------|---------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table + | PASSED | 0.151 s | | | | |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  + | PASSED | 3.693 s | | | | |
| 2 | When user enter userNmae and passWord <table border="1"><tr><td>UserName</td><td>PassWord</td></tr><tr><td>1303</td><td>Guru99</td></tr></table> | UserName | PassWord | 1303 | Guru99 | PASSED | 0.171 s |
| UserName | PassWord | | | | | | |
| 1303 | Guru99 | | | | | | |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  + | PASSED | 0.185 s | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | When user click on submit button BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 1.553 s |
| 4 | Then user verify home page as "Guru99 Bank" is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 0.033 s |
| 5 | When user click on Ministatement link BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 0.496 s |
| 6 | Then user verify Ministatement Form is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table  | PASSED | 0.033 s |
| 7 | Then user click on logOut from Application BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Login_With_Valid_UserName_and_Password_through_Data_Table | PASSED | 0.440 s |
| | | PASSED | 1.553 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 8 | When user close the browser | PASSED | 0.065 s |

(S)- Verify MiniStatement Is Display With Data Driven




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display_With_Data_Driven + | PASSED | 0.139 s |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" | PASSED | 3.542 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display_With_Data_Driven  | PASSED | 0.142 s |
| 2 | When user enter userName as "1303" and passWord as "Guru99" | PASSED | 0.135 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display_With_Data_Driven | PASSED | 0.155 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 3 | When user click on submit button BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display_With_Data_Driven | PASSED | 1.564 s |
| |  | PASSED | 0.212 s |
| 4 | Then user verify home page as "Guru99 Bank" is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display_With_Data_Driven | PASSED | 0.034 s |
| |  | PASSED | 0.158 s |
| 5 | When user click on Ministatement link BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display_With_Data_Driven | PASSED | 0.495 s |
| |  | PASSED | 0.227 s |
| 6 | Then user verify Ministatement Form is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_MiniStatement_Is_Display_With_Data_Driven | PASSED | 0.039 s |
| |  | PASSED | 0.139 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  + | | |
| 7 | Then user click on logOut from Application | PASSED | 0.477 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 1.683 s |
| | Verify_MiniStatement_Is_Display_With_Data_Driven | | |
| |  + | | |
| 8 | When user close the browser | PASSED | 0.051 s |

(F)- Transaction List Functionality



(S)- Verify Transaction List Is Displayed




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Verify_Transaction_List_Is_Displayed + | | |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" | PASSED | 3.001 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.134 s |
| | Verify_Transaction_List_Is_Displayed | | |
| |  + | | |
| 2 | When user enter userName as "1303" and passWord as "Guru99" | PASSED | 0.150 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.145 s |
| | Verify_Transaction_List_Is_Displayed | | |
| |  + | | |
| 3 | When user click on submit button | PASSED | 1.219 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.170 s |
| | Verify_Transaction_List_Is_Displayed | | |
| |  + | | |
| 4 | Then user verify home page as "Guru99 Bank" is displayed | PASSED | 0.030 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.190 s |
| | Verify_Transaction_List_Is_Displayed | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 5 | When user click on Ministatement link BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed | PASSED | 0.513 s |
| |  | PASSED | 0.164 s |
| 6 | Then user verify Ministatement Form is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed | PASSED | 0.034 s |
| |  | PASSED | 0.132 s |
| 7 | When user select account number from account dropdown list BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed | PASSED | 0.071 s |
| |  | PASSED | 0.128 s |
| 8 | When user click on submit BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed | PASSED | 0.504 s |
| |  | PASSED | 0.150 s |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 9 | Then user verify transaction list is displayed | PASSED | 0.035 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | Verify_Transaction_List_Is_Displayed | | |
| |  | | |
| 10 | Then user click on logOut from Application | PASSED | 0.471 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 1.683 s |
| | Verify_Transaction_List_Is_Displayed | | |
| |  | | |
| 11 | When user close the browser | PASSED | 0.096 s |


(S)- Verify Transaction List Is Displayed With Data Driven



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | Verify_Transaction_List_Is_Displayed_With_Data_Driven | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | + | | |
| 1 | Given user Navigate to URL "http://demo.guru99.com/Agile_Project/Agi_V1/index.php" | PASSED | 2.563 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven  | PASSED | 0.146 s |
| 2 | When user enter userName as "1303" and passWord as "Guru99" | PASSED | 0.172 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven  | PASSED | 0.161 s |
| 3 | When user click on submit button | PASSED | 1.205 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven  | PASSED | 0.155 s |
| 4 | Then user verify home page as "Guru99 Bank" is displayed | PASSED | 0.030 s |
| | BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven | PASSED | 0.170 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 5 | When user click on Ministatement link BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven | PASSED | 0.477 s |
| |  | PASSED | 0.200 s |
| 6 | Then user verify Ministatement Form is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven | PASSED | 0.033 s |
| |  | PASSED | 0.129 s |
| 7 | When user select account number from account dropdown list BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven | PASSED | 0.068 s |
| |  | PASSED | 0.134 s |
| 8 | When user click on submit BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) Verify_Transaction_List_Is_Displayed_With_Data_Driven | PASSED | 0.488 s |
| |  | PASSED | 0.165 s |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 9 | Then user verify transaction list is displayed BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) <u>Verify_Transaction_List_Is_Displayed_With_Data_Driven</u> | PASSED | 0.038 s |
| |  | PASSED | 0.148 s |
| 10 | Then user click on logOut from Application BEFORE_STEP - Parallel.Hooks_Application.takeScreenshot(io.cucumber.java.Scenario) <u>Verify_Transaction_List_Is_Displayed_With_Data_Driven</u> | PASSED | 0.462 s |
| |  | PASSED | 1.561 s |
| 11 | When user close the browser | PASSED | 0.046 s |

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password

(F) Login Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



come To Customer's Page of Gu

(S) Login With Valid UserName and Password

(F) Login Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

UserID

Password

(S) Login With Valid UserName and Password

(F) Login Functionality

Access

1. UserID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)


(S) Login With Valid UserName and
Password through Data Table

(F) Login Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Login With Valid UserName and
Password through Data Table

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

**(S) Login With Valid UserName and
Password through Data Table**

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

**(S) Login With Valid UserName and
Password through Data Table**

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Login With Valid UserName and
Password through Data Table

(F) Login Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



me To Customer's Page of Guru

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Login With Valid UserName and
Password through Data Table

(F) Login Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

UserID
Password

Access

1. UserID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password with Data Driven

(F) Login Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password with Data Driven

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password with Data Driven

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password with Data Driven

(F) Login Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



come To Customer's Page of Gui

(S) Login With Valid UserName and
Password with Data Driven

(F) Login Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

UserID
Password

(S) Login With Valid UserName and
Password with Data Driven

(F) Login Functionality

Access

1. UserID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify MiniStatement Is Display

(F) MiniStatment Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify MiniStatement Is Display

(F) MiniStatment Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify MiniStatement Is Display


(F) MiniStatment Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify MiniStatement Is Display

(F) MiniStatment Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours
SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



C O M E T O C U S T O M E R ' S P A G E O F G U

(S) Verify MiniStatement Is Display

(F) MiniStatment Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours
SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

Home

(S) Verify MiniStatement Is Display

(F) MiniStatment Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No Select Account ▾

Submit Reset

Home

(S) Verify MiniStatement Is Display

(F) MiniStatment Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

UserID

Password

LOGIN RESET

(S) Verify MiniStatement Is Display

(F) MiniStatment Functionality

Access

1. UserID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

**(S) Login With Valid UserName and
Password through Data Table**

(F) MiniStatement Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

**(S) Login With Valid UserName and
Password through Data Table**

(F) MiniStatement Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password through Data Table


(F) MiniStatement Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password through Data Table

(F) MiniStatement Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password through Data Table

(F) MiniStatment Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



me To Customer's Page of Guru

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password through Data Table

(F) MiniStatment Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

Home

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password through Data Table

(F) MiniStatment Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No Select Account ▾

Submit Reset

Home

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Login With Valid UserName and Password through Data Table

(F) MiniStatment Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

UserID

Password

LOGIN RESET

Access

1. UserID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)


(S) Verify MiniStatement Is Display With
Data Driven

(F) MiniStatement Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify MiniStatement Is Display With
Data Driven

(F) MiniStatement Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify MiniStatement Is Display With Data Driven

(F) MiniStatement Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify MiniStatement Is Display With Data Driven

(F) MiniStatement Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify MiniStatement Is Display With Data Driven

(F) MiniStatement Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



me To Customer's Page of Guru99

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify MiniStatement Is Display With Data Driven

(F) MiniStatement Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

Home

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify MiniStatement Is Display With Data Driven

(F) MiniStatement Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify MiniStatement Is Display With Data Driven

(F) MiniStatement Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No Select Account ▾

Submit Reset

Home

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

UserID

Password

LOGIN RESET

Access

1. UserID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)


(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

User ID
Password

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



Welcome To Customer's Page of G

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours
SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out



come To Customer's Page of Gu

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours
SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

Home

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

Select Account ▾

Submit

Reset

Home

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

3308

Submit

Reset

Home

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Last Three Transaction Details for Account No: 3308

| Transaction ID | Amount | Transaction Type | Date of Transaction | Description |
|----------------|--------|------------------|---------------------|-----------------------|
| 167082 | 120 | t | 2021-08-03 | okTransfer To3309 |
| 166709 | 1 | t | 2021-07-29 | g Transfer From 95259 |
| 166625 | 200 | t | 2021-07-28 | guruTransfer To95258 |

Continue

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Last Three Transaction Details for Account No: 3308

| Transaction ID | Amount | Transaction Type | Date of Transaction | Description |
|----------------|--------|------------------|---------------------|-----------------------|
| 167082 | 120 | t | 2021-08-03 | okTransfer To3309 |
| 166709 | 1 | t | 2021-07-29 | g Transfer From 95259 |
| 166625 | 200 | t | 2021-07-28 | guruTransfer To95258 |

Continue

(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)


(S) Verify Transaction List Is Displayed

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed
With Data Driven

(F) Transaction List Functionality



The screenshot shows the Guru99 Demo Site login page. At the top, there's a navigation bar with links for Selenium, Insurance Project, Agile Project, Bank Project, Security Project, Telecom Project, Payment Gateway Project, New Tours, and SEO. Below the navigation bar is a header bar with the text "Guru99 Bank". The main content area contains a login form with fields for "UserID" and "Password", and buttons for "LOGIN" and "RESET". Below the login form, there's a section titled "Access" containing the text "1. UserID : 1303".

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

User ID
Password

Access

1. User ID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

User ID
Password


Access

1. User ID : 1303

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

[\(S\) Verify Transaction List Is Displayed
With Data Driven](#)

[\(F\) Transaction List Functionality](#)



(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.
cucumber.java.Scenario)

[\(S\) Verify Transaction List Is Displayed
With Data Driven](#)

[\(F\) Transaction List Functionality](#)



come To Customer's Page of Gu

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

Home

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No

Home

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Mini Statement Form

Account No 3308

Submit Reset

Home

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Last Three Transaction Details for Account No: 3308

| Transaction ID | Amount | Transaction Type | Date of Transaction | Description |
|----------------|--------|------------------|---------------------|-----------------------|
| 167082 | 120 | t | 2021-08-03 | okTransfer To3309 |
| 166709 | 1 | t | 2021-07-29 | q Transfer From 95259 |
| 166625 | -200 | t | 2021-07-29 | quickTransfer To95258 |

Continue

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours

SEO ▾

Guru99 Bank

Customer

Mini Statement

Log out

Last Three Transaction Details for Account No: 3308

| Transaction ID | Amount | Transaction Type | Date of Transaction | Description |
|----------------|--------|------------------|---------------------|-----------------------|
| 167082 | 120 | t | 2021-08-03 | okTransfer To3309 |
| 166709 | 1 | t | 2021-07-29 | q Transfer From 95259 |
| 166025 | 200 | t | 2021-07-28 | newTransfer To95258 |

Continue

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

(Step) BEFORE_STEP - Parallel.
Hooks_Application.takeScreenshot(io.cucumber.java.Scenario)

GURU⁹⁹ Demo Site

Selenium ▾ Insurance Project Agile Project Bank Project Security Project Telecom Project Payment Gateway Project New Tours SEO ▾

Guru99 Bank

UserID

Password

(S) Verify Transaction List Is Displayed With Data Driven

(F) Transaction List Functionality

Access

1. UserID : 1303