

# APP线索分析报告

报告由模瓜APP分析平台(mogua.co) 生成



**♣** 道言 1.0.APK

APP名称: 道言

包名: com.jsl.daoyan

域名线索: 41条

URL线索: 54条

邮箱线索: 0条

分析日期: 2022年1月26日 18:47

文件名: daoyan.apk 文件大小: 6.07MB

MD5值: e3d1f5352b2b1db4ed5475462d33430b

**SHA1**值: 9448753896704e09d8bea0d9584babb39462de29

\$HA256值: b33a25a621f1d733831beb71b3c21df008b382c5588ccdd8a2844ef19168eb5f

#### i APP 信息

App名称: 道言

包名: com.jsl.daoyan

主活动**Activity:** com.jsl.daoyan.LeadActivity

安卓版本名称: 1.0 安卓版本: 1

#### 0 域名线索

域名	是否危险域名	服务器信息
utop.umengcloud.com	good	IP: 140.205.160.70 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map

域名	是否危险域名	服务器信息
upoll.umengcloud.com	good	IP: 106.11.53.98 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 査看地图: Google Map
alog.umeng.co	good	没有服务器地理信息.
upload.qiniu.com	good	IP: 180.101.136.87 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311390 经度: 120.618057 查看地图: Google Map
fusion.qq.com	good	IP: 121.51.36.15 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298 查看地图: Google Map
stat.meiqia.com	good	没有服务器地理信息.

域名	是否危险域名	服务器信息
openmobile.qq.com	good	IP: 113.96.208.233 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298 查看地图: Google Map
dn-zmec.qbox.me	good	没有服务器地理信息.
120.55.80.240	good	IP: 120.55.80.240 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map
pingma.qq.com	good	IP: 119.45.78.184  所属国家: China 地区: Beijing 城市: Beijing  纬度: 39.907501  经度: 116.397232  查看地图: Google Map
url.sms.mob.com	good	没有服务器地理信息.

域名	是否危险域名	服务器信息
cgi.qplus.com	good	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000 查看地图: Google Map
dev.umeng.com	good	IP: 59.82.60.44  所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map
android.meiqia.com	good	没有服务器地理信息.
hydra.alibaba.com	good	IP: 203.119.169.5 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232 查看地图: Google Map
qzs.qq.com	good	IP: 182.254.48.95 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298 查看地图: Google Map

域名	是否危险域名	服务器信息
api.weixin.qq.com	good	IP: 81.69.216.43  所属国家: China  地区: Beijing  城市: Beijing  纬度: 39.907501  经度: 116.397232  查看地图: Google Map
voiceupload.meiqia.com	good	没有服务器地理信息.
xmlpull.org	good	IP: 74.50.61.58  所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204 查看地图: Google Map
wspeed.qq.com	good	没有服务器地理信息.
send.sms.mob.com	good	没有服务器地理信息.
api.exc.mob.com	good	IP: 203.107.55.19  所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map

域名	是否危险域名	服务器信息
wiki.connect.qq.com	good	IP: 182.254.57.12 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298 查看地图: Google Map
schemas.android.com	good	没有服务器地理信息.
api.m.taobao.com	good	IP: 140.205.160.4 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map
appsupport.qq.com	good	IP: 183.2.144.86 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000 查看地图: Google Map
www.umeng.com	good	IP: 59.82.31.210 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232 查看地图: Google Map

域名	是否危险域名	服务器信息
api.waptest.taobao.com	good	IP: 100.67.1.238 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000 查看地图: Google Map
apoll.m.taobao.com	good	IP: 140.205.160.4 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map
chat.meiqia.com	good	没有服务器地理信息.
sdk.sms.mob.com	good	没有服务器地理信息.
c.isdspeed.qq.com	good	没有服务器地理信息.
api.wapa.taobao.com	good	没有服务器地理信息.
alog.umeng.com	good	IP: 106.11.86.78  所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map

域名	是否危险域名	服务器信息
log.umsns.com	good	IP: 59.82.60.43  所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map
mta.oa.com	good	IP: 193.123.33.15 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.374031 经度: 4.889690 查看地图: Google Map
adash.m.taobao.com	good	IP: 59.82.39.12 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: Google Map
www.baidu.com	good	IP: 110.242.68.4 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280 查看地图: Google Map

域名	是否危险域名	服务器信息
schemas.polites.com	good	IP: 192.0.78.24 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.748425 经度: -122.413673 査看地图: Google Map
cgi.connect.qq.com	good	IP: 183.2.144.36 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000 查看地图: Google Map
mta.qq.com	good	IP: 220.194.87.235 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666 查看地图: Google Map

# **#** URL线索

URL信息	Url所在文件
http://api.exc.mob.com:80	com/mob/logcollector/a.java

URL信息	Url所在文件
http://120.55.80.240/kpDownload/kp.html	com/jsl/daoyan/MakeMoneyActivity.java
http://120.55.80.240	com/jsl/daoyan/http/MyHttpClient.java
http://120.55.80.240/dy/app/appInterface.do	com/jsl/daoyan/http/MyHttpClient.java
http://wiki.connect.qq.com/openapi权限申请,	com/jsl/daoyan/global/Constants.java
http://www.umeng.com/social	com/jsl/daoyan/global/Constants.java
http://www.umeng.com/images/pic/banner_module_social.png	com/jsl/daoyan/global/Constants.java
http://wiki.connect.qq.com/android_sdk使用说明,	com/jsl/daoyan/global/Constants.java
www.baidu.com	com/jsl/daoyan/global/AppConfig.java
http://schemas.android.com/apk/res/android	com/jsl/daoyan/polites/view/GestureImageView.java
http://schemas.polites.com/android	com/jsl/daoyan/polites/view/GestureImageView.java
http://或者https://开头	com/umeng/socialize/media/QQShareContent.java
http://log.umsns.com/	com/umeng/socialize/net/base/SocializeClient.java
http://log.umsns.com/share/auth/	com/umeng/socialize/view/a.java
http://www.umeng.com/social	com/umeng/socialize/weixin/controller/UMWXHandler.java
http://dev.umeng.com/social/android/share/quick-integration#social_weixin	com/umeng/socialize/weixin/controller/UMWXHandler.java

URL信息	Url所在文件
https://api.weixin.qq.com/sns/oauth2/access_token?appid=	com/umeng/socialize/weixin/controller/UMWXHandler.java
https://api.weixin.qq.com/sns/oauth2/refresh_token?appid=	com/umeng/socialize/weixin/controller/UMWXHandler.java
https://api.weixin.qq.com/sns/userinfo?access_token=	com/umeng/socialize/weixin/controller/UMWXHandler.java
http://www.umeng.com/social	com/umeng/socialize/common/SocializeConstants.java
http://www.umeng.com/social	com/umeng/socialize/sso/QZoneSsoHandler.java
http://dev.umeng.com/social/android/share/quick-integration#social_qzone_sso	com/umeng/socialize/sso/QZoneSsoHandler.java
http://dev.umeng.com/social/android/share/quick-integration#social_qq_sso	com/umeng/socialize/sso/UMQQSsoHandler.java
http://www.umeng.com/social	com/umeng/socialize/sso/UMQQSsoHandler.java
http://www.umeng.com/social	com/umeng/socialize/sso/UMSsoHandler.java
http://alog.umeng.com/app_logs	com/umeng/analytics/a.java
http://alog.umeng.co/app_logs	com/umeng/analytics/a.java
http://log.umsns.com/share/api/	com/umeng/analytics/social/f.java
http://log.umsns.com/	com/umeng/analytics/social/e.java
http://log.umsns.com/share/api/	com/umeng/analytics/social/e.java
http://adash.m.taobao.com/rest/sur	com/umeng/message/proguard/C0063t.java

URL信息	Url所在文件
http://adash.m.taobao.com/rest/gc	com/umeng/message/proguard/X.java
http://adash.m.taobao.com/rest/abtest	com/umeng/message/proguard/P.java
http://pingma.qq.com:80/mstat/report	com/tencent/stat/StatConfig.java
http://mta.qq.com/	com/tencent/stat/StatService.java
http://mta.oa.com/	com/tencent/stat/StatService.java
http://openmobile.qq.com/api/check?page=shareindex.html&style=9	com/tencent/connect/share/QQShare.java
http://openmobile.qq.com/api/check2? page=qzshare.html&loginpage=loginindex.html&logintype=qzone	com/tencent/connect/share/QzoneShare.java
http://cgi.connect.qq.com/qqconnectutil/sdk	com/tencent/connect/a/a.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
http://qzs.qq.com/open/mobile/login/qzsjump.html?	com/tencent/connect/auth/AuthDialog.java
https://openmobile.qq.com/	com/tencent/connect/common/Constants.java
http://qzs.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApilml.java
http://c.isdspeed.qq.com/code.cgi	com/tencent/open/b/d.java

URL信息	Url所在文件
https://openmobile.qq.com/	com/tencent/open/utils/HttpUtils.java
http://cgi.qplus.com/report/report	com/tencent/open/utils/Util.java
http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utils/OpenConfig.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com/tencent/open/utils/ServerSetting.java
http://fusion.qq.com/cgi-bin/qzapps/mapp_getappinfo.cgi	com/tencent/open/utils/ServerSetting.java
http://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com/open/mobile/brag/sdk_brag.html?	com/tencent/open/utils/ServerSetting.java
https://openmobile.qq.com/	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com/open/mobile/reactive/sdk_reactive.html?	com/tencent/open/utils/ServerSetting.java
http://wspeed.qq.com/w.cgi	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com/open/mobile/not_support.html?	com/tencent/open/utils/ServerSetting.java

URL信息	Url所在文件
http://qzs.qq.com/open/mobile/login/qzsjump.html?	com/tencent/open/utils/ServerSetting.java
http://qzs.qq.com/open/mobile/sdk_common/down_qq.htm?	com/tencent/open/utils/ServerSetting.java
http://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/tencent/open/utils/ServerSetting.java
http://fusion.qq.com	com/tencent/open/utils/ServerSetting.java
http://fusion.qq.com/cgi-bin	com/tencent/open/utils/ServerSetting.java
http://fusion.qq.com/cgi-bin/prize_sharing/exchange_prize.cgi	com/tencent/open/utils/ServerSetting.java
http://fusion.qq.com/cgi-bin/prize_sharing/get_activity_state.cgi	com/tencent/open/utils/ServerSetting.java
http://fusion.qq.com/cgi-bin/prize_sharing/make_share_url.cgi	com/tencent/open/utils/ServerSetting.java
http://fusion.qq.com/cgi-bin/prize_sharing/query_unexchange_prize.cgi	com/tencent/open/utils/ServerSetting.java
http://mta.qq.com/	com/tencent/wxop/stat/e.java
http://mta.oa.com/	com/tencent/wxop/stat/e.java
http://pingma.qq.com:80/mstat/report	com/tencent/wxop/stat/c.java
http://hydra.alibaba.com/	com/ta/utdid2/aid/AidRequester.java
http://xmlpull.org/v1/doc/features.html#indent-output	com/ta/utdid2/core/persistent/b.java
http://xmlpull.org/v1/doc/features.html#indent-output	com/ta/utdid2/core/persistent/a.java

URL信息	Url所在文件
https://chat.meiqia.com/	com/mechat/mechatlibrary/MCClient.java
https://voiceupload.meiqia.com/upload/	com/mechat/mechatlibrary/MCClient.java
https://voiceupload.meiqia.com/mkfile/	com/mechat/mechatlibrary/MCClient.java
https://chat.meiqia.com/	com/mechat/mechatlibrary/MCUserConfig.java
https://chat.meiqia.com/	com/mechat/mechatlibrary/MechatService.java
https://chat.meiqia.com/	com/mechat/mechatlibrary/ui/ConversationActivity.java
https://voiceupload.meiqia.com/upload/	com/mechat/mechatlibrary/ui/ConversationActivity.java
https://voiceupload.meiqia.com/mkfile/	com/mechat/mechatlibrary/ui/ConversationActivity.java
https://android.meiqia.com/	com/mechat/mechatlibrary/utils/HttpUtils.java
https://chat.meiqia.com/	com/mechat/mechatlibrary/utils/HttpUtils.java
https://chat.meiqia.com/qiniu/image/uptoken/	com/mechat/mechatlibrary/utils/HttpUtils.java
http://upload.qiniu.com/	com/mechat/mechatlibrary/utils/HttpUtils.java
https://dn-zmec.qbox.me/	com/mechat/mechatlibrary/utils/HttpUtils.java
https://stat.meiqia.com/sdk/	com/mechat/mechatlibrary/utils/HttpUtils.java
https://voiceupload.meiqia.com/	com/mechat/mechatlibrary/utils/HttpUtils.java

URL信息	Url所在文件
http://api.m.taobao.com/rest/api3.do	org/android/agoo/a.java
http://utop.umengcloud.com/rest/api3.do	org/android/agoo/a.java
http://api.wapa.taobao.com/rest/api3.do	org/android/agoo/a.java
http://api.waptest.taobao.com/rest/api3.do	org/android/agoo/a.java
http://apoll.m.taobao.com	org/android/agoo/a.java
http://upoll.umengcloud.com	org/android/agoo/a.java
http://%s:%d/%s/%s/%d/%s	org/android/agoo/net/channel/ChannelManager.java
http://%s:%d%s	org/android/agoo/net/channel/spdy/SpdyChannel.java
http://send.sms.mob.com/voice/verify/code	cn/smssdk/utils/Protocols.java
http://send.sms.mob.com/verify/code	cn/smssdk/utils/Protocols.java
http://send.sms.mob.com/client/verification	cn/smssdk/utils/Protocols.java
http://sdk.sms.mob.com	cn/smssdk/utils/a.java
http://url.sms.mob.com	cn/smssdk/utils/a.java
www.umeng.com/social	Android String Resource

# ≝此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.RECORD_AUDIO	危 险	录音	允许应用程序访问音频记录路径
com.jsl.daoyan.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危 险	修改全局系统 设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危 险	装载和卸载文 件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状 态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.SYSTEM_ALERT_WINDOW	危 险	显示系统级警 报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_COARSE_LOCATION	危 险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状 态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_FINE_LOCATION	危 险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位 置提供程序命 令	访问额外的位置提供程序命令,恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.READ_CONTACTS	危 险	读取联系人数 据	允许应用程序读取您手机上存储的所有联系人(地址)数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.READ_PHONE_STATE	危 险	读取电话状态 和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危 险	读取/修改/删 除外部存储内 容	允许应用程序写入外部存储
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字

向手机申请的权限	是否危险	类型	详细情况
android.permission.RECEIVE_SMS	危 险	接收短信	允许应用程序接收和处理 SMS 消息。恶意应用程序可能会监视您的消息或将其 删除而不向您显示
android.permission.GET_TASKS	危 险	检索正在运行 的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序 发现有关其他应用程序的私人信息
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.READ_SMS	危 险	阅读短信或彩 信	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读取您的机密信息
android.permission.READ_LOGS	危 险	读取敏感日志 数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.CALL_PHONE	危 险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.MANAGE_ACCOUNTS	危 险	管理帐户列表	允许应用程序执行添加和删除帐户以及删除其密码等操作
android.permission.SET_DEBUG_APP	危 险	启用应用程序 调试	允许一个应用程序打开另一个应用程序的调试。恶意应用程序可以使用它来杀 死其他应用程序
android.permission.GET_ACCOUNTS	危 险	列出帐户	允许访问账户服务中的账户列表

向手机申请的权限	是否危险	类型	详细情况
android.permission.USE_CREDENTIALS	危 险	使用帐户的身 份验证凭据	允许应用程序请求身份验证令牌
android.permission.MANAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危 险	读取外部存储 器内容	允许应用程序从外部存储读取
android.permission.CAMERA	危 险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由



APK is signed v1 signature: True v2 signature: False v3 signature: False

Found 1 unique certificates

Subject: CN=kj

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2016-02-19 09:38:29+00:00 Valid To: 2066-02-06 09:38:29+00:00

Issuer: CN=kj

Serial Number: 0x5e3f727d

Hash Algorithm: sha256

md5: af4306913eea0501493d7350b4df0008


sha1: 096349c84be003564d3321f62b17d9c5f516a813

sha256: 579adccb8728215225ebd6f5a2a7bb286104f40a4bcab105d7c5551366b4fefd

sha512: 04a1b40537788da6b5b1eb6e122edc562e2d0510a9ced9eee71568847a7066727935bc0beb75b328eb33a3dd09ca2864af982c7a179c264c2b63d05af9a08797

#### **A** Exodus威胁情报

名称	分类	URL链接
JiGuang Aurora Mobile JPush	Analytics	https://reports.exodus-privacy.eu.org/trackers/343
Tencent Stats	Analytics	https://reports.exodus-privacy.eu.org/trackers/116
Umeng Analytics		https://reports.exodus-privacy.eu.org/trackers/119



可能的敏感信息
"member_password" : "密码:"
"input_member_password" : "请输入密码"
"forget_password" : "忘记密码?"
"member_sure_password" : "确认密码:"
"input_password" : "请输入密码"

# 可能的敏感信息 "ensure\_password": "请确认密码" "modify\_password": "修改密码"

## ■应用内通信

活动(ACTIVITY)	通信(INTENT)
com.tencent.tauth.AuthActivity	Schemes: tencent1105235609://,

## **命**加壳分析

文件列表
------

文件列表	分析结果		
classes.dex	売列表	详细情况	
	反虚拟机	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check possible Build.SERIAL check SIM operator check network operator name check subscriber ID check	
	编译器	dx (possible dexmerge)	
	Manipulator Found	dexmerge	