



## APP线索分析报告

报告由 [摸瓜APP分析平台\(mogua.co\)](http://mogua.co) 生成



 贝多纷 1.0.0.APK

APP名称:

贝多纷

包名:	com.jeejio.message
域名线索:	22条
URL线索:	66条
邮箱线索:	0条
分析日期:	2022年1月28日 23:59

## 文件信息

文件名: beiduofen.apk

文件大小: 8.04MB

**MD5**值: 8f183c1eab6c9c40c067232c30a06f7b

**SHA1**值: cbd5e3ba07cf51ef1ee9f6b14f774b261727bb3

**SHA256**值: 281fe8b5f26f29a6b5d1f186c6f9a82d9f83cbd7b86eb3c675913f74a52bcf74

## APP 信息

**App**名称: 贝多芬

包名: com.jeejio.message

主活动**Activity**: com.jeejio.message.login.view.activity.SplashActivity

安卓版本名称: 1.0.0

域名线索

域名	是否危险域名	服务器信息
qaappstoreimgs.jeejio.com	good	IP: 125.37.206.1 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666 查看地图: <a href="#">Google Map</a>
statistics.qajeejio.com	good	IP: 10.10.11.98 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000 查看地图: <a href="#">Google Map</a>
bggw.jeejio.com	good	IP: 39.103.13.64 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: <a href="#">Google Map</a>
127.0.0.1	good	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000 查看地图: <a href="#">Google Map</a>
oss-cn-.aliyuncs.comor	good	没有服务器地理信息.

域名	是否危险域名	服务器信息
oss.aliyuncs.com	good	<b>IP:</b> 118.178.29.5 <b>所属国家:</b> China <b>地区:</b> Zhejiang <b>城市:</b> Hangzhou <b>纬度:</b> 30.293650 <b>经度:</b> 120.161423 查看地图: <a href="#">Google Map</a>
jabber.org	good	<b>IP:</b> 208.68.163.218 <b>所属国家:</b> United States of America <b>地区:</b> Iowa <b>城市:</b> Monticello <b>纬度:</b> 42.238514 <b>经度:</b> -91.189705 查看地图: <a href="#">Google Map</a>
oss-cn-hangzhou.aliyuncs.com	good	<b>IP:</b> 118.31.219.248 <b>所属国家:</b> China <b>地区:</b> Zhejiang <b>城市:</b> Hangzhou <b>纬度:</b> 30.293650 <b>经度:</b> 120.161423 查看地图: <a href="#">Google Map</a>
jeejiouser.qajeejio.com	good	<b>IP:</b> 10.10.11.98 <b>所属国家:</b> - <b>地区:</b> - <b>城市:</b> - <b>纬度:</b> 0.000000 <b>经度:</b> 0.000000 查看地图: <a href="#">Google Map</a>
www.w3.org	good	<b>IP:</b> 128.30.52.100 <b>所属国家:</b> United States of America <b>地区:</b> Massachusetts <b>城市:</b> Cambridge <b>纬度:</b> 42.365078 <b>经度:</b> -71.104523 查看地图: <a href="#">Google Map</a>

域名	是否危险域名	服务器信息
xml.apache.org	good	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203 查看地图: <a href="#">Google Map</a>
org.dom4j.io.doucmentsource	good	没有服务器地理信息.
etherx.jabber.org	good	IP: 208.68.163.210 所属国家: United States of America 地区: Iowa 城市: Monticello 纬度: 42.238514 经度: -91.189705 查看地图: <a href="#">Google Map</a>
xmlpull.org	good	IP: 74.50.61.58 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204 查看地图: <a href="#">Google Map</a>
image.cnamedomain.com	good	没有服务器地理信息.
xmpp.org	good	IP: 104.248.10.4 所属国家: United States of America 地区: New Jersey 城市: Clifton 纬度: 40.858429 经度: -74.163757 查看地图: <a href="#">Google Map</a>

域名	是否危险域名	服务器信息
xml.org	good	<b>IP:</b> 104.239.240.11 <b>所属国家:</b> United States of America <b>地区:</b> Texas <b>城市:</b> Windcrest <b>纬度:</b> 29.499678 <b>经度:</b> -98.399246 <b>查看地图:</b> <a href="#">Google Map</a>
online-jm-files.oss-cn-beijing.aliyuncs.com	good	<b>IP:</b> 59.110.190.52 <b>所属国家:</b> China <b>地区:</b> Zhejiang <b>城市:</b> Hangzhou <b>纬度:</b> 30.293650 <b>经度:</b> 120.161423 <b>查看地图:</b> <a href="#">Google Map</a>
apache.org	good	<b>IP:</b> 151.101.2.132 <b>所属国家:</b> United States of America <b>地区:</b> California <b>城市:</b> San Francisco <b>纬度:</b> 37.775700 <b>经度:</b> -122.395203 <b>查看地图:</b> <a href="#">Google Map</a>
appupdateimpl.jeejio.com	good	<b>IP:</b> 182.92.107.239 <b>所属国家:</b> China <b>地区:</b> Zhejiang <b>城市:</b> Hangzhou <b>纬度:</b> 30.293650 <b>经度:</b> 120.161423 <b>查看地图:</b> <a href="#">Google Map</a>
igniterealtime.org	good	<b>IP:</b> 52.58.216.59 <b>所属国家:</b> Germany <b>地区:</b> Hessen <b>城市:</b> Frankfurt am Main <b>纬度:</b> 50.115520 <b>经度:</b> 8.684170 <b>查看地图:</b> <a href="#">Google Map</a>

域名	是否危险域名	服务器信息
agreement.jeejio.com	good	IP: 39.103.13.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423 查看地图: <a href="#">Google Map</a>

## URL线索

URL信息	Url所在文件
<a href="https://statistics.qajeejio.com/statistics/userLogin">https://statistics.qajeejio.com/statistics/userLogin</a>	<a href="#">com/jeejio/jmessagemodule/constant/UrlConstant.java</a>
<a href="http://online-jm-files.oss-cn-beijing.aliyuncs.com/">http://online-jm-files.oss-cn-beijing.aliyuncs.com/</a>	<a href="#">com/jeejio/jmessagemodule/constant/Constant.java</a>
<a href="https://qaappstoreimgs.jeejio.com/qa/201910111910/appstore/2019-12-04/59b01a38e3fe4523a76c8010701a9b42.png">https://qaappstoreimgs.jeejio.com/qa/201910111910/appstore/2019-12-04/59b01a38e3fe4523a76c8010701a9b42.png</a>	<a href="#">com/jeejio/message/JMDeviceCommandHandler.java</a>
<a href="https://qaappstoreimgs.jeejio.com/qa/201910301012/appstore/2019-12-06/9cecf7cfee34ebbb6d2d4081e7465e6.png">https://qaappstoreimgs.jeejio.com/qa/201910301012/appstore/2019-12-06/9cecf7cfee34ebbb6d2d4081e7465e6.png</a>	<a href="#">com/jeejio/message/JMDeviceCommandHandler.java</a>
<a href="https://qaappstoreimgs.jeejio.com/qa/201912033324/appstore/2019-12-06/4f64382c85d24202abe44eb1535aa504.png">https://qaappstoreimgs.jeejio.com/qa/201912033324/appstore/2019-12-06/4f64382c85d24202abe44eb1535aa504.png</a>	<a href="#">com/jeejio/message/JMDeviceCommandHandler.java</a>
<a href="https://qaappstoreimgs.jeejio.com/qa/201912033324/appstore/2019-12-06/53c79a48218c4f58a26c01c2b5a729be.png">https://qaappstoreimgs.jeejio.com/qa/201912033324/appstore/2019-12-06/53c79a48218c4f58a26c01c2b5a729be.png</a>	<a href="#">com/jeejio/message/JMDeviceCommandHandler.java</a>
<a href="https://qaappstoreimgs.jeejio.com/qa/20190919784/appstore/2019-12-06/c7bcb2c9baa84005b419a46dfd550b2e.png">https://qaappstoreimgs.jeejio.com/qa/20190919784/appstore/2019-12-06/c7bcb2c9baa84005b419a46dfd550b2e.png</a>	<a href="#">com/jeejio/message/JMDeviceCommandHandler.java</a>
<a href="https://qaappstoreimgs.jeejio.com/qa/2019120423046/appstore/2019-12-05/c705bf49a9fa40e98002ee467a05973b.png">https://qaappstoreimgs.jeejio.com/qa/2019120423046/appstore/2019-12-05/c705bf49a9fa40e98002ee467a05973b.png</a>	<a href="#">com/jeejio/message/JMDeviceCommandHandler.java</a>
<a href="https://jeejiouser.qajeejio.com/user">https://jeejiouser.qajeejio.com/user</a>	<a href="#">com/jeejio/message/util/condition/QACondition.java</a>
<a href="https://jeejiouser.qajeejio.com/user">https://jeejiouser.qajeejio.com/user</a>	<a href="#">com/jeejio/message/util/condition/AlphaCondition.java</a>
<a href="https://jeejiouser.qajeejio.com/user">https://jeejiouser.qajeejio.com/user</a>	<a href="#">com/jeejio/message/util/condition/DevelopCondition.java</a>
<a href="https://jeejiouser.qajeejio.com/user">https://jeejiouser.qajeejio.com/user</a>	<a href="#">com/jeejio/message/util/condition/TestCondition.java</a>

URL信息	Url所在文件
<a href="https://bggw.jeejio.com/jeejiouergateway/usergateway/jeejiouser/user">https://bggw.jeejio.com/jeejiouergateway/usergateway/jeejiouser/user</a>	<a href="#">com/jeejio/message/constant/UrlConstant.java</a>
<a href="https://jeejiouser.qajeejio.com/user">https://jeejiouser.qajeejio.com/user</a>	<a href="#">com/jeejio/message/constant/UrlConstant.java</a>
<a href="https://appupdateimpl.jeejio.com/updateManage/manager/getAppAndroidInfo">https://appupdateimpl.jeejio.com/updateManage/manager/getAppAndroidInfo</a>	<a href="#">com/jeejio/message/constant/UrlConstant.java</a>
<a href="https://bggw.jeejio.com/jeejiomachinegateway/machinegateway/jeejiodevicecenter/device/feedback/submitFeedbackResults">https://bggw.jeejio.com/jeejiomachinegateway/machinegateway/jeejiodevicecenter/device/feedback/submitFeedbackResults</a>	<a href="#">com/jeejio/message/constant/UrlConstant.java</a>
<a href="https://agreement.jeejio.com//userPrivacy.html">https://agreement.jeejio.com//userPrivacy.html</a>	<a href="#">com/jeejio/message/constant/UrlConstant.java</a>
<a href="https://agreement.jeejio.com//userAgreement.html">https://agreement.jeejio.com//userAgreement.html</a>	<a href="#">com/jeejio/message/constant/UrlConstant.java</a>
<a href="https://ip.">https://ip.</a>	<a href="#">com/alibaba/sdk/android/oss/OSSImpl.java</a>
<a href="http://oss-cn-****.aliyuncs.com',or">http://oss-cn-****.aliyuncs.com',or</a>	<a href="#">com/alibaba/sdk/android/oss/OSSImpl.java</a>
<a href="http://image.cnamedomain.com'!">http://image.cnamedomain.com'!</a>	<a href="#">com/alibaba/sdk/android/oss/OSSImpl.java</a>
<a href="http://oss.aliyuncs.com">http://oss.aliyuncs.com</a>	<a href="#">com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java</a>
<a href="http://127.0.0.1">http://127.0.0.1</a>	<a href="#">com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java</a>
<a href="http://oss-cn-****.aliyuncs.com',or">http://oss-cn-****.aliyuncs.com',or</a>	<a href="#">com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java</a>
<a href="http://image.cnamedomain.com'!">http://image.cnamedomain.com'!</a>	<a href="#">com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java</a>
<a href="http://oss-cn-hangzhou.aliyuncs.com">http://oss-cn-hangzhou.aliyuncs.com</a>	<a href="#">com/alibaba/sdk/android/oss/common/OSSConstants.java</a>
<a href="http://etherx.jabber.org/streams">http://etherx.jabber.org/streams</a>	<a href="#">org/jxmpp/xml/splitter/XmppXmlSplitter.java</a>
<a href="http://xmllpull.org/v1/doc/features.html#process-namespaces">http://xmllpull.org/v1/doc/features.html#process-namespaces</a>	<a href="#">org/jivesoftware/smack/SmackInitialization.java</a>
<a href="http://jabber.org/protocol/compress">http://jabber.org/protocol/compress</a>	<a href="#">org/jivesoftware/smack/AbstractXMPPConnection.java</a>
<a href="http://xmpp.org/rfcs/rfc6120.html#streams-error-conditions">http://xmpp.org/rfcs/rfc6120.html#streams-error-conditions</a>	<a href="#">org/jivesoftware/smack/XMPPException.java</a>
<a href="http://jabber.org/protocol/compress">http://jabber.org/protocol/compress</a>	<a href="#">org/jivesoftware/smack/tcp/XMPPTCPConnection.java</a>



URL信息	Url所在文件
<a href="http://etherx.jabber.org/streams">http://etherx.jabber.org/streams</a>	<a href="#">org/jivesoftware/smack/tcp/XMPPTCPConnection.java</a>
<a href="http://etherx.jabber.org/streams">http://etherx.jabber.org/streams</a>	<a href="#">org/jivesoftware/smack/packet/StreamOpen.java</a>
<a href="http://www.w3.org/XML/1998/namespace">http://www.w3.org/XML/1998/namespace</a>	<a href="#">org/jivesoftware/smack/util/ParserUtils.java</a>
<a href="http://xml.apache.org/xslt#indent-amount">http://xml.apache.org/xslt#indent-amount</a>	<a href="#">org/jivesoftware/smack/util/XmlUtil.java</a>
<a href="http://xmlpull.org/v1/doc/features.html#xml-roundtrip">http://xmlpull.org/v1/doc/features.html#xml-roundtrip</a>	<a href="#">org/jivesoftware/smack/util/PacketParserUtils.java</a>
<a href="http://xmlpull.org/v1/doc/features.html#process-namespaces">http://xmlpull.org/v1/doc/features.html#process-namespaces</a>	<a href="#">org/jivesoftware/smack/util/PacketParserUtils.java</a>
<a href="http://jabber.org/protocol/compress">http://jabber.org/protocol/compress</a>	<a href="#">org/jivesoftware/smack/compress/packet/Compress.java</a>
<a href="http://jabber.org/protocol/compress">http://jabber.org/protocol/compress</a>	<a href="#">org/jivesoftware/smack/compress/packet/Compressed.java</a>
<a href="http://jabber.org/protocol/compress/">http://jabber.org/protocol/compress/</a>	<a href="#">org/jivesoftware/smack/compress/packet/Compressed.java</a>
<a href="http://xmlpull.org/v1/doc/features.html#process-namespaces">http://xmlpull.org/v1/doc/features.html#process-namespaces</a>	<a href="#">org/jivesoftware/smack/provider/ProviderFileLoader.java</a>
<a href="http://jabber.org/protocol/xdata-validate">http://jabber.org/protocol/xdata-validate</a>	<a href="#">org/jivesoftware/smackx/xdatavalidation/packet/ValidateElement.java</a>
<a href="https://igniterealtime.org/projects/smack/">https://igniterealtime.org/projects/smack/</a>	<a href="#">org/jivesoftware/smackx/iqprivate/PrivateDataManager.java</a>
<a href="http://jabber.org/protocol/offline">http://jabber.org/protocol/offline</a>	<a href="#">org/jivesoftware/smackx/offline/OfflineMessageManager.java</a>
<a href="http://jabber.org/protocol/offline">http://jabber.org/protocol/offline</a>	<a href="#">org/jivesoftware/smackx/offline/packet/OfflineMessageRequest.java</a>
<a href="http://jabber.org/protocol/disco#publish">http://jabber.org/protocol/disco#publish</a>	<a href="#">org/jivesoftware/smackx/disco/ServiceDiscoveryManager.java</a>
<a href="http://jabber.org/protocol/disco#info">http://jabber.org/protocol/disco#info</a>	<a href="#">org/jivesoftware/smackx/disco/packet/DiscoverInfo.java</a>
<a href="http://jabber.org/protocol/disco#items">http://jabber.org/protocol/disco#items</a>	<a href="#">org/jivesoftware/smackx/disco/packet/DiscoverItems.java</a>
<a href="http://jabber.org/protocol/muc#request">http://jabber.org/protocol/muc#request</a>	<a href="#">org/jivesoftware/smackx/muc/MultiUserChat.java</a>
<a href="http://jabber.org/protocol/muc#rooms">http://jabber.org/protocol/muc#rooms</a>	<a href="#">org/jivesoftware/smackx/muc/MultiUserChatManager.java</a>

URL信息	Url所在文件
<a href="http://jabber.org/protocol/muc#admin">http://jabber.org/protocol/muc#admin</a>	<a href="#">org/jivesoftware/smackx/muc/packet/MUCAdmin.java</a>
<a href="http://jabber.org/protocol/muc#joinRoom">http://jabber.org/protocol/muc#joinRoom</a>	<a href="#">org/jivesoftware/smackx/muc/packet/MUCJoinInitialPresence.java</a>
<a href="http://jabber.org/protocol/muc">http://jabber.org/protocol/muc</a>	<a href="#">org/jivesoftware/smackx/muc/packet/MUCInitialPresence.java</a>
<a href="http://jabber.org/protocol/muc#user">http://jabber.org/protocol/muc#user</a>	<a href="#">org/jivesoftware/smackx/muc/packet/MUCUser.java</a>
<a href="http://jabber.org/protocol/muc#owner">http://jabber.org/protocol/muc#owner</a>	<a href="#">org/jivesoftware/smackx/muc/packet/MUCOwner.java</a>
<a href="http://jabber.org/protocol/si">http://jabber.org/protocol/si</a>	<a href="#">org/jivesoftware/smackx/si/packet/StreamInitiation.java</a>
<a href="http://jabber.org/protocol/feature-neg">http://jabber.org/protocol/feature-neg</a>	<a href="#">org/jivesoftware/smackx/si/packet/StreamInitiation.java</a>
<a href="http://jabber.org/protocol/bytestreams">http://jabber.org/protocol/bytestreams</a>	<a href="#">org/jivesoftware/smackx/bytestreams/socks5/packet/Bytestream.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/InBandBytestreamSession.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/DataListener.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/CloseListener.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/InitiationListener.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/packet/Open.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/packet/DataPacketExtension.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/packet/Close.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/bytestreams/ibb/packet/Data.java</a>
<a href="http://jabber.org/protocol/xdata-layout">http://jabber.org/protocol/xdata-layout</a>	<a href="#">org/jivesoftware/smackx/xdatalayout/packet/DataLayout.java</a>
<a href="http://jabber.org/protocol/si">http://jabber.org/protocol/si</a>	<a href="#">org/jivesoftware/smackx/filetransfer/FileTransferManager.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/filetransfer/IBBTransferNegotiator.java</a>

URL信息	Url所在文件
<a href="http://jabber.org/protocol/si">http://jabber.org/protocol/si</a>	<a href="#">org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java</a>
<a href="http://jabber.org/protocol/si/profile/file-transfer">http://jabber.org/protocol/si/profile/file-transfer</a>	<a href="#">org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java</a>
<a href="http://jabber.org/protocol/ibb">http://jabber.org/protocol/ibb</a>	<a href="#">org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java</a>
<a href="http://jabber.org/features/iq-register">http://jabber.org/features/iq-register</a>	<a href="#">org/jivesoftware/smackx/iqregister/packet/Registration.java</a>
<a href="http://jabber.org/features/iq-register/">http://jabber.org/features/iq-register/</a>	<a href="#">org/jivesoftware/smackx/iqregister/packet/Registration.java</a>
<a href="http://www.w3.org/XML/1998/namespace">http://www.w3.org/XML/1998/namespace</a>	<a href="#">org/dom4j/Namespace.java</a>
<a href="http://apache.org/xml/features/nonvalidating/load-external-dtd">http://apache.org/xml/features/nonvalidating/load-external-dtd</a>	<a href="#">org/dom4j/DocumentHelper.java</a>
<a href="http://xml.org/sax/features/external-general-entities">http://xml.org/sax/features/external-general-entities</a>	<a href="#">org/dom4j/DocumentHelper.java</a>
<a href="http://xml.org/sax/features/external-parameter-entities">http://xml.org/sax/features/external-parameter-entities</a>	<a href="#">org/dom4j/DocumentHelper.java</a>
<a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a>	<a href="#">org/dom4j/datatype/SchemaParser.java</a>
<a href="http://www.w3.org/2001/XMLSchema-instance">http://www.w3.org/2001/XMLSchema-instance</a>	<a href="#">org/dom4j/datatype/DatatypeDocumentFactory.java</a>
<a href="http://xml.org/sax/features/namespaces">http://xml.org/sax/features/namespaces</a>	<a href="#">org/dom4j/io/SAXWriter.java</a>
<a href="http://xml.org/sax/features/namespace-prefixes">http://xml.org/sax/features/namespace-prefixes</a>	<a href="#">org/dom4j/io/SAXWriter.java</a>
<a href="http://xml.org/sax/properties/lexical-handler">http://xml.org/sax/properties/lexical-handler</a>	<a href="#">org/dom4j/io/SAXWriter.java</a>
<a href="http://xml.org/sax/handlers/LexicalHandler">http://xml.org/sax/handlers/LexicalHandler</a>	<a href="#">org/dom4j/io/SAXWriter.java</a>
<a href="http://org.dom4j.io.DoucmentSource/feature">http://org.dom4j.io.DoucmentSource/feature</a>	<a href="#">org/dom4j/io/DocumentSource.java</a>
<a href="http://xml.org/sax/properties/declaration-handler">http://xml.org/sax/properties/declaration-handler</a>	<a href="#">org/dom4j/io/SAXReader.java</a>
<a href="http://xml.org/sax/handlers/LexicalHandler">http://xml.org/sax/handlers/LexicalHandler</a>	<a href="#">org/dom4j/io/SAXReader.java</a>
<a href="http://xml.org/sax/properties/lexical-handler">http://xml.org/sax/properties/lexical-handler</a>	<a href="#">org/dom4j/io/SAXReader.java</a>

URL信息	Url所在文件
<a href="http://xml.org/sax/features/string-interning">http://xml.org/sax/features/string-interning</a>	<a href="#">org/dom4j/io/SAXReader.java</a>
<a href="http://xml.org/sax/features/validation">http://xml.org/sax/features/validation</a>	<a href="#">org/dom4j/io/SAXReader.java</a>
<a href="http://xmllpull.org/v1/doc/features.html#process-namespaces">http://xmllpull.org/v1/doc/features.html#process-namespaces</a>	<a href="#">org/dom4j/io/XPP3Reader.java</a>
<a href="http://xml.org/sax/features/validation">http://xml.org/sax/features/validation</a>	<a href="#">org/dom4j/io/SAXValidator.java</a>
<a href="http://xml.org/sax/features/namespaces">http://xml.org/sax/features/namespaces</a>	<a href="#">org/dom4j/io/SAXValidator.java</a>
<a href="http://xml.org/sax/features/namespace-prefixes">http://xml.org/sax/features/namespace-prefixes</a>	<a href="#">org/dom4j/io/SAXValidator.java</a>
<a href="http://xml.org/sax/features/namespaces">http://xml.org/sax/features/namespaces</a>	<a href="#">org/dom4j/io/SAXHelper.java</a>
<a href="http://xml.org/sax/features/namespace-prefixes">http://xml.org/sax/features/namespace-prefixes</a>	<a href="#">org/dom4j/io/SAXHelper.java</a>
<a href="http://xml.org/sax/properties/external-general-entities">http://xml.org/sax/properties/external-general-entities</a>	<a href="#">org/dom4j/io/SAXHelper.java</a>
<a href="http://xml.org/sax/properties/external-parameter-entities">http://xml.org/sax/properties/external-parameter-entities</a>	<a href="#">org/dom4j/io/SAXHelper.java</a>
<a href="http://apache.org/xml/features/nonvalidating/load-external-dtd">http://apache.org/xml/features/nonvalidating/load-external-dtd</a>	<a href="#">org/dom4j/io/SAXHelper.java</a>
<a href="http://xml.org/sax/features/use-locator2">http://xml.org/sax/features/use-locator2</a>	<a href="#">org/dom4j/io/SAXHelper.java</a>
<a href="http://xml.org/sax/properties/lexical-handler">http://xml.org/sax/properties/lexical-handler</a>	<a href="#">org/dom4j/io/XMLWriter.java</a>
<a href="http://xml.org/sax/handlers/LexicalHandler">http://xml.org/sax/handlers/LexicalHandler</a>	<a href="#">org/dom4j/io/XMLWriter.java</a>

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径

向手机申请的权限	是否危险	类型	详细情况
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改

## 🌸 签名证书

APK is signed  
v1 signature: True  
v2 signature: True  
v3 signature: False  
Found 1 unique certificates  
Subject: C=86, ST=北京, L=北京, O=中科物栖, OU=中科物栖, CN=中科物栖  
Signature Algorithm: rsassa\_pkcs1v15  
Valid From: 2020-05-12 09:29:32+00:00  
Valid To: 2045-05-06 09:29:32+00:00  
Issuer: C=86, ST=北京, L=北京, O=中科物栖, OU=中科物栖, CN=中科物栖  
Serial Number: 0x752897e3  
Hash Algorithm: sha256  
md5: c7b2b4d083eeb34ab9b4fc55534b0c5f  
sha1: dd5e70299c7bb34532af1d2116fd956a646f10dc  
sha256: 4ec4eb206ff7e8c4b858db99d7bf7737eb6ee497864728d7602d9052694346b7  
sha512: 75e67fadaab709a9832ed6e215f3e12fa25374725baf626c15ae8927829779df3838957c1468bf7939083ca929c3f609b64ddbea5ff509ecf4c3cb4ef94016f3  
PublicKey Algorithm: rsa  
Bit Size: 2048  
Fingerprint: 9526e3546c562fd94f07690195d419480ff0f31fa8005bb76946720e4c1ce8ac

文件列表	分析结果	
classes.dex	壳列表	详细情况
	反虚拟机	Build.MANUFACTURER check SIM operator check
	编译器	r8

报告由 [摸瓜平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。

[查诈骗APP](#) | [查木马APP](#) | [违法APP分析](#) | [APK代码分析](#)