

Playbook Workflow Breakdown

1. Telemetry Ingestion (Splunk API Integration)

The n8n workflow initiates an automated ***HTTP POST*** query hitting the Splunk management endpoint (<https://192.168.10.10:8089/services/search/v2/jobs/export>).

*** *Payload Parameters:*** Form-data configuration passing `search=search index=*` with `exec_mode=oneshot` and `output_mode=json`.

*** *Security Mitigation:*** Handled self-signed certificate authentication by modifying the node to safely bypass SSL strict verification inside the sandbox zone.

2. Context Processing (AI Agent Framework)

The raw JSON payload is parsed and piped directly into an n8n ***AI Agent*** root node. The agent utilizes a structured system prompt directing the underlying LLM to evaluate the logs with a forensic defensive mindset.

3. Cognitive Evaluation (Groq Integration)

The agent leverages the ***Groq Chat Model*** running `llama-3.3-70b-versatile` to process the incoming event log arrays. As shown in the workflow execution logs, the engine effectively identified and triaged specific events, including:

*** Execution anomalies involving system-level database binary services** (`postgres.exe` under a `SYSTEM` context with explicit Process IDs).

*** Network interface tracking** from localized DHCP server configurations.

Live Verification & Execution Logs

When the playbook executes, the workflow successfully finishes the logic path across all parameters:

```
```json
```

```
// Sample Successful Output Block from the AI Engine
```

```
{
```

```
 "output": "The most recent Splunk logs are as follows: \n1. A PostgreSQL server process was executed on a Windows host... specifically the 'postgres.exe' file, which is part of the PostgreSQL database management system. The process ran under the SYSTEM user and had a process ID of 13424..."}
```