4:45 PM Mon 13 Oct
lms.ksu.edu.sa
96%

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **06 minutes, 02 seconds.** Less than half of the time remains.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **10** of **15**

Question 10

0.3 points Save Answer

Which is the most common mode of transmission ?

- A. Contact.
- B. Airborne.
- C. Vomiting.
- D. Droplet.

⚠ Moving to the next question prevents changes to this answer.

Question **10** of **15**

4:44 PM Mon 13 Oct
lms.ksu.edu.sa
96%

Take Test: Quiz 2

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **06 minutes, 26 seconds.** Less than half of the time remains.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **9** of **15**

Question 9

0.3 points Save Answer

Standard precautions are used with every patient.

- ◯ True
- ◯ False

⚠ Moving to the next question prevents changes to this answer.

Question **9** of **15**

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **12 minutes, 03 seconds.**

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **1** of **15**

Question 1

0.3 points Save Answer

Which of the following is an example of direct transmission?

A. Standing next to contaminated bed linens .

B. Inhalating particles of infectious material

C. Contacting infectious blood with a wound .

D. Releasing droplets into the air when sneezing

⚠ Moving to the next question prevents changes to this answer.

Question **1** of **15**

4:47 PM Mon 13 Oct
lms.ksu.edu.sa
95%

This test does not allow backtracking. Changes to the answer after submission are prohibited.

Your answers are saved automatically.

Remaining Time: **03 minutes, 23 seconds.** Less than five minutes remain.

Question Completion Status:

Save and Submit

Click **Submit** to complete this assessment.

Question **15** of **15**

Question 15

0.3 points Save Answer

Which type of transmission-based precautions should be implemented for patients infected with the following pathogens?

- ***Influenza virus***
- ***Neisseria meningitidis***
- ***Group A Streptococcus*** **(invasive disease)**

A. Standard Precautions

B. Contact Precautions

C. Airborne Precautions

D. Droplet Precautions

Click **Submit** to complete this assessment.

Question **15** of **15**

Save and Submit

4:39 PM Mon 13 Oct
lms.ksu.edu.sa
98%

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **11 minutes, 36 seconds.**

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **2** of **15**

Question 2

0.3 points Save Answer

The respiratory droplets involved in droplet transmission are _____ than the droplet nuclei (airborne) involved in airborne transmission

- A. smaller
- B. The Same
- C. No difference
- D. bigger

⚠ Moving to the next question prevents changes to this answer.

Question **2** of **15**

4:41 PM Mon 13 Oct
lms.ksu.edu.sa
97%

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **4** of **15**

Question 4

0.3 points Save Answer

Which of the following statements is true about infectious droplets?

i. The velocity and mechanism by which droplets are propelled into the air may impact how far the droplets travel.
ii. The density of respiratory secretions may impact how far the droplets travel.
iii. Air circulation may impact how far the droplets travel.
iv. The force by which the susceptible host inhales may impact how far the droplets travel

- A. I, II, and III
- B. I, II, III, and IV
- C. II, III, and IV
- D. I, III, and IV

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **11 minutes, 09 seconds.**

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **3** of **15**

Question 3

0.5 points Save Answer

As a supervisor at the EMS Center in a major hospital in Riyadh, you have been assigned to manage a specific disaster event. During the response, you receive a notification that a newly admitted patient requires Contact Precautions.

Question:
What is the most appropriate placement for this patient?

- [ ] A. In a room with a decontamination station immediately outside the door
- [ ] B. In a single patient room
- [ ] C. No specific type of room is preferred
- [ ] D. In a room with negative pressure ventilation

⚠ Moving to the next question prevents changes to this answer.

Question **3** of **15**

4:46 PM Mon 13 Oct
lms.ksu.edu.sa
95%

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: 04 minutes, 19 seconds. Less than five minutes remain.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **13** of **15**

Question 13

0.4 points Save Answer

Intact skin is an/a _____ barrier for microorganisms

- A. effective
- B. Ineffective
- C. Reflective
- D. Sensitive

⚠ Moving to the next question prevents changes to this answer.

Question **13** of **15**

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **07 minutes, 25 seconds.**

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **7** of **15**

Question 7

0.3 points Save Answer

The **Healthcare Infection Control Practices Advisory Committee (HICPAC)** recommends that **personal protective equipment (PPE)** be used when there is a potential for _____.

A. water

B. blood or body fluid exposure.

C. soil and dirt spots

D. unclean surface

⚠ Moving to the next question prevents changes to this answer.

Question **7** of **15**

Take Test: Quiz 2

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **06 minutes, 57 seconds.**

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **8** of **15**

Question 8

0.3 points Save Answer

Quarantine usually occurs in hospital while patient is receiving treatment.

- ○ True
- ○ False

⚠ Moving to the next question prevents changes to this answer.

Question **8** of **15**

4:47 PM Mon 13 Oct
lms.ksu.edu.sa
95%

Take Test: Quiz 2

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **03 minutes, 54 seconds.** Less than five minutes remain.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **14** of **15**

Question 14

0.3 points Save Answer

Which of the following is an example of indirect transmission ?

- A. Looking at infected paitents with HIV.
- B. Releasing droplets into the air when sneezing .
- C. Contact with contaminated bed linens.
- D. Inhalation of particles of infectious material .

4:42 PM Mon 13 Oct
lms.ksu.edu.sa
97%

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **08 minutes, 38 seconds.**

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **6** of **15**

Question 6

0.3 points Save Answer

Infectious droplets can travel _____- once released in the air.

A. 6 meter.

B. 3 Inch.

C. 3-6 cm.

D. 3-6 feet

⚠ Moving to the next question prevents changes to this answer.

Question **6** of **15**

4:46 PM Mon 13 Oct
lms.ksu.edu.sa
96%

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **04 minutes, 56 seconds.** Less than five minutes remain.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **12** of **15**

Question 12

0.3 points Save Answer

Which link in the chain of infection is interrupted by decontamination, cleaning, disinfection, and sterilization?

- A. Portal of exit
- B. Reservoir
- C. Portal of entry
- D. Susceptible host

⚠ Moving to the next question prevents changes to this answer.

Question **12** of **15**

Take Test: Quiz 2

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **05 minutes, 31 seconds.** Less than half of the time remains.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **11** of **15**

Question 11

0.3 points Save Answer

Diseases transmitted via droplet transmission require special air handling to avoid contamination of the ventilation system

- ○ True
- ○ False

Test Information

Description	
Instructions	
Timed Test	This test has a time limit of 13 minutes.This test will save and submit automatically when the time expires. Warnings appear when **half the time**, **5 minutes**, **1 minute**, and **30 seconds** remain.
Multiple Attempts	Not allowed. This test can only be taken once.
Force Completion	Once started, this test must be completed in one sitting. Do not leave the test before clicking **Save and Submit**.
	This test does not allow backtracking. Changes to the answer after submission are prohibited.
	Your answers are saved automatically.

Remaining Time: **09 minutes, 18 seconds.**

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question **5** of **15**

Question 5

0.5 points Save Answer

As a team leader assigned to cover the Intensive Care Units (ICUs) and manage the transfer of patients to a larger hospital, you are informed that your paramedic team members are concerned about the increased rate of infections in the ICU. They suggest that all staff should routinely wear gowns for every patient interaction, regardless of diagnosis.

What is the most appropriate response to this concern?

A. ou support the suggestion — although it is **unlikely to reduce infection rates**, it may help **reassure and comfort staff members** who are concerned about infection risks.

B. You do not support the suggestion — **routine gown use in high-risk units is not recommended** by the **CDC** or **HICPAC** and should only be applied when **Contact or Transmission-Based Precautions** are indicated.

C. You do not support the suggestion — although wearing gowns routinely might slightly reduce transmission, it is **not a cost-effective or evidence-based practice**.

D. You support the suggestion — **routine gowning in all high-risk environments** is **recommended** by the **CDC** and **HICPAC** as a preventive measure.