

FAR Rule and Building Code (RAJUK)

Introduction

- What is FAR?

$$\text{FAR} = \frac{\text{summation of all floors}}{\text{total land area}}$$

- What is MGC?

$$\text{MGC} = \frac{\text{covered area by the building}}{\text{total land area}} \times 100$$

Required Approvals

- Land Use clearance
- Special Project Permission for Large and Specialized Projects
- Construction Permission (necessary for all cases)
- Occupancy Certification (necessary for all cases)

Committee

- Building Construction Committee
- Special Project Permission Committee
- Urban Development Committee
- Other Required Committee

SET-BACK

Height of the building 33 meter or 10 storied				
Amount of plot		Minimum setback		
Square meter	Khatha	Front	Rear	Sides
134 sq meter or less	2 khatha (kht) or less	1.50	1.00	0.80
Form 134 sq meter to 201 sq meter	From 2 kht to 3 kht	1.50	1.00	1.00
Form 201 sq meter to 268 sq meter	From 3 kht to 4 kht	1.50	1.50	1.00
Form 268 sq meter to 335 sq meter	From 4 kht to 5 kht	1.50	2.00	1.25

Form sq 335 meter to 402 sq meter	From 5 kht to 6 kht	1.50	2.00	1.25
Form 402 sq meter to 469 sq meter	From 6 kht to 7 kht	1.50	2.00	1.25
Form 469 sq meter to 536 sq meter	From 7 kht to 8 kht	1.50	2.00	1.25
Form 536 sq meter to 603 sq meter	From 8 kht to 9 kht	1.50	2.00	1.25
Form 603 sq meter to 670 sq meter	From 9 kht to 10 kht	1.50	2.00	1.25
Form 670 sq meter to 804 sq meter	From 10 kht to 12 kht	1.50	2.00	1.25
Form 804 sq meter to 938 sq meter	From 12 kht to 14 kht	1.50	2.00	1.25
Form 938 sq meter to 1072 sq meter	From 14 kht to 16 kht	1.50	2.00	1.25
Form 1072 sq meter to 1206 sq meter	From 16 kht to 18 kht	1.50	2.00	1.25
Form 1206 sq meter to 1340 sq meter	From 18 kht to 20 kht	1.50	2.00	1.25
Above 1340 sq meter	Above 20 kht	1.50	2.00	1.25
Height of the building more than 33 meter or above 10 storey				
Any amount	Any amount	1.5	3.0	3.0

Classification of Building

Building classification	Building sub classification	Type of use
A. Residential	A1	Single family
	A2	Apartment ant flat
	A3	Mess and hostel
	A4	Low income people
	A5	Residential hotel
B. Educational institute	B1	Educational institute (school, college, university)
	B2	Primary school & kindergarten
C. Institutional	C1	Child care & old care
	C2	Jail & detention camp
	C3	Lab, community and others
	C4	Mental hospital & others

D. Health service	D1	Hospital, clinic, nursing home, diagnostic center, laboratory
E. Community	D2	Emergency treatment center
	E1	Large conference hall (movable seats)
	E2	Small conference room (movable seats)
	E3	Large conference hall (fixed seats)
	E4	Small conference room (fixed seats)
F. Commercial	E5	Sports and cultural (stadium, gymnasium, arts gallery etc)
	E6	Religious center
	F1	Office
	F2	Small shop & bazaar
G. Industry	F3	Large shop & bazaar
	F4	Garage, petrol or gas station, terminal, hanger, silo
	F5	Other necessary service
H. Storage	G1	Low risk industry
	G2	Risk potential industry
J. Risky	H1	Low burning material
	H2	Burning material
K. Others	J1	Buildings contain blast hazard
	J2	Hazard from chemical, microorganisms, radiation
	K1	Private car garage and special structure
	K2	Boundary, tank, tower etc

FAR And MGC for Different Plots Depending on Plot Area and Road-width

Amount of plot		Building classification : (A1 – A4) (Residential building)			Building classification : (A5) (Residential hotel)		
Sq meter	Katha	Road width	FAR	MGC %	Road width	FAR	MGC %
134 sq meter or less	2 katha (kth) or less	6.0	3.15	67.5	6.0	2.50	67.5
Form 134 sq meter to 201 sq meter	From 2 kth to 3 kth	6.0	3.35	65.0	6.0	2.75	65.0
Form 201 sq meter to 268 sq meter	From 3 kth to 4 kth	6.0	3.50	62.5	6.0	3.00	62.5
Form 268 sq meter to 335 sq meter	From 4 kth to 5 kth	6.0	3.50	62.5	6.0	3.25	62.5
Form sq 335 meter to 402 sq meter	From 5 kth to 6 kth	6.0	3.75	60.5	6.0	3.50	60.5
Form 402 sq meter to 469 sq meter	From 6 kth to 7 kth	6.0	3.75	60.5	6.0	3.75	60.5
Form 469 sq meter to 536 sq meter	From 7 kth to 8 kth	6.0	4.00	60.5	6.0	4.50	57.5

Form 536 sq meter to 603 sq meter	From 8 kth to 9 kth	6.0	4.00	60.5	9.0	5.50	57.5
Form 603 sq meter to 670 sq meter	From 9 kth to 10 kth	9.0	4.25	57.5	9.0	6.00	55.0
Form 670 sq meter to 804 sq meter	From 10 kth to 12 kth	9.0	4.50	57.5	9.0	6.50	55.0
Form 804 sq meter to 938 sq meter	From 12 kth to 14 kth	9.0	4.75	55.0	9.0	7.00	52.5
Form 938 sq meter to 1072 sq meter	From 14 kth to 16 kth	9.0	5.00	52.5	9.0	7.50	52.5
Form 1072 sq meter to 1206 sq meter	From 16 kth to 18 kth	9.0	5.25	52.5	9.0	8.00	50.0
Form 1206 sq meter to 1340 sq meter	From 18 kth to 20 kth	9.0	5.25	50.0	9.0	8.50	50.0
Above 1340 sq meter	Above 20 kth	12.0	5.50	50.0	12.0	9.50	50.0
Any amount	Any amount	18.0	6.00	50.0	18.0	NR	50.0
Any amount	Any amount	24.0	6.50	50.0	24.0	NR	50.0

Sample Calculation of FAR, No. of Stories and Floor Area

Say, plot size = 5 katha (3600 sft)

Residential building, road width = 6 meter.

From table, FAR = 3.5; MGC = 62.5%

So, total floor area = $3600 \times 3.5 = 12,600$ sft

Allowable ground coverage = 2250 sft

So, no. of stories = $12600/2250 = 5.6$

Total stories = $5.6 + \text{G.F} = 6.6$

Say, if building will be constructed of 7 storied.

Then area of per floor = $12600/6 = 2100$ sft

If 6 storied building is constructed,

Area of per per floor = $12600/5 = 2520$ sft.

But max ground coverage = 2250 sft. So, area will be 2250 sft.

Front side balcony can be constructed and its length will be 30% of front side and width will be 1 meter (maximum).

Other Important Tables


- Car parking facility (parking area)
- Driveway and turning radius for parking.
- Minimum parking areas for buildings.
- Minimum unrestricted stair width
- Floor height
- Internal front space (for light and air)
- Minimum dimension for airwell and lightwell.

- Distance of electric lines
- Floor requirement per head
- Width of exit per head
- Maximum no. of people and maximum distance of movement for exit
- Width of stair of fire exit
- Buildings with single exit

Permission Fees

No	Total floor area including basement of a building	Fee (taka)
1.	Up to 50 sq meter	175
2.	From 50 sq meter to 100 sq meter	350
3.	From 100 sq meter to 200 sq meter	525
4.	From 200 sq meter to 300 sq meter	700
5.	From 300 sq meter to 500 sq meter	1300
6.	From 500 sq meter to 1000 sq meter	3600
7.	From 1000 sq meter to 1500 sq meter	7800

8.	From 1500 sq meter to 2000 sq meter	11000
9.	From 2000 sq meter to 3000 sq meter	26000
10.	From 3000 sq meter to 4000 sq meter	41500
11.	From 4000 sq meter to 5000 sq meter	62000
12.	From 5000 sq meter to 10000 sq meter	83000
13.	From 10000 sq meter to 15000 sq meter	105000
14.	From 15000 sq meter to 20000 sq meter	130000
15.	From 20000 sq meter to 30000 sq meter	207000
16.	Above 30000 sq meter	365000



Conclusion

- Complete guide line for constructing any building
- Ensures safe and sound living place and environment for the inhabitants.