

# Codebook for data3

Autogenerated data summary from dataMaid

2021-12-10 09:12:25

## Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	180
Number of variables	81

## Codebook summary table


Label	Variable	Class	# unique values	Missing	Description
	<b>subjects</b>	character	30	0.00 %	
	<b>activity</b>	character	6	0.00 %	
	<b>V1</b>	numeric	180	0.00 %	
	<b>tBodyAcc-mean()-Y</b>	numeric	180	0.00 %	
	<b>tBodyAcc-mean()-Z</b>	numeric	180	0.00 %	
	<b>tBodyAcc-std()-X</b>	numeric	180	0.00 %	
	<b>tBodyAcc-std()-Y</b>	numeric	180	0.00 %	
	<b>tBodyAcc-std()-Z</b>	numeric	180	0.00 %	
	<b>tGravityAcc-mean()-X</b>	numeric	180	0.00 %	
	<b>tGravityAcc-mean()-Y</b>	numeric	180	0.00 %	
	<b>tGravityAcc-mean()-Z</b>	numeric	180	0.00 %	
	<b>tGravityAcc-std()-X</b>	numeric	180	0.00 %	
	<b>tGravityAcc-std()-Y</b>	numeric	180	0.00 %	
	<b>tGravityAcc-std()-Z</b>	numeric	180	0.00 %	
	<b>tBodyAccJerk-mean()-X</b>	numeric	180	0.00 %	
	<b>tBodyAccJerk-mean()-Y</b>	numeric	180	0.00 %	
	<b>tBodyAccJerk-mean()-Z</b>	numeric	180	0.00 %	
	<b>tBodyAccJerk-std()-X</b>	numeric	180	0.00 %	
	<b>tBodyAccJerk-std()-Y</b>	numeric	180	0.00 %	
	<b>tBodyAccJerk-std()-Z</b>	numeric	180	0.00 %	
	<b>tBodyGyro-mean()-X</b>	numeric	180	0.00 %	
	<b>tBodyGyro-mean()-Y</b>	numeric	180	0.00 %	
	<b>tBodyGyro-mean()-Z</b>	numeric	180	0.00 %	
	<b>tBodyGyro-std()-X</b>	numeric	180	0.00 %	
	<b>tBodyGyro-std()-Y</b>	numeric	180	0.00 %	
	<b>tBodyGyro-std()-Z</b>	numeric	180	0.00 %	
	<b>tBodyGyroJerk-mean()-X</b>	numeric	180	0.00 %	
	<b>tBodyGyroJerk-mean()-Y</b>	numeric	180	0.00 %	
	<b>tBodyGyroJerk-mean()-Z</b>	numeric	180	0.00 %	
	<b>tBodyGyroJerk-std()-X</b>	numeric	180	0.00 %	
	<b>tBodyGyroJerk-std()-Y</b>	numeric	180	0.00 %	

Label	Variable	Class	# unique values	Missing	Description
	tBodyGyroJerk-std()-Z	numeric	180	0.00 %	
	tBodyAccMag-mean()	numeric	180	0.00 %	
	tBodyAccMag-std()	numeric	180	0.00 %	
	tGravityAccMag-mean()	numeric	180	0.00 %	
	tGravityAccMag-std()	numeric	180	0.00 %	
	tBodyAccJerkMag-mean()	numeric	180	0.00 %	
	tBodyAccJerkMag-std()	numeric	180	0.00 %	
	tBodyGyroMag-mean()	numeric	180	0.00 %	
	tBodyGyroMag-std()	numeric	180	0.00 %	
	tBodyGyroJerkMag-mean()	numeric	180	0.00 %	
	tBodyGyroJerkMag-std()	numeric	180	0.00 %	
	fBodyAcc-mean()-X	numeric	180	0.00 %	
	fBodyAcc-mean()-Y	numeric	180	0.00 %	
	fBodyAcc-mean()-Z	numeric	180	0.00 %	
	fBodyAcc-std()-X	numeric	180	0.00 %	
	fBodyAcc-std()-Y	numeric	180	0.00 %	
	fBodyAcc-std()-Z	numeric	180	0.00 %	
	fBodyAcc-meanFreq()-X	numeric	180	0.00 %	
	fBodyAcc-meanFreq()-Y	numeric	180	0.00 %	
	fBodyAcc-meanFreq()-Z	numeric	180	0.00 %	
	fBodyAccJerk-mean()-X	numeric	180	0.00 %	
	fBodyAccJerk-mean()-Y	numeric	180	0.00 %	
	fBodyAccJerk-mean()-Z	numeric	180	0.00 %	
	fBodyAccJerk-std()-X	numeric	180	0.00 %	
	fBodyAccJerk-std()-Y	numeric	180	0.00 %	
	fBodyAccJerk-std()-Z	numeric	180	0.00 %	
	fBodyAccJerk-meanFreq()-X	numeric	180	0.00 %	
	fBodyAccJerk-meanFreq()-Y	numeric	180	0.00 %	
	fBodyAccJerk-meanFreq()-Z	numeric	180	0.00 %	
	fBodyGyro-mean()-X	numeric	180	0.00 %	
	fBodyGyro-mean()-Y	numeric	180	0.00 %	
	fBodyGyro-mean()-Z	numeric	180	0.00 %	
	fBodyGyro-std()-X	numeric	180	0.00 %	
	fBodyGyro-std()-Y	numeric	180	0.00 %	
	fBodyGyro-std()-Z	numeric	180	0.00 %	
	fBodyGyro-meanFreq()-X	numeric	180	0.00 %	
	fBodyGyro-meanFreq()-Y	numeric	180	0.00 %	
	fBodyGyro-meanFreq()-Z	numeric	180	0.00 %	
	fBodyAccMag-mean()	numeric	180	0.00 %	
	fBodyAccMag-std()	numeric	180	0.00 %	
	fBodyAccMag-meanFreq()	numeric	180	0.00 %	
	fBodyBodyAccJerkMag-mean()	numeric	180	0.00 %	
	fBodyBodyAccJerkMag-std()	numeric	180	0.00 %	
	fBodyBodyAccJerkMag-meanFreq()	numeric	180	0.00 %	
	fBodyBodyGyroMag-mean()	numeric	180	0.00 %	
	fBodyBodyGyroMag-std()	numeric	180	0.00 %	
	fBodyBodyGyroMag-meanFreq()	numeric	180	0.00 %	
	fBodyBodyGyroJerkMag-mean()	numeric	180	0.00 %	
	fBodyBodyGyroJerkMag-std()	numeric	180	0.00 %	
	fBodyBodyGyroJerkMag-meanFreq()	numeric	180	0.00 %	

## Variable list

### subjects

Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	30
Mode	"1"



- Observed factor levels: "1", "10", "11", "12", "13", "14", "15", "16", "17", "18", "19", "2", "20", "21", "22", "23", "24", "25", "26", "27", "28", "29", "3", "30", "4", "5", "6", "7", "8", "9".

### activity


Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	6
Mode	"LAYING"



- Observed factor levels: "LAYING", "SITTING", "STANDING", "WALKING", "WALKING\_DOWNSTAIRS", "WALKING\_UPSTAIRS".


### V1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.28
1st and 3rd quartiles	0.27; 0.28
Min. and max.	0.22; 0.3




### tBodyAcc-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.02
1st and 3rd quartiles	-0.02; -0.01
Min. and max.	-0.04; 0




### tBodyAcc-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.11
1st and 3rd quartiles	-0.11; -0.1
Min. and max.	-0.15; -0.08




### tBodyAcc-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.75
1st and 3rd quartiles	-0.98; -0.2
Min. and max.	-1; 0.63




### tBodyAcc-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.51
1st and 3rd quartiles	-0.94; -0.03
Min. and max.	-0.99; 0.62




### tBodyAcc-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.65
1st and 3rd quartiles	-0.95; -0.23
Min. and max.	-0.99; 0.61




## tGravityAcc-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.92
1st and 3rd quartiles	0.84; 0.94
Min. and max.	-0.68; 0.97




## tGravityAcc-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.13
1st and 3rd quartiles	-0.23; 0.09
Min. and max.	-0.48; 0.96




## tGravityAcc-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.02
1st and 3rd quartiles	-0.12; 0.15
Min. and max.	-0.5; 0.96




## tGravityAcc-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.97
1st and 3rd quartiles	-0.98; -0.95
Min. and max.	-1; -0.83




## tGravityAcc-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.96
1st and 3rd quartiles	-0.97; -0.94
Min. and max.	-0.99; -0.64




## tGravityAcc-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.95
1st and 3rd quartiles	-0.96; -0.92
Min. and max.	-0.99; -0.61




## tBodyAccJerk-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.08
1st and 3rd quartiles	0.07; 0.08
Min. and max.	0.04; 0.13




## tBodyAccJerk-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.01
1st and 3rd quartiles	0; 0.01
Min. and max.	-0.04; 0.06




### tBodyAccJerk-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0
1st and 3rd quartiles	-0.01; 0
Min. and max.	-0.07; 0.04




### tBodyAccJerk-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.22
Min. and max.	-0.99; 0.54




### tBodyAccJerk-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.78
1st and 3rd quartiles	-0.97; -0.15
Min. and max.	-0.99; 0.36




### tBodyAccJerk-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.88
1st and 3rd quartiles	-0.98; -0.51
Min. and max.	-0.99; 0.03




## tBodyGyro-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.03
1st and 3rd quartiles	-0.05; -0.02
Min. and max.	-0.21; 0.19




## tBodyGyro-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.07
1st and 3rd quartiles	-0.09; -0.06
Min. and max.	-0.2; 0.03




## tBodyGyro-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.09
1st and 3rd quartiles	0.07; 0.1
Min. and max.	-0.07; 0.18



## tBodyGyro-std()-X


Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.97; -0.44
Min. and max.	-0.99; 0.27





## tBodyGyro-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.96; -0.42
Min. and max.	-0.99; 0.48




## tBodyGyro-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.96; -0.31
Min. and max.	-0.99; 0.56




## tBodyGyroJerk-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.1
1st and 3rd quartiles	-0.1; -0.09
Min. and max.	-0.16; -0.02




## tBodyGyroJerk-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.04
1st and 3rd quartiles	-0.05; -0.04
Min. and max.	-0.08; -0.01




## tBodyGyroJerk-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.05
1st and 3rd quartiles	-0.06; -0.05
Min. and max.	-0.09; -0.01




## tBodyGyroJerk-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.84
1st and 3rd quartiles	-0.98; -0.46
Min. and max.	-1; 0.18




## tBodyGyroJerk-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.89
1st and 3rd quartiles	-0.98; -0.59
Min. and max.	-1; 0.3




## tBodyGyroJerk-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.86
1st and 3rd quartiles	-0.98; -0.47
Min. and max.	-1; 0.19




### tBodyAccMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.48
1st and 3rd quartiles	-0.96; -0.09
Min. and max.	-0.99; 0.64




### tBodyAccMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.61
1st and 3rd quartiles	-0.94; -0.21
Min. and max.	-0.99; 0.43




### tGravityAccMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.48
1st and 3rd quartiles	-0.96; -0.09
Min. and max.	-0.99; 0.64




### tGravityAccMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.61
1st and 3rd quartiles	-0.94; -0.21
Min. and max.	-0.99; 0.43




### tBodyAccJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.82
1st and 3rd quartiles	-0.98; -0.25
Min. and max.	-0.99; 0.43




### tBodyAccJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.98; -0.22
Min. and max.	-0.99; 0.45




### tBodyGyroMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.66
1st and 3rd quartiles	-0.95; -0.22
Min. and max.	-0.98; 0.42




### tBodyGyroMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.74
1st and 3rd quartiles	-0.95; -0.36
Min. and max.	-0.98; 0.3




### tBodyGyroJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.86
1st and 3rd quartiles	-0.99; -0.51
Min. and max.	-1; 0.09




### tBodyGyroJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.88
1st and 3rd quartiles	-0.98; -0.58
Min. and max.	-1; 0.25




### fBodyAcc-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.77
1st and 3rd quartiles	-0.98; -0.22
Min. and max.	-1; 0.54




### fBodyAcc-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.59
1st and 3rd quartiles	-0.95; -0.06
Min. and max.	-0.99; 0.52




## fBodyAcc-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.72
1st and 3rd quartiles	-0.96; -0.32
Min. and max.	-0.99; 0.28




## fBodyAcc-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.75
1st and 3rd quartiles	-0.98; -0.2
Min. and max.	-1; 0.66




## fBodyAcc-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.51
1st and 3rd quartiles	-0.94; -0.08
Min. and max.	-0.99; 0.56




## fBodyAcc-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.64
1st and 3rd quartiles	-0.95; -0.27
Min. and max.	-0.99; 0.69




### fBodyAcc-meanFreq()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.26
1st and 3rd quartiles	-0.39; -0.06
Min. and max.	-0.64; 0.16




### fBodyAcc-meanFreq()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.01
1st and 3rd quartiles	-0.08; 0.09
Min. and max.	-0.38; 0.47




### fBodyAcc-meanFreq()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.07
1st and 3rd quartiles	-0.04; 0.18
Min. and max.	-0.52; 0.4




### fBodyAccJerk-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.28
Min. and max.	-0.99; 0.47




## fBodyAccJerk-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.78
1st and 3rd quartiles	-0.97; -0.2
Min. and max.	-0.99; 0.28




## fBodyAccJerk-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.87
1st and 3rd quartiles	-0.98; -0.47
Min. and max.	-0.99; 0.16




## fBodyAccJerk-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.83
1st and 3rd quartiles	-0.98; -0.25
Min. and max.	-1; 0.48



## fBodyAccJerk-std()-Y


Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.97; -0.17
Min. and max.	-0.99; 0.35






## fBodyAccJerk-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.9
1st and 3rd quartiles	-0.98; -0.54
Min. and max.	-0.99; -0.01




## fBodyAccJerk-meanFreq()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.06
1st and 3rd quartiles	-0.29; 0.18
Min. and max.	-0.58; 0.33




## fBodyAccJerk-meanFreq()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.23
1st and 3rd quartiles	-0.4; -0.05
Min. and max.	-0.6; 0.2




## fBodyAccJerk-meanFreq()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.09
1st and 3rd quartiles	-0.31; 0.04
Min. and max.	-0.63; 0.23




## fBodyGyro-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.73
1st and 3rd quartiles	-0.97; -0.34
Min. and max.	-0.99; 0.47




## fBodyGyro-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.97; -0.45
Min. and max.	-0.99; 0.33




## fBodyGyro-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.96; -0.26
Min. and max.	-0.99; 0.49




## fBodyGyro-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.48
Min. and max.	-0.99; 0.2



## fBodyGyro-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.96; -0.42
Min. and max.	-0.99; 0.65




## fBodyGyro-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.82
1st and 3rd quartiles	-0.96; -0.39
Min. and max.	-0.99; 0.52




## fBodyGyro-meanFreq()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.12
1st and 3rd quartiles	-0.21; 0
Min. and max.	-0.4; 0.25



## fBodyGyro-meanFreq()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.16
1st and 3rd quartiles	-0.29; -0.04
Min. and max.	-0.67; 0.27




## fBodyGyro-meanFreq()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.05
1st and 3rd quartiles	-0.15; 0.04
Min. and max.	-0.51; 0.38




## fBodyAccMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.67
1st and 3rd quartiles	-0.96; -0.16
Min. and max.	-0.99; 0.59




## fBodyAccMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.65
1st and 3rd quartiles	-0.95; -0.37
Min. and max.	-0.99; 0.18




## fBodyAccMag-meanFreq()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.08
1st and 3rd quartiles	-0.01; 0.17
Min. and max.	-0.31; 0.44




### fBodyBodyAccJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.98; -0.19
Min. and max.	-0.99; 0.54




### fBodyBodyAccJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.27
Min. and max.	-0.99; 0.32




### fBodyBodyAccJerkMag-meanFreq()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.17
1st and 3rd quartiles	0.05; 0.28
Min. and max.	-0.13; 0.49




### fBodyBodyGyroMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.77
1st and 3rd quartiles	-0.96; -0.41
Min. and max.	-0.99; 0.2




## fBodyBodyGyroMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.77
1st and 3rd quartiles	-0.95; -0.43
Min. and max.	-0.98; 0.24




## fBodyBodyGyroMag-meanFreq()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.05
1st and 3rd quartiles	-0.17; 0.08
Min. and max.	-0.46; 0.41




## fBodyBodyGyroJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.88
1st and 3rd quartiles	-0.98; -0.58
Min. and max.	-1; 0.15




## fBodyBodyGyroJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.89
1st and 3rd quartiles	-0.98; -0.61
Min. and max.	-1; 0.29



## fBodyBodyGyroJerkMag-meanFreq()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.11
1st and 3rd quartiles	0.05; 0.21
Min. and max.	-0.18; 0.43



### Report generation information:

- Created by: Mohamad Barad (username: Moham).
- Report creation time: fr dec 10 2021 09:12:41
- Report was run from directory: C:/Users/Moham/Desktop/DataScience/03Getting\_and\_cleaning/Week4/CourseProject/HAR Dataset/GettingAndCleaning
- dataMaid v1.4.1 [Pkg: 2021-10-08 from CRAN (R 4.1.2)]
- R version 4.1.0 (2021-05-18).
- Platform: x86\_64-w64-mingw32/x64 (64-bit)(Windows 10 x64 (build 19043)).
- Function call: `dataMaid::makeDataReport(data = data3, mode = c("summarize", "visualize", "check"), smartNum = FALSE, file = "codebook_data3.Rmd", checks = list(character = "showAllFactorLevels", factor = "showAllFactorLevels", labelled = "showAllFactorLevels", haven_labelled = "showAllFactorLevels", numeric = NULL, integer = NULL, logical = NULL, Date = NULL), listChecks = FALSE, maxProbVals = Inf, codebook = TRUE, reportTitle = "Codebook for data3")`