

Industrial tools & equipment

Precision in choice. Confidence at work.

An introduction to the Konvex product range



Concrete chisels

Industrial casters

Spirit levels

Laser distance meters

Abrasives

SAMPLE EDITION — FOR DESIGN AND CATALOG REVIEW

All models, specifications and images in this edition are samples. The images are AI-generated, not documentary photographs of actual products. Do not use this file as a basis for ordering, technical selection or safety decisions; official brand confirmation is required.

PRODUCT FAMILY

Concrete chisels

For controlled demolition and progress through concrete

	Pointed concrete chisel · 400 mm Model: KV-CH400-1 SKU: KV-1001 Length: 400 mm Shank type: SDS Max Body diameter: 18 mm Chisel type: Pointed Pointed chisel with an SDS Max shank, for concrete and compatible materials.	Price & availability On request
	Flat concrete chisel · 250 mm Model: KV-CH250-2 SKU: KV-1002 Length: 250 mm Shank type: SDS Plus Body diameter: 14 mm Chisel type: Flat Flat chisel with an SDS Plus shank, for concrete and compatible materials.	Price & availability On request
	Channeling concrete chisel · 400 mm Model: KV-CH400-3 SKU: KV-1003 Length: 400 mm Shank type: SDS Max Body diameter: 18 mm Chisel type: Channeling Channeling chisel with an SDS Max shank, for concrete and compatible materials.	Price & availability On request
	Wide flat concrete chisel · 600 mm Model: KV-CH600-4 SKU: KV-1004 Length: 600 mm Shank type: Hex 30 Body diameter: 30 mm Chisel type: Wide flat Wide flat chisel with a Hex 30 shank, for concrete and compatible materials.	Price & availability On request
	Pointed concrete chisel · 280 mm Model: KV-CH280-5 SKU: KV-1005 Length: 280 mm Shank type: SDS Plus Body diameter: 14 mm Chisel type: Pointed Pointed chisel with an SDS Plus shank, for concrete and compatible materials.	Price & availability On request
	Flat concrete chisel · 400 mm Model: KV-CH400-6 SKU: KV-1006 Length: 400 mm Shank type: Hex 17 Body diameter: 17 mm Chisel type: Flat Flat chisel with a Hex 17 shank, for concrete and compatible materials.	Price & availability On request

Sample information and images.

Confirm specifications, compatibility, availability and warranty terms against official product documentation before ordering.

PRODUCT FAMILY

Industrial casters

Smooth movement, matched to the load and environment

	Braked swivel caster · 150 mm Model: KV-IC150-1 SKU: KV-2001 Wheel diameter: 150 mm Capacity per caster: 400 kg Tread material: Polyurethane Movement type: Swivel Polyurethane tread, with a sample nominal capacity of 400 kg per caster.	Price & availability On request
	Fixed industrial caster · 100 mm Model: KV-IC100-2 SKU: KV-2002 Wheel diameter: 100 mm Capacity per caster: 200 kg Tread material: Polyurethane Movement type: Fixed Polyurethane tread, with a sample nominal capacity of 200 kg per caster.	Price & availability On request
	Braked swivel caster · 125 mm Model: KV-IC125-3 SKU: KV-2003 Wheel diameter: 125 mm Capacity per caster: 250 kg Tread material: Rubber Movement type: Swivel Rubber tread, with a sample nominal capacity of 250 kg per caster.	Price & availability On request
	Swivel industrial caster · 200 mm Model: KV-IC200-4 SKU: KV-2004 Wheel diameter: 200 mm Capacity per caster: 600 kg Tread material: Polyurethane Movement type: Swivel Polyurethane tread, with a sample nominal capacity of 600 kg per caster.	Price & availability On request
	Braked swivel caster · 100 mm Model: KV-IC100-5 SKU: KV-2005 Wheel diameter: 100 mm Capacity per caster: 150 kg Tread material: Nylon Movement type: Swivel Nylon tread, with a sample nominal capacity of 150 kg per caster.	Price & availability On request
	Fixed industrial caster · 160 mm Model: KV-IC160-6 SKU: KV-2006 Wheel diameter: 160 mm Capacity per caster: 500 kg Tread material: Cast iron Movement type: Fixed Cast-iron tread, with a sample nominal capacity of 500 kg per caster.	Price & availability On request

Sample information and images.

Confirm specifications, compatibility, availability and warranty terms against official product documentation before ordering.

PRODUCT FAMILY

Spirit levels

When the smallest deviation matters

	Professional spirit level · 60 cm Model: KV-SL60 SKU: KV-3001 Length: 60 cm Accuracy: ±0.5 mm/m Number of vials: 3 Magnetic: Yes An aluminium body and easy-to-read vials for checking surfaces during installation and construction.	Price & availability On request
	Professional spirit level · 40 cm Model: KV-SL40 SKU: KV-3002 Length: 40 cm Accuracy: ±0.5 mm/m Number of vials: 3 Magnetic: No An aluminium body and easy-to-read vials for checking surfaces during installation and construction.	Price & availability On request
	Professional spirit level · 80 cm Model: KV-SL80 SKU: KV-3003 Length: 80 cm Accuracy: ±0.5 mm/m Number of vials: 3 Magnetic: Yes An aluminium body and easy-to-read vials for checking surfaces during installation and construction.	Price & availability On request
	Professional spirit level · 100 cm Model: KV-SL100 SKU: KV-3004 Length: 100 cm Accuracy: ±0.5 mm/m Number of vials: 3 Magnetic: No An aluminium body and easy-to-read vials for checking surfaces during installation and construction.	Price & availability On request
	Professional spirit level · 30 cm Model: KV-SL30 SKU: KV-3005 Length: 30 cm Accuracy: ±0.5 mm/m Number of vials: 3 Magnetic: Yes An aluminium body and easy-to-read vials for checking surfaces during installation and construction.	Price & availability On request
	Professional spirit level · 120 cm Model: KV-SL120 SKU: KV-3006 Length: 120 cm Accuracy: ±0.5 mm/m Number of vials: 3 Magnetic: No An aluminium body and easy-to-read vials for checking surfaces during installation and construction.	Price & availability On request

Sample information and images.

Confirm specifications, compatibility, availability and warranty terms against official product documentation before ordering.

PRODUCT FAMILY

Laser distance meters

Distance, area and volume. Simple and precise.



Laser distance meter · 60 m

Model: KV-LM60 SKU: KV-4001

Measuring range: 60 m Accuracy: ± 1.5 mm Protection rating: IP54

Measurement functions: Distance, area and volume

Distance, area and volume measurement in a compact tool for site surveys and project work.

Price &
availability
On request



Laser distance meter · 40 m

Model: KV-LM40 SKU: KV-4002

Measuring range: 40 m Accuracy: ± 2 mm Protection rating: IP54

Measurement functions: Distance, area and volume

Distance, area and volume measurement in a compact tool for site surveys and project work.

Price &
availability
On request



Professional laser meter · 80 m

Model: KV-LM80 PRO SKU: KV-4003

Measuring range: 80 m Accuracy: ± 1.5 mm Protection rating: IP65

Measurement functions: Distance, area and volume

Distance, area and volume measurement in a compact tool for site surveys and project work.

Price &
availability
On request



Professional laser meter · 100 m

Model: KV-LM100 PRO SKU: KV-4004

Measuring range: 100 m Accuracy: ± 1.5 mm Protection rating: IP65

Measurement functions: Distance, area and volume

Distance, area and volume measurement in a compact tool for site surveys and project work.

Price &
availability
On request



Laser distance meter · 30 m

Model: KV-LM30 SKU: KV-4005

Measuring range: 30 m Accuracy: ± 2 mm Protection rating: IP54

Measurement functions: Distance, area and volume

Distance, area and volume measurement in a compact tool for site surveys and project work.

Price &
availability
On request



Professional laser meter · 120 m

Model: KV-LM120 PRO SKU: KV-4006

Measuring range: 120 m Accuracy: ± 1.5 mm Protection rating: IP65

Measurement functions: Distance, area and volume

Distance, area and volume measurement in a compact tool for site surveys and project work.

Price &
availability
On request

Sample information and images.

Confirm specifications, compatibility, availability and warranty terms against official product documentation before ordering.

PRODUCT FAMILY

Abrasives

Clean cuts and professional surface finishing

	Metal cutting disc · 125 mm Model: KV-AD125-1 SKU: KV-5001 Disc diameter: 125 mm Thickness: 1.2 mm Maximum rated speed: 12200 rpm Bore diameter: 22.23 mm 125 mm diameter and 1.2 mm thickness, for cutting metal.	Price & availability On request
	Metal grinding disc · 115 mm Model: KV-AD115-2 SKU: KV-5002 Disc diameter: 115 mm Thickness: 6 mm Maximum rated speed: 13300 rpm Bore diameter: 22.23 mm 115 mm diameter and 6 mm thickness, for grinding metal.	Price & availability On request
	Stone cutting disc · 180 mm Model: KV-AD180-3 SKU: KV-5003 Disc diameter: 180 mm Thickness: 3 mm Maximum rated speed: 8500 rpm Bore diameter: 22.23 mm 180 mm diameter and 3 mm thickness, for cutting stone.	Price & availability On request
	Concrete cutting disc · 230 mm Model: KV-AD230-4 SKU: KV-5004 Disc diameter: 230 mm Thickness: 3 mm Maximum rated speed: 6600 rpm Bore diameter: 22.23 mm 230 mm diameter and 3 mm thickness, for cutting concrete.	Price & availability On request
	Metal grinding disc · 125 mm Model: KV-AD125-5 SKU: KV-5005 Disc diameter: 125 mm Thickness: 6 mm Maximum rated speed: 12200 rpm Bore diameter: 22.23 mm 125 mm diameter and 6 mm thickness, for grinding metal.	Price & availability On request
	Stainless-steel cutting disc · 115 mm Model: KV-AD115-6 SKU: KV-5006 Disc diameter: 115 mm Thickness: 1 mm Maximum rated speed: 13300 rpm Bore diameter: 22.23 mm 115 mm diameter and 1 mm thickness, for cutting stainless steel.	Price & availability On request


Sample information and images.

Confirm specifications, compatibility, availability and warranty terms against official product documentation before ordering.

PRODUCT FAMILY

Accessories

The finishing details for a practical setup




Laser meter carry pouch

Model: KV-BG01 SKU: KV-6001

Accessory type: Pouch Material: Durable fabric Internal dimensions: 130 × 65 × 40 mm

A protective pouch for storing and carrying a laser meter. Check dimensional compatibility before ordering.

Price &
availability
On request



Laser meter wrist strap

Model: KV-WS01 SKU: KV-6002

Accessory type: Wrist strap Material: Nylon

A laser - meter handling accessory. Check the device's attachment point before use.

Price &
availability
On request

Sample information and images.

Confirm specifications, compatibility, availability and warranty terms against official product documentation before ordering.