Correspondence: Polyline to Path Data

Source feature: Polyline
Target feature(s): tagName, selector, object of attrs
Automation type: FullAutomation - COMPLEX
Relation:

Main Strategy:

```
1. [A] take the name (A) of polyline

2. [A] take the most top parent shape (B) of polyline

3. [A] take the node (C) that its figure property refers to B

4. [A] take the node mappings (D) that refers to C

5. [A] take all the Ds' Dia Element equivalents

6. [-] for every Dia Element (E) in D
    6.1. [A] check if E has an object in attrs with the name being A (X)

    6.2. [-] if X is true
        6.2.1. [A] if not exist, add an object in Visual Structure of E with the tagName and select
or being 'path' and A

        6.2.2. [A] take the object (F)


    6.3. [-] else
        6.3.1. [A] add an object to Visual Structure of E with the tagName and selector being 'path
' and A

        6.3.2. [A] add an object (F) to attrs of Visual Attributes of E with the name being A


    6.4. [A] take the tamplate points (G) of polyline (in the same order they listed)
```

Strategies of subcorrespondences

Computing Path Data

```
1. [A] add a d property (H) to F

2. [A] take the first template point x and y

3. [A] put a 'M x y ' string (I) for H

4. [-] from the second, for every template point (J) in G
    4.1. [A] take x and y of J

    4.2. [A] append 'L x y ' string to I


5. [A] check if Polyline is a kind of Polygon or Scalable Polygon (Y)

6. [-] if Y is true
    6.1. [A] append 'Z' string to I
```

Structural overview