Chapter 4 Storage Exam questions

1. (Multi-Answer Question) Which of the following parameters are mandatory when FusionCompute connects to IP SAN storage?
   A. Storage resource type
   B. Storage management IP address
   C. Storage service port IP address
   D. Username and password

2. (Single Answer) It is a device, which manages the physical disk drives and presents them to the users as logical units. Which of the following device fits the above description?
   A. Host.
   B. Storage NIC.
   C. Storage Controller.
   D. Storage Cache.

3. (Single Answer) Which one of the following is a type of mechanical drive?
   A. SSD.
   B. SAS Drive.
   C. NVME Drive.
   D. Flash Drive.

4. (Multiple Answer) Which of the following are attached to the storage system **serially**?
   A. ATA Drive.
   B. SAS Drive.
   C. NL-SAS Drive.
   D. IDE Drive.

5. (Single Answer) Which of the following disks has the best performance in terms of speed?
   A. NL-SAS
   B. SAS
   C. SSD
   D. SATA

6. (T or F) SAN is a storage architecture that connects storage device and application servers through network.
   True

7. (Single Answer) Which of the following represents the logical storage resource connected to the target in SAN?
   A. LUN.
   B. Volume.
   C. Tape Drive.
   D. Disk Drive.

8. (Single Answer) Which of the following protocol has the slowest performance.
   A. SAS.
   B. FC.
   C. SATA.
   D. InfiniBand.

9. (Single Answer) Which of the following storage protocol allows **FC packets** to be transmitted **over Ethernet networks**?
   A. iSCSI.
   B. Ethernet.
   C. FC.
   D. FCoE.

10. (T or F) When configuring NAS file share on Linux systems using NFS, the shared directory do not need to be mounted.
    False

11. (Single Answer) Which of the following is **not a** common NAS protocol?
    A. FTP.
    B. CIFS.
    C. SSH.
    D. NFS.

12. SATA disks use parallel ports and SAS disks use serial ports.
    False

13. In RAID 5 and RAID 6, the number of faulty disks that can be tolerated is ( ), respectively.
    A. 1 , 2
    B. 2 , 3
    C. 2 , 1
    D. 3 , 2

14. The universal storage space unit mapped to the host in the disk array is ( ), which is the logical space created based on RAID.
    A. Storage pool
    B. Volume
    C. LUN
    D. Partition

15. Compared with SAN, which of the following is not an advantage of NAS?

    A. The file system of NAS supports a single file with higher specifications.
    B. NAS supports more files.
    C. Block data transmission is optimized.
    D. File sharing is optimized.

16. (multiple answers) Which of the following network file sharing protocols are supported by NAS?

A. FTP
B. CIFS
C. NFS
D. NTFS

17. （Multiple）Which of the following storage resource types are supported by Huawei FusionCompute?

A. FC SAN
B. IP SAN
C. NAS
D. Advanced SAN
E. FusionStorage

18. (Multiple）Which of the following are true about RAID?

A. A RAID group can be regarded as storage space consisting of two or more disks. The available capacity of a RAID group is the sum of the capacity of disks in the group.
B. RAID improves the I/O performance of a storage system by concurrently reading and writing data on multiple disks.
C. When a disk is damaged, other disks in RAID 5 can still work properly, and the disk I/O performance is not affected.
D. Compared with RAID 5, RAID 6 has stronger data recovery capability, but weaker read/write capability of disks.

19. （T or F）After the disks in an array form a RAID group, the server connected to the disk array cannot directly access the RAID group. Therefore, you need to divide the disk array into logical LUNs before allocating them to the server.

20. (Multiple）In Huawei FusionCompute, which of the following statements are true about adding shared storage for multiple hosts?

A. When the shared storage is IP SAN, make sure that the storage network of the host is connected to the service ports of storage.
B. Select the corresponding host when adding a datastore.
C. Select all hosts when associating storage devices.
D. Select all hosts when initializing storage resources

21. In Huawei FusionCompute, which of the following statements is true about adding storage ports to hosts?

A. storage ports can be added to hosts in batches.

B. select a host and add a storage port on the host configuration page.

C. The VLAN ID can be set to 0.

D. if FC SAN is used, users don’t need to add storage ports.

22. (Single）In Huawei FusionCompute, which of the following operations is supported when users modify a disk of a VM?

A. Change the disk mode from Dependent to Independent & persistent.

B. Change the disk capacity from 80 GB to 8 GB.

C. Change the disk status from Available to Unavailable.

D. Change the disk configuration mode from Thin provisioning to Ordinary.

23. Which functions are supported by thin provisioning?

A. virtual storage thin provisioning is irrelevant to the OS and hardware. Disk thin-provisioning can be provided as long as the virtual image management system is used.

B. this function enables disk space monitoring and reclaiming

C. this function enables alarms over data store usage. If the data usage exceeds the preset threshold, an alarm will be reported..

D. NTFS VMs do not support this function.

24. Which of the following about creating a new disk in **fusion is <u>false</u>**?

A. **Set disk mode to independent & non persistent and change the value of Raw Device Mapping to supported**
B. Set the disk configuration mode to thin provisioning and disk mode to independent & persistent
C. Set the disk configuration mode to thin provisioning and disk mode to independent & non persistent
D. Set the disk type to common and disk mode to independent & non persistent

25. VRM recommended to be deployed on which storage?

A. **Local disk**
B. FC SAN
C. IP SAN
D. NAS

26. Administrator can scan storage devices or manually refresh the the page to discover storage devices? **False**

27. Which storage types doesn't support disk capacity expansion?

A. **Non-virtualized local disk**
B. Virtual SAN
C. NAS
D. FusionStorage

28. Which statements about storage is false?

A. A physical storage device can serve as storage resource.
B. A storage device corresponds to a logical unit in physical storage .for example a LUN.
C. A data store can be IP SAN, FC SAN or NAS.
D. A VM disk file is in VHD format.

29. The resources in a cluster consist of hosts and associated storage and network resources. **True**

30. When use IP SAN storage, the steps to create disks include:

1. Create storage resource
2. Add storage ports on the host
3. Ad data stores
4. Create disks

The operation sequence is:
2-1-3-4

31. In the status of disk, if the used capacity is less than that of capacity. The possible reason is:

A. the disk type is shared
B. the disk mode is thin provisioning
C. the disk status is unavailable
D. the disk mode is dependent

32. After data in a VM is deleted, the disk size will not be automatically reduced. **True**

33. Which VM disk configuration mode need the least physical storage space?

A. Thin provisioning
B. Independent and persistent
C. Independent and non-persistent
D. Thick provisioning

34. Which are **true** about **shared** disks?

A. A disk of this type can be attached to multiple VM
B. No data store change for this type of disks
C. A disk of this type can be attached to only one VM
D. The VM with this type attached does not support snapshot function.

35. Given that:
    - When snapshot is created for the VM, no snapshot is created for the disk.
    - When a VM is restored using the snapshot, the disk is **not** restored and all data is written to the disk permanently.

    Which of the following disk modes should be selected?
    A. Dependent
    B. Independent
    C. Independent and persistent
    D. Independent and non-persistent

36. For VMs that used RDM storage which **are not supported**?
    A. Snapshot
    B. Thin provisioning
    C. Storage live migration
    D. CPU hot-add

37. Which is true about CIFS?
    A. CIFS supports multi-user access
    B. CIFS needs dedicated software install
    C. CIFS has low requirements on network transmission reliability
    D. In CIFS, fault recovery is available

38. Which is false about iSCSI an fiber channel?
    The answer: **the transmission distance of FC is longer than the TCP/IP**

RAID Info:

1. RAID 0 highest storage
2. RAID 1
    i. Best data security and availability
    ii. Lowest disk usage
    iii. Most expensive
3. RAID 5 is the optimal
4. RAID 6 used in environment requires high security, accuracy and integrity.