Questions from the whole document

Chapter1: Cloud Computing Introduction

1. Cloud computing is a product of parallel computing, grid computing and distributed computing. Which of the following is **true** about their relationship?
   A. Distributed computing completely replaces grid computing
   B. Grid computing completely replaces parallel computing
   C. Cloud computing is a type of distributed computing
   D. Parallel computing, grid computing, and Distributed computing all belongs to cloud computing.

2. In cloud computing, hardware of the same type and different models can form a resource pool. **True**

3. On Huawei cloud, applying to ECS with only an OS installed on it, this service mode is?
   A. IaaS
   B. PaaS
   C. SaaS
   D. NaaS

4. A user applies for an ECS on HUAWEI Cloud, which of the following about ECS are true?
   A. The OS of the ECS can be provided by HUAWEI Cloud or created by the user.
   B. You can log in to the ECS through a PC or a mobile Phone
   C. If an IP address is configured for ECS, the service mode is PasS. Otherwise, the service mode is IaaS
   D. Running the ECS requires the local hardware resources of the user.

Chapter2: Virtualization

5. In FusionCompute the default alarm levels do not include()
   A. Critical
   B. Moderate
   C. Major
   D. Minor
   E. Warning

6. The virtualization can virtualize a physical server into multiple VMS, improving the **hardware performance** of the physical server. **False**

7. In FusionCompute tools installed for VMs are irrelevant to the OS types and versions of the VNs. **False**

8. Which is **true** about virtualization?
   A. Applications that can run on physical machines can also run on VMs.
   B. VMs with different virtualization technologies can be manually converted.
   C. Virtualization improves the unification of hardware resources.
   D. Virtualization and non-virtualization resources cannot coexist in one datacenter

9. Which are **false** about virtualization?
   A. Virtualization at IaaS layer consists of compute, storage and network virtualization
   B. Computing virtualization includes CPU, Memory and I/O virtualization
   C. Storage virtualization refers to distributed storage
   D. Network virtualization refers to distributed virtual switches

10. Computing virtualization can be classified into type 1 and type2 or full virtualization and para virtualization from different perspective. **True**

11. Which of the following are true about the relation

12. Which belongs to computing virtualization?
   A. CPU virtualization
   B. Memory virtualization
   C. Disk virtualization
   D. Network virtualization
   E. I/O virtualization

13. Which of the following about hypervisor is true?
   A. Hypervisor is virtualization
   B. A hypervisor is an OS
   C. A hypervisor is a key technology in computing virtualization
   D. Hypervisor contains a target number of drivers. Therefore, drivers do not need to be installed for hypervisor.
14. If KVM uses Virtio which are true about the I/O forwarding process?
   A. The I/O requests need to be notified by the KVM module
   B. The I/O requests are directly sent by the frontend driver to the backend driver.
   C. The forwarding efficiency of I/O requests increases.
   D. The I/O requests are not forwarded through QEMU.

15. With Virtio, the NIC transmission rate of Windows VM is 10 Gbit/s. **True**

16. Which of the following are true about Virtio?
   A. Virtio is an I/O paravirtualization solution.
   B. Virtio is an I/O full virtualization solution.
   C. Virtio improves I/O forwarding efficiency
   D. After Virtio is used, QEMU is not required.

17. Which of the following about VM login are true?
    A. If the VM runs the Windows os, the administrator can log in to the VM using a remote desktop.
    B. If the VM runs the Linux os, the administrator can log in to the VM using a remote desktop.
    C. The administrator can use VNC to log in to the VM that runs any type of OS.
    D. If a VM doesn't have an IP address, the administrator can log in to the VM using VNC. VNC login is not dependent on the network.

18. Which of the following are true about the encapsulation feature of virtualization?
    A. Multiple VMs can concurrently run on a physical host.
    B. If a VM has multiple disks, each disk generates a corresponding disk file.
    C. The VM configuration file contains information such as the CPU type and quantity
    D. VMs can be migrated from one physical host to another

19. Virtualization applicable to which of the following scenarios?
    A. A company has 10 service systems. The resource usage rate of the host running the service systems is less than 20%
    B. All employees in a company almost use the same office desktop applications.
    C. A scientific research institute uses a customized operating system to ensure the confidentially of scientific research results
    D. An enterprise requires a high load and compute intensive environment

20. Which of the following are true about the relationship between cloud computing and virtualization?
    A. Virtualization is one of the technologies to implement cloud computing.
    B. Virtualization is a technology. Cloud computing is a service mode. Virtualization promotes the development of cloud computing
    C. Without cloud computing, virtualization has no value.
    D. Without virtualization, cloud computing has no value.

21. The reasons why computing virtualization can improve application reliability are?
    A. VM that run applications are decoupled from hardware, enabling VMs to migrate between physical hosts.
    B. The computing virtualization enables multiple applications to concurrently run on the same physical host.
    C. The computing virtualization can automatically adjust VM specification.
    D. The computing virtualization can automatically allocate VMs that run applications to physical hosts with sufficient resources.

22. The CPU virtualization technologies classified into: full visualization, Para virtualization, software visualization and hardware assisted visualization. **False**

23. A user applies for an EVS disk in HUAWEI CLOUD. This service mode is()
    A. IaaS
    B. PaaS
    C. SaaS
    D. DaaS

24. Which of the following are features of cloud computing 1.0 era?
    A. Focus on virtualization products
    B. Standardized and automates resource services
    C. Support agile application development and lifecycle management
    D. Adopts virtualization technologies to improve resource utilization

25. In FusionCompute , a VM running Linux is created in this scenario, the **host OS runs in**( )
    A. VRM
    B. Linux VM
    C. CNA
    D. VNA

26. Which of the following are true about the type 1(bare metal) computing virtualization?
    A. Applications can directly run on VMM.
    B. Applications and VMs can directly run on the host OS.
    C. The hypervisor directly runs on physical hardware
    D. Applications cannot directly run on the host machine.

27. Which of the following is true about the type2 (hosted) computing virtualization?
    A. VMM runs on the host OS
    B. VMM directly runs on the host machine
    C. VMM runs on the guest OS
    D. VMM runs on the guest machine

28. Which of the following are true about the relation between host and guest machines?
    A. One host machine can run multiple guest machines.
    B. One guest machine can use resources of multiple host machines
    C. One host machine can run only one hypervisor
    D. One guest machine can only run on the host machine where it is created.

29. Open source virtualization technologies are all type 1 virtualization. Closed source virtualization technologies are all type 2 virtualization. **False**

30. In computing virtualization, the OS running in a VM is referred to as the host OS. **False**

31. The open source cloud computing management platform needs to be implemented by open source virtualization technologies. **False**

32. QEMU function as hardware emulator in KVM. It is a unique technology of the Linux OS.
False

33. KVM is an open source full virtualization solution. **True**

34. In Huawei FusionCompute, users can manage VMs in which of the following modes?
    A. Log in to the CNA and run commands for management
    B. Log into the VM for management
    C. Log in to the VRM and use the GUI for management
    D. Log in to the CNA and use the GUI for management

35. Which of the following about the Huawei FusionCompute architecture is **false**?
    A. CNAs can manage the network, storage and computing resources of a cluster.
    B. VRM provides a management portal for administrators.
    C. CNAs provide computing resources for VMs.
    D. VRM can be deployed on a CNA or a dedicated server.

Chapter3: Network

36. Which of the following about security group are true?
    A. Security group similar to a firewall, is used to set network access control for a single or multiple VMs. It is an important security isolation method.
    B. A security group is a logical group.
    C. Security groups are used to protect VM security.
    D. When a VM is created, a security group is generated at the same time.

37. In Huawei FusionCompute which of the following about security groups and rules is false?
    A. A security group must be created before rules can be added.
    B. Only security group that has no VM can be deleted.
    C. The changes to security group rules can only be manually applied to VMs in the security group.
    D. By default, a security group rejects all access requests before rules are added to it.

38. Which of the following statement about application scenarios of security groups is false?
    A. Security group rules can be configured to prohibit VMs from accessing the FTP server.
    B. Security group rules can be configured to allow only the specified IP addresses to remotely log in to VMs.
    C. Security group rules can be configured to disallow access to VMs.
    D. Security group rules can be configured to control the permissions on folders in a VM.

39. In Huawei FusionCompute, which of the following statements about security group **rules** is false?
    A. A security group is essentially a set of rules.
    B. All VM NICs in the same security group use this security group rule for access control.
    C. VMs can communicates with external networks only after a security group is created for the VMs and rules are added to the security group.
    D. If a VM has multiple NICs, a security group can be configured for each NIC.

40. In Huawei FusionCompute, which of the following statements about **deleting** security group is false?
    A. A security group can be deleted properly even if it is authorized to access other security groups.
    B. The security group to be deleted cannot contain any VMs. If a VM exists in the security group, the VM must be removed from the security group before the security group can be deleted.
    C. After a security group is deleted , all security group rules in the group will be deleted as well.
    D. When a security group to which a VM belongs is deleted, the effects of other security groups on this VM(if it has multiple NIC) are not changed.

41. In FusionCompute ,all VM NICs added to the same security group are filtered by the rules of this security group. To improve security, a NIC must be added to multiple security groups. **False**

42. In FusionCompute, virtual switches connect to a physical network using.
    A. Uplink
    B. Port group
    C. Virtual NIC
    D. iNIC

43. In FusionCompute, which is **false** about the uplink links?
    A. The uplink is between the DVS and physical NIC of the host. One host has only one uplink.
    B. An uplink can correspond to one physical network port or the logical port that binds multiple physical network ports.
    C. Multiple DVSs cannot share an uplink.
    D. A host can has multiple uplinks connected to different DVSs.

44. In cloud computing there are virtual networks and physical networks. **True**

45. In Huawei FusionCompute, if there are just few NICs on the server, multiple planes can be co-deployed and logically isolated by using VLANs. **True**

46. Switches are classified as access switches, aggregation switches, and core switches. Virtual switches belong to **aggregation** switches. **False**

47. Which of the following about the difference between physical and virtual switches is **false**?
    A. Virtual switches run on physical servers, while physical switches have independent hardware.
    B. Virtual switches cannot perform operations on VLAN tags, while physical switches can perform operations on VLAN tags.
    C. Virtual switches cannot be configured with layer 3 interfaces, while physical switches can be configured with layer 3 interfaces
    D. The normal running of virtual switches requires certain hardware resources

48. In FusionCompute, which of the following operations can take effect immediately?
    A. Deleting NIC
    B. Installing tools
    C. Reducing disk capacity
    D. Directly reading and writing data on a newly attached disk.

49. In Huawei FusionCompute,the VLAN ID of a port group is set to 0, which indicates().
    A. The vlan tag of data frames that pass through the port group will be set to 0.
    B. Only data frames with the VLAN 0 tag can pass through the port group
    C. Data frames with vlan tag are not allowed to pass through the port group.
    D. The data frames that pass through the port group will not be modified

50. In Huawei FusionCompute, the **gateway** address is set to which of the following devices?
    A. Layer 3 switch
    B. Layer 2 switch
    C. Virtual switch
    D. Layer1 physical device

51. In Huawei FusionCompute, the uplink is used to().
A. Assign IP address to VM
B. Manage MAC address of VM
C. Connect virtual network to physical network
D. Check the status of vNICs.

52. Which of the following is true about Huawei virtual switches?
A. They are called vSwitch
B. If a Huawei distributed switch has multiple virtual ports, each port has its own attributes.
C. Huawei virtual switches are classified as standard virtual switches and distributed virtual switches
D. The virtual switching function of an iNIC is provided by Huawei virtual switches.

53. In Huawei FusionCompute, the virtual NICs of Vm are connected to the ports of virtual switch. To facilitate simultaneous configuration and management of multiple ports, the ports with the same network attributes are added to the same port group. **True**

54. In Huawei FusionCompute, if only one physical network port is in a bound port, the physical network port cannot be removed directly. **True**

55. What a network device does a DVS correspond to?
    A. Router
    B. Layers 3 switch
    C. Layer2 switch
    D. Hub

56. Virtual switches are indispensable to successful communications between VMs. **False**

57. Which of is false about port groups and security groups?
    A. One DVS can have multiple port groups. One VM can be protected by multiple security group.
    B. Security groups protect VMs based on port groups.
    C. A port group is an aggregation of virtual ports on a DVS. A security group is a set of rules.
    D. A VM NIC is connected to a virtual port in a port group. A VM NIC is associated with a security group.
58. In Huawei FusionCompute, common NICs can be bound in ( ) modes.
    A. Active/Standby
    B. Load sharing based on round-robin
    C. Load sharing based on source and destination MAC addresses
    D. Load sharing based on source and destination port groups

59. Data packets in a cloud computing virtual network must be routed and forwarded by router in a physical network. **False**

60. Which about port group are true?
    A. One port group can be configured with multiple IP address
    B. A port group functions as distributed virtual switch
    C. All virtual ports in a port group have the same attributes
    D. There are two types of port groups: common and trunk port groups

61. The port configuration of Huawei switch is as follow:
    Port link-type **trunk**
    Port trunk allow-pass
    vlan 16 17

    Which of the following is **true** based on the preceding configuration?
    A. Data frames with the VLAN 16 tag will be untagged and forwarded when passing through this port.
    B. Data frames with the VLAN 17 tag will be forwarded with the tag retained when passing through this port.
    C. Data frames without any tags will be discarded when passing through this port.
    D. Data frames without any tags will be tagged with VLAN 16 or VLAN 17 when passing through this port and then forwarded.

62. The port configuration of Huawei switch is as follow:
    Port link-type **access**
    Port default vlan 16

    Which of the following is **true** based on the preceding configuration?
    A. This port doesn't perform any operation on the data frames that pass through it.
    B. This port removes the VLAN 16 tag from the data frames and forward the data frames.
    C. This port adds the VLAN 16 tag to the data frames that pass through it.
    D. This port allows **only** the data frames with the VLAN 16 to pass through

63. Which can be performed under the VLAN Pool menu in FusionCompute?
    A. Add ten VLAN pools with the same VLAN ID to the same DVS.
    B. Add one VLAN pool to the DVS and set the start VLAN ID of the VLAN to 100.
    C. Add one VLAN pool to the DVS and set the start VLAN ID of the VLAN to 0.
    D. Add one VLAN pool to the DVS and set the end VLAN ID of the VLAN to 4096.

Chapter4: Storage

64. In Huawei FusionCompute, ( ) can only be used as **non-virtualized** storage.
    A. SAN
    B. NAS
    C. Local disk
    D. Fusion Storage

65. Which is **true** about virtualized storage and non-virtualized storage?
    A. Virtualized storage is more secure than non-virtualized storage
    B. The read and write performance of non-virtualized storage is better than that of virtualized storage.
    C. The scalability of non-virtualized storage is better than that of virtualized storage.
    D. The compatibility of virtualized storage is better than that of non-virtualized storage.

66. In Linux VM, ( ) is used to manage logical volumes.
    A. DVM
    B. LVM
    C. PVM
    D. OVM

67. In Huawei FusionCompute, you can perform which of the following operations on the VRM?
    A. Divide RAID groups for disk arrays.
    B. Manually add a storage device to a VM.
    C. Add SAN storage as non-virtualized storage
    D. Convert virtualized storage into non-virtualized storage.

68. The correct procedure for deleting storage resources is:
    1. Delete or migrate the VM disk
    2. Disassociate the host.
    3. Delete the storage resources.
    4. Destruct the datastore.

The answer is : 1→4→2→3

69. In Huawei FusionCompute, which of the following storage virtualization features are supported?
    A. Thin provisioning
    B. Storage live migration
    C. Snapshot
    D. Disk capacity expansion

70. Storage virtualization can be classified into.
    A. Block-level virtualization
    B. Page-level virtualization
    C. File-level virtualization
    D. Application-level virtualization

71. SATA disks use parallel ports and SAS disks use serial ports. **False**

72. SSD are **mechanical** hard disks, featuring fast read/write speed, low power consumption, and lightweight. However, SSDs have limited service life. **False**

73. Based on RAID 5, RAID 6 enhances the fault tolerance capability of disks and allows two disks to be faulty at the same time. The minimum number of disks in a RAID 6 group is 4. **True**

74. RAID 1 can replace data backup. Data mirroring is used to improve the fault tolerance of disk arrays. The data recovery cost is the smallest among all RAID levels. **False**

75. Which RAID level has the highest disk space usage?
    A. RAID 0
    B. RAID 1
    C. RAID 5
    D. RAID 6

76. Which RAID level has the weakest data redundancy capability?
    A. **RAID 0**
    B. RAID 1
    C. RAID 5
    D. RAID 6

77. Which of the following is recommended for the **archive room** where a large amount of data needs to be stored for a long time and doesn't need to be read frequently?
    A. SSD disk
    B. SAS disk
    C. SATA disk
    D. NL-SAS disk

78. Common categories of disk arrays include.
    A. RAID
    B. JBOD(just bunches of disks)
    C. SBOD(Switched Bunches of Disks)
    D. MAID(Massive Array of Idle Disks)

79. The common **external** storage solutions include().
    A. DAS
    B. SAN
    C. NAS
    D. NFS

80. Compared with FC SAN, which of the following is not an advantage of IP SAN?
    A. Low construction cost
    B. Long transmission distance
    C. High transmission efficiency
    D. Convenient bandwidth expansion

81. Which is not included in NAS architecture?
    A. Status verification module
    B. File system
    C. Volume management module
    D. Network port

82. iSCSI is a standard protocol based on the ( ) protocol and SCSI instructions set. It is widely used in many storage networks of the ( ) architecture.
    A. FC, FC SAN
    B. TCP/IP , FC SAN
    C. TCP/IP, IP SAN
    D. FC, IP SAN

83. Which of the following is false about difference between SAN and NAS?
    A. NAS has its own file system, but SAN does not.
    B. SAN provides block-level data transmission and storage services, while NAS provides file-level transmission and storage services.
    C. SAN is a network architecture, while NAS is a network file storage device.
    D. SAN can expand storage space, but NAS devices cannot be expanded.

84. In a NAS environment, data inconsistency may occur when multiple hosts write data to one file at the same time. **True**

85. NAS has its own file system. After accessing NAS through the network sharing protocol, the application server can read and write files in the file system. **False**

86. SAN provides a host with raw disk where no file system is created. The file system to be created depends on the operating system of the host. **True**

87. When configuring IP SAN for a host. You need to configure ( ) for the host on the storage device to map the host to the IP SAN.
    A. iSCSI Server
    B. iSCSI Client
    C. iSCSI Initiator
    D. iSCSI Target

88. Which is **true** about **CIFS**?
    A. CIFS has low requirements on network transmission reliability. The TCP/IP or UDP protocol can be used.
    B. CIFS requires the client to have a dedicated software installed
    C. CIFS supports multi-user access.
    D. CIFS retains the file format characteristic

89. Which disk format is not supported by Huawei FusionCompute?
    A. VMDK
    B. QCOW2
    C. RAW
    D. VHD

90. In Huawei FusionCompute, which is **false** about raw device mapping (RDM)?
    A. RDM disks deliver the best performance among all disk types
    B. An RDM datastore corresponds to only one disk.
    C. It is recommended that the OS to be installed on an RDM disk
    D. An RDM datastore can only correspond to a LUN on SAN storage

91. Which of the following is true about distributed storage?
    A. Disks of distributed storage are from x86 disk arrays.
    B. Disks of distributed storage are from x86 VMs.
    C. Disks of distributed storage are from x86 servers.
    D. Disks of distributed storage are from x86 laptops.

92. Fusion Storage can be used as a virtualized storage device. **False**

93. Which of the following is false about the **figure 4-26 OS file system in page 94**.
    A. Files are stored in the file system and mapped to the file system block by the file system.
    B. The file system block corresponds to the logical extent of LVM.
    C. The logical extent is mapped to the physical extent of the disk through LVM.
    D. Each file system block corresponds to discontinues extents on the physical disk.

94. Which is true about NFS?
    A. No special software needs to be installed on the NFS client.
    B. NFS is a state full protocol
    C. NFS support multi- user access
    D. The user permission cannot be set for NFS.

95. The process of creating a file system on a disk is usually called ().
    A. RAID
    B. Partition
    C. Formatting
    D. Encapsulation

96. Disk partitions are divided by the OS on physical disks. **True**

97. In FusionCompute, system disks of VMs cannot be detached. **True**

98. Which is **false** about the VIMS file system?
    A. VIMS is a high-performance cluster file system
    B. VIMS is the technical basis of advanced features such as thin provisioning disk, snapshot, and storage migration.
    C. VIMS is compatible with FC SAN, IP SAN and local disks.
    D. VIMS is a universal storage virtualization file system in the industry.

99. The VM disk file format on FusionCompute is
    A. OVF
    B. VMDK
    C. VHD
    D. DHT

Chapter5: Virtualization Features

100. When users use a Windows template to quickly deployed VMs, the generated SIDs may be the same. As a result, some special software may fail to be installed. **True**

101. Which is **false** about templates?
   A. After a template is converted to a VM, the template will no longer exist.
   B. Parameters can be customized when a VM is deployed using a template
   C. A template can be used across virtualization platforms.
   D. After a VM cloned as a template, the VM still exists.

102. Which is **false** about template format?
   A. The VM template formats include: .ova and .ovf
   B. After a template in .ova format is exported, the template contains only one file.
   C. The .ovf file is the VM description file and the .vhd file the VM disk file
   D. An .ovf template only contains one .ovf file and one .vhd file

103. Which is **false** about creating templates on Huawei FusionCompute?
   A. Convert a VM to a VM template: All parameters of the template are from the VM. The VM does not exist after the conversion.

   B. Clone a VM to a VM template: All parameters of the template are from the VM, but some parameters can be modified during the cloning process. The VM is still available after the cloning complete

   C. Clone a VM template to a VM template: All parameters of the new template are from the origin VM template, but some parameters can be modified during the cloning process. The original VM template is still available after the cloning is complete.

   D. The VM used for creating a template can be in the Running state.

104. When users use a template to quickly deploy a VM, the generated VM configuration information is the same as that in the template. **False**

105. When users use a template to quickly deploy a VM, they don't need to install the OS or performed related configurations. **True**

106. Templates can be used to quickly deploy a VM. Currently, users can create templates only by converting or cloning VMs. **False**

107. In the Huawei FusionCompute, users can configure DRS rules to enable multiple VMs to run only in the specified host group. **True**

108. In the Huawei FusionCompute, which of the following deployment modes is recommended to improve VRM reliability?

A. Single node deployment
B. Active/Standby deployment
C. Active/Active deployment
D. Hybrid deployment

109. Which method is used for installing VRM VMs using FusionCompute installer?

A. Automatic installation of an iso file
B. Importing a template file to a VM
C. Automatic installation using PXE
D. Automatic VM creation and iso file mounting

110. In practice, resources must be reserved for hosts in a cluster to ensure that VM HA can be performed properly. **True**

111. VM live migration is a perquisite for implementing VM HA. **False**

112. Core services of an enterprise are deployed on multiple VMs in cluster mode, High availability (HA) policies can be configured for the VMs to improve services reliability. **True**

113. In FusionCompute, which can be performed by the system if a Blue Screen of Death (BSOD) occurs on a Windows VM?

A. No processing is performed
B. Restarting the VM
C. Restoring the VM using a snapshot
D. Performing VM HA

114. In FusionCompute, after the automatic computing resource scheduling function is enabled, which are possible causes for VM migration?

A. The system automatically migrates a VM according to the scheduling policy.
B. A BSOD occurs on a Windows VM and the handling policy is HA.
C. The administrator manually migrates a VM.
D. Applications on a VM break down

115. In FusionCompute, which are trigger conditions for VM HA?

A. The host where the VM is located is faulty.
B. Applications on the VM break down.
C. A BSOD occurs on Windows VMs.
D. The datastore where the VM is located is faulty.

116. In FusionCompute, which are **true** about VM HA?

A. After the HA function is enabled in a cluster, if a host in the cluster becomes faulty, VMs on the host can be rebuilt on other hosts in the cluster.
B. When the system detects BSOD on a VM and the handling policy configured for this error is HA, the system creates the VM on a normal compute node.
C. VM HA can quickly recover services if a fault occurs.
D. If a fault occurs, HA-enabled VMs can be successfully rebuilt on other compute nodes as long as there are reserved resources in the cluster.

117. In FusionCompute, the Distributed Resource Scheduling (DRS) migrates VMs based on the following factors:
A. CPU
B. Memory
C. I/O
D. Network traffic

118. In FusionCompute, Distributed Power Management (DPM) depends on DRS. **True**

119. Huawei FusionCompute **DRS** rules don't take effect for VMs with **USB** devices attached. **True**

120. Which of the following requirements can be met by using Huawei FusionCompute DRS rules?
A. A VM runs on a specified host.
B. If a host in a cluster is unavailable, VMs running on the host are automatically migrated to other hosts.
C. If a BSOD occurs on a Windows VM, the system automatically restart the VM.
D. If the VM configuration doesn't meet service requirements, the management system automatically allocates more CPU resources to the VM.

121. Which of the following operation can be performed even if the tool is not installed on the VM?
A. Restarting VM
B. Forcibly stopping the VM
C. Stopping VM
D. Converting VM to template

122. Any of intelligent memory over commitment function can be enabled and disabled based on customer requirements. **False**

123. Memory over commitment is a resources allocation solution. It reduces costs and improves VM density on a single host at the cost of performance. **True**

124. In FusionCompute, where can the memory over commitment function be enabled?
A. OS
B. VM
C. Host
D. Cluster

125. Which is **false** about memory over commitment?
A. After memory overcommitment is enabled, the total memory size of all VMs created by users can exceed the physical memory.
B. Enabling memory over commitment improves VM deployment density on physical hosts
C. When memory over commitment is enabled, a higher over commitment ratio indicates higher VM performance.
D. If the memory usage of a user VM is high, the memory over commitment ratio can be adjusted to optimize the memory usage.

126. In which scenario memory over commitment function recommended to be **disabled**?
A. Common office VMs.
B. Telecom customer service center
C. Bank customers
D. Graphics-capable workstations

127. Memory swapping means the external storage is virtualized into memory for VM to use. Data that is not used temporarily is stored in external storage. If the system needs such data, the system exchanges the data with the data reserved in memory. **True**

128. Huawei FusionCompute is able to check the usage of global physical resources during VM running, calculate the optimal host for the VM based on intelligent scheduling algorithm, and enable the VM to run on optimal host by mean of live migration, thereby improving the overall service experience. **True**

129. In Huawei FusionCompute, if VMs need to be migrated between CNA hosts with different CPU models, which functions must be enabled?
A. Cluster I/O ring adaption
B. Cluster HANA optimization
C. Cluster GuestNUMA policy
D. Cluster IMC policy

130. In Huawei FusionCompute, which is not a QoS parameter of CPU resources?
A. CPU quota
B. CPU limitation
C. CPU reservation
D. CPU over commitment

131. If a VM of a customer requires a CPU clock speed of at least 2 GHz, which of the following methods should be used?

A. CPU quota
B. CPU limitation
C. CPU reservation
D. CPU over commitment

132. CPU resource QoS and memory overcommitment are used to allocate resources appropriately based on different policies. **True**

133. Which is false about CPU QoS and memory QoS?

A. CPU QoS of a VM is used to ensure that the computing resources of the VM are properly allocated.
B. CPU quota and CPU reservation take effect only when VMs compete for computing resources
C. Memory QoS is used to ensure that key service VMs can obtain sufficient memory resources
D. Memory QoS can be used only when memory overcommitment is enabled

134. Memory overcommitment is the perquisite for implementation of memory resource QoS. **False**

135. An e-commerce service VM requires memory of at least 8 GB to cope with service traffic bursts during holidays. Which can be used to meet this requirement?

A. Memory overcommitment
B. Memory QoS
C. VM live migration
D. Rapid VM deployment

136. In Huawei FusionCompute, which is **true** about role?

A. A role can have one or more operation permissions.
B. A user can attached to only one role
C. If a user attached to multiple roles, the operation permissions of the user depend on the role with the highest priority.
D. the operation permissions of a role cannot be modified