


CLOUD COMPUTING COURSE

Lecture29- Virtualization Features(4)

ABSTRACT

Lecture29 Introduces VM features.

Instructor: Asma'a Khtoom

Virtualization Features

VM Features

3. VM Console

Most hardware devices that cannot be connected to the display system are configured with an independent management interface for users to perform management operations. For example, in addition to service interfaces, storage devices are configured with control interfaces, and network devices are configured with console interfaces. Can VMs be controlled in the same way? The answer is yes.

Each VM vendor provides the console management function for VMs. For example, **VMware uses Remote Console,** and **Huawei and KVM use VNC.** The console is network-dependent. If you need to log in to a VM from the console, you do not need to configure an IP address for the VM but must configure an IP address for the compute node where the VM is located. In addition, the compute node functions as the server to provide services for users to log in to the VM. Therefore, the network between the client and the server must be normal.

Watch the next Video

https://youtu.be/xPhx_95gu30

4. VM Snapshot

In virtualization, VM snapshots are similar to pictures we take in our life. A snapshot **records the VM status at a certain moment and contains complete data of the VM**. You can use a snapshot **to restore a VM to the state at a specific time point.**

Generally, VM snapshots are used to **quickly restore a VM if the VM is faulty** before an upgrade, patch installation, or test is performed on the VM.

The VM snapshot function is implemented **by the storage system**. Storage Networking Industry Association (SNIA) defines a snapshot as a fully usable copy of a defined collection of data that contains an image of the data as it appeared at the point in time at which the copy was initiated.

Watch the next Video

https://youtu.be/nqQ8ksHffOA