
```
# Add title
plt.title("Average Arrival Delay for Each Airline, by Month")

# Heatmap showing average arrival delay for each airline by month
sns.heatmap(data=flight_data, annot=True)
```




```
# Add label for horizontal axis
plt.xlabel("Airline")
```


Scatter Plots

Read the file into a variable insurance_data

insurance_data = pd.read_csv("C:\\insurance.csv")


sns.scatterplot(x=insurance_data['bmi'], y=insurance_data['charges'])

sns.scatterplot(x='bmi', y='charges', data = insurance_data)




sns.regplot(x=insurance_data['bmi'], y=insurance_data['charges'])

sns.regplot(x='bmi', y='charges', data = insurance_data)




sns.scatterplot(x=insurance_data['bmi'], y=insurance_data['charges'], hue=insurance_data['smoker'])


sns.scatterplot(x='bmi', y='charges', hue='smoker', data = insurance_data)


smoker
yes
no
charges
60000
50000
40000
30000
20000
10000
0
15
20
25
30
35
40
45
50
bmi


sns.scatterplot(x='bmi', y='charges', hue='sex', data = insurance_data)




sns.scatterplot(x='bmi', y='charges', hue='children', data = insurance_data)



sns.scatterplot(x='bmi', y='charges', hue='region', data = insurance_data)



sns.lmplot(x="bmi", y="charges", hue="smoker", data=insurance_data)



Distributions

kernel density estimate (KDE). You can think of KDE as a smoothed histogram.

```
dataset = pd.read_csv("C:\\iris.csv")

sns.kdeplot(data=dataset['petal.length'], shade=True)
```

