

Users Table:

Stores information about users (patients).

Fields include UserID, UserName, Email, PasswordHash, PhoneNumber, and GenderID (referencing the Genders table).

Object Explorer

Connect

- Graph Tables
- dbo.Appointments
- dbo.CallDoctor
- dbo.Cities
- dbo.Clinics
- dbo.Doctors
- dbo.DoctorsTitle
- dbo.Facilities
- dbo.Genders
- dbo.Governorates
- dbo.HomeVisit
- dbo.Insurance_Contacts
- dbo.MedicalLibrary
- dbo.MedicalQuestions
- dbo.Pharmacies
- dbo.PharmaciesOrders
- dbo.PharmaciesOrdersDetails
- dbo.PharmaciesProducts
- dbo.Prices
- dbo.QuestionsAnswers
- dbo.Specializations

M-Badr.VezeetaDB - dbo.Users

Column Name	Data Type	Allow Nulls
UserID	int	<input type="checkbox"/>
FullName	nvarchar(255)	<input type="checkbox"/>
Email	nvarchar(255)	<input type="checkbox"/>
PasswordHash	nvarchar(255)	<input type="checkbox"/>
PhoneNumber	nvarchar(50)	<input checked="" type="checkbox"/>
GenderID	int	<input checked="" type="checkbox"/>
DateOfBirth	date	<input checked="" type="checkbox"/>
RegistrationDate	datetime	<input checked="" type="checkbox"/>

Object Explorer

Connect

- Graph Tables
- dbo.Appointments
- dbo.CallDoctor
- dbo.Cities
- dbo.Clinics
- dbo.Doctors
- dbo.DoctorsTitle
- dbo.Facilities
- dbo.Genders
- dbo.Governorates
- dbo.HomeVisit
- dbo.Insurance_Contacts
- dbo.MedicalLibrary
- dbo.MedicalQuestions
- dbo.Pharmacies
- dbo.PharmaciesOrders
- dbo.PharmaciesOrdersDetails
- dbo.PharmaciesProducts
- dbo.Prices
- dbo.QuestionsAnswers
- dbo.Specializations
- dbo.Status
- dbo.Subspecialties
- dbo.Users
- Columns

M-Badr.VezeetaDB - dbo.Users

	UserID	FullName	Email	PasswordHash	PhoneNumber	GenderID	DateOfBirth	RegistrationDate
▶	1	John Doe	john.doe@example.com	hashed_password	1234567890	1	1990-01-01	2024-11-23 10:00:00
	2	Jane Smith	jane.smith@example.com	hashed_password	0987654321	2	1985-05-15	2024-11-23 10:00:00
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Genders Table:

Stores gender options (e.g., Male, Female, Other).

Fields include GenderID and GenderName.

M-Badr.VezeetaDB - dbo.Genders

Column Name	Data Type	Allow Nulls
GenderID	int	<input type="checkbox"/>
Gender	nvarchar(50)	<input checked="" type="checkbox"/>

M-Badr.VezeetaDB - dbo.Genders

	GenderID	Gender
▶	1	Male
	2	Female
	3	Other
*	NULL	NULL

Insurance Table:

Stores insurance company details.

Fields include InsuranceID, InsuranceName, and ContactNumber.

M-Badr.VezeetaDB...Insurance_Contacts			
M-Badr.VezeetaDB...Insurance_Contacts			
	Column Name	Data Type	Allow Nulls
PK	InsuranceContactID	int	<input type="checkbox"/>
	UserID	int	<input checked="" type="checkbox"/>
	InsuranceName	nvarchar(255)	<input checked="" type="checkbox"/>
	InsuranceNumber	nvarchar(255)	<input checked="" type="checkbox"/>
	ContactDate	datetime	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB...Insurance_Contacts					
M-Badr.VezeetaDB...Insurance_Contacts					
	InsuranceC...	UserID	InsuranceName	InsuranceN...	ContactDate
▶	1	1	HealthCare Inc.	INS123456	2024-11-23 ...
	2	2	LifeHealth	INS654321	2024-11-23 ...
*	NULL	NULL	NULL	NULL	NULL

Specializations Table:

Stores medical specialties (e.g., Cardiology, Dermatology).

Fields include SpecializationID and SpecializationName.

M-Badr.VezeetaDB - dbo.Specializations			
M-Badr.VezeetaDB - dbo.Specializations			
	Column Name	Data Type	Allow Nulls
PK	SpecializationID	int	<input type="checkbox"/>
	SpecializationName	nvarchar(255)	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.Specializations		
	Specializati...	Specializati...
▶	1	Cardiology
	2	Neurology
	3	Dermatology
*	NULL	NULL

Subspecialties Table:

Stores medical subspecialties (e.g., Pediatric Cardiology, Surgical Dermatology).

Fields include SubspecialtyID, SubspecialtyName, and SpecializationID (which references Specializations).

M-Badr.VezeetaDB - dbo.Subspecialties		M-Badr.VezeetaDB - dbo.Subspecialties	
	Column Name	Data Type	Allow Nulls
▶	SubspecialtyID	int	<input type="checkbox"/>
	SubspecialtyName	nvarchar(255)	<input checked="" type="checkbox"/>
	SpecializationID	int	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.Subspecialties		M-Badr.VezeetaDB -	
	SubspecialtyID	SubspecialtyName	Specializati...
	1	Interventional Cardiology	1
	2	Pediatric Neurology	2
	3	Cosmetic Dermatology	3
	4	Heart failure	1
▶*	NULL	NULL	NULL

Governorates Table:

Stores governorates (regions) in the country.

Fields include GovernorateID and GovernorateName.

M-Badr.VezeetaDB - dbo.Governorates		M-Badr.VezeetaDB - dbo.Governorates	
	Column Name	Data Type	Allow Nulls
▶	GovernorateID	int	<input type="checkbox"/>
	GovernorateName	nvarchar(255)	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.Governorates		M-Badr.VezeetaDB -	
	Governorat...	Governorat...	
▶	1	Cairo	
	2	Alexandria	
	3	Giza	
*	NULL	NULL	

Cities Table:

Stores cities within each governorate.

Fields include CityID, CityName, and GovernorateID (which references Governorates).

M-Badr.VezeetaDB - dbo.Cities		M-Badr.VezeetaDB - dbo.Cities	
	Column Name	Data Type	Allow Nulls
PK	CityID	int	<input type="checkbox"/>
	CityName	nvarchar(255)	<input checked="" type="checkbox"/>
	GovernorateID	int	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.Cities		M-Badr.VezeetaDB - dbo.Cities	
	CityID	CityName	GovernorateID
▶	1	Nasr City	1
	2	Sidi Gaber	2
	3	6th of October	3
*	NULL	NULL	NULL

DoctorsTitle Table:

Stores titles of doctors (e.g., Consultant, Specialist, General Practitioner).

Fields include TitleID and TitleName.

M-Badr.VezeetaDB - dbo.DoctorsTitle		M-Badr.VezeetaDB - dbo.DoctorsTitle	
	Column Name	Data Type	Allow Nulls
PK	TitleID	int	<input type="checkbox"/>
	Title	nvarchar(255)	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.DoctorsTitle		M-Badr.VezeetaDB - dbo.DoctorsTitle	
	TitleID	Title	
▶	1	Professor	
	2	Associate Professor	
	3	Consultant	
*	NULL	NULL	

Prices Table:

Stores pricing information for various medical services.

Fields include PriceID, Amount, and Currency.

M-Badr.VezeetaDB - dbo.Prices		M-Badr.VezeetaDB - dbo.Prices	
Column Name	Data Type	Allow Nulls	
PriceID	int	<input type="checkbox"/>	
Description	varchar(50)	<input checked="" type="checkbox"/>	
PriceAmount	decimal(10, 2)	<input checked="" type="checkbox"/>	
		<input type="checkbox"/>	

M-Badr.VezeetaDB - dbo.Prices		M-Badr.VezeetaDB -
PriceID	Description	PriceAmount
1	Medical examination	200.00
2	Medical follow-up	350.00
3	rays	500.00
NULL	NULL	NULL

Facility Table:

Stores types of medical facilities (e.g., Clinic, Hospital).

Fields include FacilityID and FacilityType.

M-Badr.VezeetaDB - dbo.Facilities		M-Badr.VezeetaDB - dbo.Facilities	
Column Name	Data Type	Allow Nulls	
FacilityID	int	<input type="checkbox"/>	
FacilityName	nvarchar(255)	<input checked="" type="checkbox"/>	
FacilityType	nvarchar(50)	<input checked="" type="checkbox"/>	
Address	nvarchar(255)	<input checked="" type="checkbox"/>	
CityID	int	<input checked="" type="checkbox"/>	
		<input type="checkbox"/>	

M-Badr.VezeetaDB - dbo.Facilities		M-Badr.VezeetaDB - dbo.Facilities			
	FacilityID	FacilityName	FacilityType	Address	CityID
▶	1	Green Hospital	Hospital	789 Pine St, Nasr City	1
	2	Blue Clinic	Clinic	321 Oak St, 6th of October	3
*	NULL	NULL	NULL	NULL	NULL

Doctors Table:

Stores doctor information.

Fields include DoctorID, DoctorName, GenderID (referencing Genders), ExperienceYears, Rate, UserComments, PriceID (referencing Prices), TitleID (referencing DoctorsTitle), and FacilityID (referencing Facility).

M-Badr.VezeetaDB - VezeetaDB*		M-Badr.VezeetaDB - dbo.Specializations	
	Column Name	Data Type	Allow Nulls
🔑	DoctorID	int	<input type="checkbox"/>
	FullName	nvarchar(255)	<input checked="" type="checkbox"/>
	GenderID	int	<input checked="" type="checkbox"/>
	ExperienceYears	int	<input checked="" type="checkbox"/>
	Rate	decimal(3, 2)	<input checked="" type="checkbox"/>
	Comments	nvarchar(MAX)	<input checked="" type="checkbox"/>
	TitleID	int	<input checked="" type="checkbox"/>
	FacilityID	int	<input checked="" type="checkbox"/>
	PriceID	int	<input checked="" type="checkbox"/>
	SpecializationID	int	<input checked="" type="checkbox"/>
▶	SubspecialtyID	int	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.Doctors		M-Badr.VezeetaDB - VezeetaDB*				M-Badr.VezeetaDB - dbo.Doctors		M-Badr.VezeetaDB - dbo.Subspecialties			
	DoctorID	FullName	GenderID	Experience...	Rate	Comments	TitleID	FacilityID	PriceID	SpecializationID	SubspecialtyID
	1	Dr. Alice Roberts	2	10	4.80	Excellent cardiologist	1	1	2	1	4
	2	Dr. Bob Andrews	1	7	4.50	Highly recommended	2	2	3	2	1
**	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Appointments Table:

Stores appointment details between users (patients) and doctors.

Fields include AppointmentID, UserID (referencing Users), DoctorID (referencing Doctors), AppointmentDateTime, and StatusID (referencing Status).


M-Badr.VezeetaDB - dbo.Appointments		M-Badr.VezeetaDB - dbo.Appointments	
	Column Name	Data Type	Allow Nulls
🔑	AppointmentID	int	<input type="checkbox"/>
	UserID	int	<input checked="" type="checkbox"/>
	DoctorID	int	<input checked="" type="checkbox"/>
	AppointmentDate	datetime	<input type="checkbox"/>
	StatusID	int	<input checked="" type="checkbox"/>
	CreatedAt	datetime	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.Appointments				M-Badr.VezeetaDB - dbo.Appointments		
	Appointme...	UserID	DoctorID	AppointmentDate	StatusID	CreatedAt
▶	1	1	1	2024-12-01 10:00:00.000	1	2024-11-23 22:48:53.757
	2	2	2	2024-12-02 14:00:00.000	2	2024-11-23 22:48:53.757
*	NULL	NULL	NULL	NULL	NULL	NULL

Status Table for Appointments:

Stores status types for appointments (e.g., Scheduled, Completed, Cancelled, Pending).

Fields include StatusID and StatusName.


M-Badr.VezeetaDB - dbo.Status		M-Badr.VezeetaDB - dbo.Status	
	Column Name	Data Type	Allow Nulls
	StatusID	int	<input type="checkbox"/>
	StatusName	nvarchar(50)	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

	StatusID	StatusName
▶	1	Scheduled
	2	Completed
	3	Cancelled
	4	Pending
*	NULL	NULL

Clinics Table:

Stores details of medical clinics.

Fields include ClinicID, ClinicName, SpecializationsID (referencing Specializations), SubspecialtiesID (referencing Subspecialties), and PriceID (referencing Prices).

M-Badr.VezeetaDB - dbo.Clinics		M-Badr.VezeetaDB - dbo.Clinics	
	Column Name	Data Type	Allow Nulls
	ClinicID	int	<input type="checkbox"/>
	ClinicName	nvarchar(255)	<input checked="" type="checkbox"/>
	Address	nvarchar(255)	<input checked="" type="checkbox"/>
	CityID	int	<input checked="" type="checkbox"/>
	SpecializationID	int	<input checked="" type="checkbox"/>
	SubspecialtyID	int	<input checked="" type="checkbox"/>
	PriceID	int	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

[illegible]

Pharmacies Table:

Stores pharmacy details.

Fields include PharmacyID, PharmacyName, and Location.

M-Badr.VezeetaDB - dbo.Pharmacies		M-Badr.VezeetaDB - dbo.Pharmacies	
	Column Name	Data Type	Allow Nulls
🔑	PharmacyID	int	<input type="checkbox"/>
	PharmacyName	nvarchar(255)	<input checked="" type="checkbox"/>
	Address	nvarchar(255)	<input checked="" type="checkbox"/>
	CityID	int	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.Pharmacies		M-Badr.VezeetaDB - dbo.Pharmacies		
	PharmacyID	PharmacyName	Address	CityID
▶	1	Health Pharmacy	123 Medical St, Nasr City	1
	2	Wellness Pharmacy	456 Healing St, Sidi Gaber	2
*	NULL	NULL	NULL	NULL

PharmaciesProducts Table:

Stores details about products available in pharmacies.

Fields include ProductID, ProductName, PharmacyID (referencing Pharmacies), and Price.

M-Badr.VezeetaDB...PharmaciesProducts		M-Badr.VezeetaDB...PharmaciesProducts	
	Column Name	Data Type	Allow Nulls
🔑	ProductID	int	<input type="checkbox"/>
	ProductName	nvarchar(255)	<input checked="" type="checkbox"/>
	ProductPrice	decimal(10, 2)	<input checked="" type="checkbox"/>
	PharmacyID	int	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB...PharmaciesProducts		M-Badr.VezeetaD		
	ProductID	ProductName	ProductPrice	PharmacyID
▶	1	Paracetamol	10.00	1
	2	Ibuprofen	20.00	2
*	NULL	NULL	NULL	NULL

PharmaciesOrders Table:

Stores orders made by users at pharmacies.

Fields include OrderID, UserID (referencing Users), PharmacyID (referencing Pharmacies), and OrderDate.

M-Badr.VezeetaDB...o.PharmaciesOrders

M-Badr.VezeetaDB...o.PharmaciesOrders

	Column Name	Data Type	Allow Nulls
🔑	OrderID	int	<input type="checkbox"/>
	UserID	int	<input checked="" type="checkbox"/>
	PharmacyID	int	<input checked="" type="checkbox"/>
	OrderDate	datetime	<input checked="" type="checkbox"/>
	TotalAmount	decimal(10, 2)	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB...o.PharmaciesOrders

M-Badr.VezeetaDB...o.PharmaciesOrders

	OrderID	UserID	PharmacyID	OrderDate	TotalAmou...
▶	1	1	1	2024-11-23 22:48:53.760	30.00
	2	2	2	2024-11-23 22:48:53.760	20.00
*	NULL	NULL	NULL	NULL	NULL

PharmaciesOrdersDetails Table:

Stores details of the products ordered in each pharmacy order.

Fields include OrderDetailID, OrderID (referencing PharmaciesOrders), ProductID (referencing PharmaciesProducts), and Quantity.

M-Badr.VezeetaDB...aciesOrdersDetails

M-Badr.VezeetaDB...aciesOrdersDetails

	Column Name	Data Type	Allow Nulls
🔑	OrderDetailID	int	<input type="checkbox"/>
	OrderID	int	<input checked="" type="checkbox"/>
	ProductID	int	<input checked="" type="checkbox"/>
	Quantity	int	<input checked="" type="checkbox"/>
	Price	decimal(10, 2)	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB...aciesOrdersDetails

M-Badr.VezeetaDB...aciesOrdersDe

	OrderDetai...	OrderID	ProductID	Quantity	Price
▶	1	1	1	2	10.00
	2	2	2	1	20.00
*	NULL	NULL	NULL	NULL	NULL

MedicalQuestion Table:

Stores questions asked by users to medical professionals.

Fields include QuestionID, UserID (referencing Users), QuestionText, and AskedDate.

M-Badr.VezeetaDB...o.MedicalQuestions

M-Badr.VezeetaDB...o.MedicalQuestions

	Column Name	Data Type	Allow Nulls
PK	QuestionID	int	<input type="checkbox"/>
	UserID	int	<input checked="" type="checkbox"/>
	DoctorID	int	<input checked="" type="checkbox"/>
	Question	nvarchar(MAX)	<input checked="" type="checkbox"/>
	CreatedAt	datetime	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB...o.MedicalQuestions

M-Badr.VezeetaDB...o.MedicalQuestions

	QuestionID	UserID	DoctorID	Question	CreatedAt
▶	1	1	1	What are the symptoms of a heart attack?	2024-11-23 22:48:53.763
	2	2	2	Can migraines lead to other complications?	2024-11-23 22:48:53.763
*	NULL	NULL	NULL	NULL	NULL

CallIDDoctor Table:

Stores call details between users and doctors for consultations via phone.

Fields include CallID, UserID (referencing Users), DoctorID (referencing Doctors), CallDateTime, and DurationMinutes.

M-Badr.VezeetaDB - dbo.CallIDDoctor

M-Badr.VezeetaDB - dbo.CallIDDoctor

	Column Name	Data Type	Allow Nulls
PK	CallID	int	<input type="checkbox"/>
	UserID	int	<input checked="" type="checkbox"/>
	DoctorID	int	<input checked="" type="checkbox"/>
	CallDate	datetime	<input checked="" type="checkbox"/>
	Duration	int	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.CallIDDoctor

M-Badr.VezeetaDB - dbo.CallIDDoctor

	CallID	UserID	DoctorID	CallDate	Duration
▶	1	1	1	2024-11-23 22:48:53.767	30
	2	2	2	2024-11-23 22:48:53.767	45
*	NULL	NULL	NULL	NULL	NULL

HomeVisit Table:

Stores details about home visits by doctors to patients.

Fields include VisitID, UserID (referencing Users), DoctorID (referencing Doctors), VisitDateTime, and Address.

M-Badr.VezeetaDB - dbo.HomeVisit		M-Badr.VezeetaDB - dbo.HomeVisit	
	Column Name	Data Type	Allow Nulls
🔑	VisitID	int	<input type="checkbox"/>
	UserID	int	<input checked="" type="checkbox"/>
	DoctorID	int	<input checked="" type="checkbox"/>
	VisitDate	datetime	<input type="checkbox"/>
	Address	nvarchar(255)	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.HomeVisit		M-Badr.VezeetaDB - dbo.HomeVisit			
	VisitID	UserID	DoctorID	VisitDate	Address
▶	1	1	1	2024-12-05 09:00:00.000	123 Home St, Nasr City
	2	2	2	2024-12-06 11:00:00.000	456 Apartment Rd, Sidi Gaber
*	NULL	NULL	NULL	NULL	NULL

QuestionsAndAnswers Table:

Stores Q&A between users and the platform (e.g., FAQs, general inquiries).

Fields include QnAID, UserID (referencing Users), Question, Answer, AskedDate, and AnsweredDate.

M-Badr.VezeetaDB...o.QuestionsAnswers		M-Badr.VezeetaDB...o.QuestionsAnswers	
	Column Name	Data Type	Allow Nulls
🔑	QnAID	int	<input type="checkbox"/>
	UserID	int	<input checked="" type="checkbox"/>
	Question	nvarchar(MAX)	<input checked="" type="checkbox"/>
	Answer	nvarchar(MAX)	<input checked="" type="checkbox"/>
	CreatedAt	datetime	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB...o.QuestionsAnswers		M-Badr.VezeetaDB...o.QuestionsAnswers			
	QnAID	UserID	Question	Answer	CreatedAt
▶	1	1	What is hypertension?	Hypertension is high blood pressure.	2024-11-23 ...
	2	2	How to treat acne?	Use medicated cleansers and topical creams.	2024-11-23 ...
*	NULL	NULL	NULL	NULL	NULL

MedicalLibrary Table:

Stores educational medical content for users.

Fields include EntryID, Topic, Content, and LastUpdated.

M-Badr.VezeetaDB - dbo.MedicalLibrary		M-Badr.VezeetaDB - dbo.MedicalLibrary	
	Column Name	Data Type	Allow Nulls
▶	EntryID	int	<input type="checkbox"/>
	Title	nvarchar(255)	<input checked="" type="checkbox"/>
	[Content]	nvarchar(MAX)	<input checked="" type="checkbox"/>
	SpecializationID	int	<input checked="" type="checkbox"/>
	CreatedAt	datetime	<input checked="" type="checkbox"/>
			<input type="checkbox"/>

M-Badr.VezeetaDB - dbo.MedicalLibrary		M-Badr.VezeetaDB - dbo.MedicalLibrary			
	EntryID	Title	Content	SpecializationID	CreatedAt
▶	1	Heart Disease Overview	Heart disease includes conditions that affect the heart.	1	2024-11-23 ...
	2	Migraine Management	Lifestyle changes and medication can help manage migraines.	2	2024-11-23 ...
*	NULL	NULL	NULL	NULL	NULL