

CASCADE
TABLE
public.users
id PK uuid
email UQ citext
role NN user_role
status NN user_status
created_at timestamptz
TABLE
public.policies
id PK uuid
name NN text
effect NN policy_effect
conditions NN jsonb
version NN int
published_at timestamptz
INDEXES
idx_policies_effect
TABLE
public.audit_events
id PK uuid
seq UQ NN bigint
actor_id uuid
session_id FK uuid
type NN event_type
prev_hash NN bytea
payload_hash NN bytea
INDEXES
uq_audit_seq
idx_audit_session
SET NULL
RESTRICT
CASCADE
TABLE
public.access_requests
id PK uuid
user_id FK NN uuid
resource_id NN uuid
policy_id FK uuid
state NN request_state
requested_ttl NN interval
decided_by uuid
created_at timestamptz
INDEXES
idx_requests_state
idx_requests_user
SET NULL
TABLE
public.sessions
id PK uuid
user_id FK NN uuid
request_id FK uuid
resource_id NN uuid
trust_score NN smallint
state NN session_state
started_at NN timestamptz
expires_at NN timestamptz
INDEXES
idx_sessions_live
idx_sessions_user
LEGEND · KEY
Table
Identity root
FK · cascade
FK · restrict / set null