Amtech

MAGNIFICAITON

&

ILLUMINATION

Amtech

Add:No.159,Xingguo Road,Longwan district,Wenzhou,China
Postcode:325011
Tel:+86-577-88615565
E-mail:info@chinaamtech.com

www.amtechoptic.com

COMPANY PROFILE

China Wenzhou Amtech Medical Technology Co., Ltd, is a leading manufacturer of loupes, LED headlights and micro-scopes accessories. We have more than l0 years experiences, having a group of excellent technician who take on strongsense of responsibility of researching & developing new products, Products are exported to North America. Japen.Europe, Southeast Asia, the Middle East and other countries or regions in the world.

The loupes, LED headlight and microscopes system now are widely used in neurosurgery, orthopedic, ophthalmic,cardiovascular,stomatology, laboratories in universities and high school etc. We sincerely hope to offer high qualityproducts, most satisfactory service and competitive price to cooperate with customers.
Warmly welcome to Amtech for fruitful business and bright prospects of cooperation!

www.amtechoptic.com

PRODUCTS CONTENT

Through Of The Lens 01 page 01-09

02 Flip Up Loupes page 10-13

Keplerian Prismatic Loupes 03 page 14

04 Headlights page 15-20

Microscope Accessories 05 page 21-22

06 Accessories page 23-28

New

ErgoZM

The all-new Amtech ErgoZM Magnifier has the maintained ErgoAm design with advanced feature: to realize free adjustments of working distances on each side within a range of 400 to 600mm.Besides, it obtains an exceptionally wider field of view, which guarantees comfort while working. New ErgoZM provides three magnification options-3.5X, 5.0X, and 6.0X.

3.5x **7850 SAR**

5.0x **9100 SAR**

6.0x **9700 SAR**

Specification of ErgoZM

Magnification	Working Distance	Depth of Focus	Field of View	Weight (with AM260 Ti)
3.5x	400-600mm	90-140mm	80-130mm	59.0g
5.0x	400-600mm	60-90mm	60-160mm	61.0g
6.0x	400-600mm	50-70mm	100-135mm	63.0g

*Recommend frame: Am100Ti、Am260Ti、Am280Ti、Am310、、Am320、Am559

ErgoAM

The ErgoAm loupes is new series of Amtech with clarity comfort magnification and will preserve the health of your neck and your musculoskeletal health. Precision mechanical element to the whole design with unique ergonomic structure brings you maximumm comfort and concentration.

3.5x **6050 SAR**

4.0x **7250 SAR**

5.0x **7850 SAR**

6.0x **8500 SAR**

Specification of ErgoAM

Magnification	Working Distance	Depth of Focus	Field of View	Weight (with AM280 Ti)
3.5x	Customized	100-140mm	90-110mm	54.50g
4.0x	Customized	90-120mm	85-110mm	54.50g
5.0x	Customized	75-120mm	75-90mm	55.50g
6.0x	Customized	60-80mm	55-75mm	59.50g
8.0x				

*Recommend frame: Am100Ti、Am260Ti、Am280Ti、Am310、Am320、Am559

Note: All prices are inclusive of Value Added Tax (VAT)

Note: All prices are inclusive of Value Added Tax (VAT)

TTL-A1

New mental barrels design,TTL A1 custom-craft loupes not only ofers the enhanced visual clarity, ensuring a wide field of view and superior depth of field,but satisfy-ing your pursuit of fashion.

Silver Purple Blue Dark Gun

2.5x 3050 SAR

3.0x 3050 SAR

3.5x 3650 SAR

Specification of TTL-A1

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	Customized	100-150mm	110-190mm	46.0g
3.0x	Customized	90-130mm	75-170mm	46.0g
3.5x	Customized	70-120mm	65-160mm	46.0g

*Standard frame: E sport frame
*Standard case: Metal case or Fabric case C

 Note: All prices are inclusive of Value Added Tax (VAT)

TTL-A3

TTL A3 loupes with the ultralight aluminum barrels brings all day comfort and precision. Super field of view, maximum sharpness and unsurpassed freedom of movement, leaving you free to concentrate on your work.

2.5x 3650 SAR

3.0x 3650 SAR

Specification of TTL-A3 (Mini)

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	Customized	90-120mm	130-200mm	40.0g
3.0x	Customized	80-110mm	110-150mm	42.0g

*Standard frame: TR90 or Alu-mag frame
*Standard case: Metal case or Fabric case C

Note: All prices are inclusive of Value Added Tax (VAT)

TTL-A2 4.0x

TTL-A2 5.0x

TTL-A2

Ranged from 4.0x to 5.0x, TTL A2 are specially for healthcare professionals who perform exacting procedures.New compact metallic ultralight design brings comfortable even all- day wear.

Wide field of view,edge clear,customized declination angle can accommodate your unique needs.It is a new precision tool you worth having!

4.0x **4850 SAR**

5.0x **5450 SAR**

Specification of TTL-A2 (Prism)

Magnification	Working Distance	Depth of Focus	Field of View	Weight
4.0x	Customized	65-85mm	100-150mm	51.0g
5.0x	Customized	60-75mm	80-120mm	52.0g

*Standard frame: TR90 or Alu-mag frame
*Standard case: Metal case or Fabric case C

Note: All prices are inclusive of Value Added Tax (VAT)

TTL 3

Most comfortable experienceand lightest weight .

The distinction of Amtech TTL3 is micro-size and light weight that ensure you more comfort and optimum performance.

2.5x **3050 SAR**

3.0x **3050 SAR**

3.5x **3650 SAR**

Specification of TTL3 (Mini Square)

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	Customized	110-150mm	115-180mm	42.0g
3.0x	Customized	90-130mm	70-165mm	42.0g
3.5x	Customized	70-120mm	65-175mm	42.0g

*Standard frame: E sport frame
*Standard case: Metal case or Fabric case C

Note: All prices are inclusive of Value Added Tax (VAT)

Mini round barrel

Most light weight only 38g

Wider field of view

TTL 5

The TTL5 Series, round ancient design with most light weight which offers comfortable experience all day. Furthermore you can find visual clarity you would expected.

2.5x
3650 SAR

3.0x
3650 SAR

TTL 1

TTL1 set the industry standard for comfort and performance. This loupe delivers great field of view and depth of field at an economical price.

2.5x
2450 SAR

3.0x
2450 SAR

3.5x
3050 SAR

Specification of TTL5 (Mini Round)

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	Customized	90-110mm	120-160mm	38.0g
3.0x	Customized	80-100mm	110-150mm	41.0g

*Standard frame: TR90 or Alu-mag frame
*Standard case: Metal case or Fabric case C

Specification of TTL1 (Classic)

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	Customized	110-150mm	115-180mm	51.0g
3.0x	Customized	90-130mm	70-165mm	51.0g
3.5x	Customized	70-120mm	65-175mm	51.0g

*Standard frame: Ni-alloy frame or E sport frame
*Standard case: Fabric case B or Fabric case C

Note: All prices are inclusive of Value Added Tax (VAT)

Note: All prices are inclusive of Value Added Tax (VAT)

Achieved higher power, higher def inition than any other expanded f ield loupe available.
Obtain the highest resolution and clarity for surgical procedure.

TTL 2

4.0x 4250 SAR

5.0x 4850 SAR

Specification of TTL2 (Prism)

Magnification	Working Distance	Depth of Focus	Field of View	Weight
4.0x	Customized	65-80mm	80-130mm	54.0g
5.0x	Customized	55-70mm	70-120mm	54.0g

*Standard frame: E sport frame
*Standard case: Fabric case A or Fabric case C

Note: All prices are inclusive of Value Added Tax (VAT)

ErgoFL

New

The newly launched Amtech Flip-Up ErgoFL is an innovative tool designed specifically for surgeons and dentists. Its unique "3D adjustment design" allows flexible adjustment of pupillary height, interpupillary distance, and working distance, according to individual needs.Lightweight materials and ergonomic design together ensure all-day wearing comfort. A spectacular field of view is gained even under high magnification that creates a stress-free working experience.

Specification of ErgoFL

Magnification	Working Distance	Depth of Focus	Field of View	Weight
3.5x	400-600mm	/	60-100mm	70.0g
5.0x	400-600mm	/	45-65mm	72.0g
6.0x	400-600mm	/	35-50mm	74.0g

*Recommend frame: m260Ti、Am280Ti、Am310、Am320、E Sport

Note: All prices are inclusive of Value Added Tax (VAT)

Spiral Asynchronous adjustable design is convenient,precise,meet the needs of beginne loupes users.Upgraded optical system delivers a clearer visual experience.Metal exterior crafted with modern techniques,combining style and practicality,showcasing a professional taste.

GL-M1

New

Specification of GL-M1

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	360-500mm	100-140mm	115-180mm	63.0g
3.0x	360-500mm	70-125mm	70-165mm	63.0g
3.5x	360-500mm	60-115mm	65-175mm	63.0g

*Standard frame: E sport frame
*Standard case: Fabric case

Note: All prices are inclusive of Value Added Tax (VAT)

GL8

The smallest barrel and lightest weight wider field of view and deep depth of field.

Specification of GL8 (Mini Flip-up)

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	340-500mm	95-130mm	150-260mm	59.0g
3.0x	340-500mm	70-110mm	100-160mm	60.0g

*Standard frame: E sport frame
*Standard case: Fabric case B

Note: All prices are inclusive of Value Added Tax (VAT)

GL3
Asynchronous Style

GL4
Synchronous Style

GL3/GL4

Amtech galilean Flip-up loupes delivering 2.5x, 3.0x and 3.5x magnif ication, different working distance and LED illumination system are available.

Multi-layer anti-ref lection coating provides extremely high resolution.

Anti-glare, anti-fog and scratch-resistance optic lens ensure long time no-trouble use.

Specification of GL3/GL4

Magnification	Working Distance	Depth of Focus	Field of View	Weight
2.5x	360-500mm	100-140mm	115-180mm	65.0g
3.0x	340-500mm	70-125mm	70-165mm	65.0g
3.5x	340-500mm	60-115mm	65-175mm	65.0g

*Standard frame: E sport frame
*Standard case: Fabric case B

Higher magnif ication perfect for precise surgical operation.Quality prismatic optics provides a true edge to edge bright image.

KL3/KL4

KL3
Asynchronous Style

KL4
Synchronous Style

Specification of KL3/KL4

Magnification	Working Distance	Depth of Focus	Field of View	Weight
4.0x	340-500mm	60-75mm	80-130mm	67.0g
5.0x	340-500mm	55-65mm	70-120mm	67.0g

*Standard frame: E sport frame
*Standard case: Fabric case A

Energy I

SEMI-WIRED LED HEADLIGHT



New

Energy I

"EnergyI" neck-hanging headlight integrates the battery into the wearable design,reducing the weight and pressure on the head,no fatigue while work.Provide 3 levels of brightness selection with gesture sensor. Brightness can be controled without touching.Magnetic headlight is easy to connect.-Freedom from long tangled cord and provide the most comfortable user experience.The battery capacity can support up to 8 hours of continuous work without worrying

3.5x

4850 SAR

Specification of Energy I

Specification	Weight	Brightness	Light Color Temp	LED using life
Headlight	10 gram	≥55,000lux	5500k or 6000k	≥50,000 hour

Specification	Weight	Battery life	Run Time	Charging time
Battery	88.5 gram	≥500 recharge cycles	up to 10 hours	2 hours

Note: All prices are inclusive of Value Added Tax (VAT)

WHLP01

Wireless Headlight

New Wireless LED light provides powerful and round focus white light.Touchable power switch and brightness adjustment, easy one-handed operating.Total only 29.8 gram (light and battery), most comfortable user experience.Three batteries provides energy for a day's work.

3.5x

4250 SAR

Specification of WHLP01

Specification	Weight	Brightness	Light Color Temp	LED using life
Headlight	10 gram	≥35,000lux	Its available in 5500k or 6100k	50,000 hour

Specification	Weight	Battery life	Run Time	Charging time
Battery	20 gram	> 500 recharge cycles	up to 3.5 hours	1.5 hours

Note: All prices are inclusive of Value Added Tax (VAT)

HLP05

Mini USB cable connection bring more comfortable and convenient experience.New thin soft cable with lightweight providing electromagnetic current protection.New Battery pack, smaller and brief design; but powerful featuring with long work timeLow battery indicator with 6 steps avoiding mis-recharge trouble.

3.5x

3050 SAR

Specification of HLP05

Specification	Weight	Brightness	Light ColorTemp	Power	Illumination Source	Composite Beam Filter
Headlight	8 gram	≥35,000lux	6000k	1W	Bright light LED	Curing filter included

Specification	Type	Weight	Input Voltage	Run Time	Recharge Time
Battery	3350mAh Lithium ion battery	88.35 gram	110V-220V	1.5 hours	3-4 hours

Note: All prices are inclusive of Value Added Tax (VAT)

HLP03

True white light provides brightness sharpness,-shadow free on operation field.

The reliable power supply keeps surgeries running smoothly all day long.

3.5x

3650 SAR

Specification of HLP03

Specification	Weight	Brightness	Light ColorTemp	Power	Illumination Source	Composite Beam Filter
Headlight	22.35 gram	≥35,000lux	6000k	3W	Bright light LED	Curing filter included

Specification	Type	Weight	Input Voltage	Run Time	Recharge Time
Battery	3750mAh Lithium ion battery	135 gram	110V-220V	6-9 hours	Up to 3 hours

Note: All prices are inclusive of Value Added Tax (VAT)

HLP02

The headlights are among the smallest and most lightweight on the market, only 7.55 gram,allows you to practice all day in total comtort.Featured with high quality white beam color provides clear vison,improves depth of field and reduce eye fatigue.Efficient lithium-polymer battery runs for 11 hours on the maximum level and fully recharged in only 3hours.

Specification of HLP02

Specification	Weight	Brightness	Light ColorTemp	Power	Illumination Source	Composite Beam Filter
Headlight	7.55 gram	≥35,000lux	6000k	1W	Bright light LED	Curing filter included

Specification	Type	Weight	Input Voltage	Run Time	Recharge Time
Battery	3750mAh Lithium ion battery	135 gram	110V-220V	9-11 hours	Less than 3 hours

Note: All prices are inclusive of Value Added Tax (VAT)

Amtech

MICROSCOPE

Binocular f160 with IPD

Adjustable pupillary distance | 220-degree rotatable | Extended binocular tubes

Binocular f160 with IPD

IPD: For a convenient adjustment of inter-pupillary distance.
220-degree rotatable. Extended binoculer tubes can be customized.

VarioFocus (200—400mm working distance) with protection glass

VarioFocus objective lenses are compatible with all major microscopes. They replace your current objective lens and provide improved ergonomics during the treatment.
• Continuously adjustable objective lens
• Replaces current objective. For Zeiss, Leica, Zumax, Global, Kaps, Lab med,etc.
For highest demands the protection glass with hydrophobic coating (HPC) is available.

Beam Splitter

Beam Splitter allows more light to be diverted to the eyepiece, which retains a bright field for the observer.

Beam splitter: 50:50, double-sided
20:80 Beam Splitter

Phone-Imaging-Port

The phone imaging port allows the use of a smartphone for viewing and documentation purposes.
The adapter is compatible with all smartphones (up to 6,5").

Turnment Plates

Turnment plates are the interface between binocular and microscope. It allows the microscope head to be moved into any position without the user having to change his ergonomic working position.



Depth of field enhancer

FRAME

There are many styles of frames, with different colors and materials.
You can choose according to your own preferences.

AM100 Ti

Material: ***Titanium***
Mount options: ***TTL / Ergo Loupes***

Selective Color:

C1 Black | C2 Blue | C3 Nude | C4 White

AM310

Material: ***Alu-mag***
Mount options: ***TTL / Ergo / Flip-up Loupes***

Selective Color:

C1 Black | C2 Dark Gun | C3 Red | C4 Blue

AM320

Material: ***Alu-mag***
Mount options: ***TTL / Ergo / Flip-up Loupes***

Selective Color:

C1 Black | C2 Dark Gun | C3 Green | C4 Purple | C5 Blue

AM260 Ti

Material: ***Titanium***
Mount options: ***TTL / Ergo / Flip-up Loupes***

Selective Color:

C1 Black | C2 Gun | C3 Burgundy | C4 Blue

AM280 Ti

Material: ***Titanium***
Mount options: ***TTL / Ergo / Flip-up Loupes***

Selective Color:

C1 Black | C2 Burdundy | C3 Gun | C4 Brown

E Sport

Material: ***Aluminum /plastic***
Mount options: ***TTL / Flip-up Loupes***

Selective Color:

C1 Black | C2 Blue | C3 Gridding | C4 Pink | C5 Red | C6 Silver

AM559

Material: ***Alu-mag***
Mount options: ***TTL / Ergo Loupes***

Selective Color:

C1 Black | C2 Gun | C3 Pink | C4 Burdundy

AM56276

Material: ***Alu-mag***
Mount options: ***TTL / Ergo Loupes***

Selective Color:

C1 White *C2 Black* *C3 Dark Gun* *C4 Red*

AM640

Material: ***Alu-mag***
Mount options: ***TTL / Ergo Loupes***

Selective Color:

C1 Blue *C2 Purple* *C3 Black*

OTHERS

New Headstrap

AM630 / AM640 / AM559 / AM56279

Cross Screwdriver

HLP02 / HLP03 / HLP05 / GL8

Lens Cleaner

All Loupes

Hex Screwdriver

WHLP01

Straight Screwdriver

GL / KL Series Loupes

Glasses Bag

TTL Series Loupes

CLIPS

M01

M01 can be used with Amtech Loupes and other brands loupes(Carl Zeiss/Keeler/Heine/Perioptix/SurgiTel)

M02

M02 can be used with Amtech Loupes and other brands loupes(Carl Zeiss/Keeler/Heine/Perioptix/SurgiTel)

M03

M03 can be used with Amtech GL3/GL5/KL3 series Flip-up Loupes

M04

M04 can be used with Amtech GL3/GL5/KL3 series Flip-up Loupes

M06

M06 can be used with Amtech TTL series Loupes

M07

M07 can be used with Amtech TTL series Loupes

M08

M08 can be used with Amtech GL8 series Loupes

M09

M09 can be used with Amtech GL8 series Loupes

CASE

Each product has its own case to protect the Loupes from damage. Amtech's cases come in three series: Aluminum case,Fabric case and Metal case.

Aluminum case

Aluminum case
Ergo Loupes

Aluminum case
HLP03

Aluminum case C
Loupes

Aluminum case E
Loupes and Headlights

Aluminum case
Loupes and Headlights

Fabric case

Fabric case
New TTL

Fabric case
GL-MI

Fabric case B
TTL and GL

Fabric case A
KL and HLP02

Fabric case
Energy I

Fabric case
WHLP01

Fabric case
HLP05

Metal case

Metal case
TTL3 / TTL5 / TTL A1 / TTL A3

Note: All prices are inclusive of Value Added Tax (VAT)

Note: All prices are inclusive of Value Added Tax (VAT)