🔒 PENETRATION TESTING REPORT

Client: zero.webappsecurity

Target: http://zero.webappsecurity.com

Generated: 3/13/2026, 2:22:29 PM

Classification: CONFIDENTIAL

DOCUMENT INFORMATION

Report Type	Evidence-Based Security Assessment
Target	http://zero.webappsecurity.com
Assessment Date	2026-03-13
Total Findings	3
Generated By	VulnCraft AI

1. EXECUTIVE SUMMARY

1.1 Assessment Overview

The security assessment of http://zero.webappsecurity.com revealed several vulnerabilities, including information disclosure via HTTP headers, HTTP security headers misconfiguration, missing browser permissions policy, and insecure TLS configuration.

1.2 Key Observations

The overall security posture of the application is compromised due to the presence of these vulnerabilities, which could be exploited by attackers to gain unauthorized access or sensitive information.

2. ASSESSMENT CONTEXT

Target Application: http://zero.webappsecurity.com

Assessment Type: Black Box

Assessment Nature: Automated testing with evidence-based review

Methodology Reference: OWASP Testing Guide, PTES

3. RISK OVERVIEW

3.1 Risk Heatmap (Impact x Likelihood)

IMPACT / LIKELIHOOD	HIGH	MEDIUM	LOW
Critical	-	-	-
High	-	V-003	-
Medium / Low	-	V-002, V-001	-

3. OBSERVED SECURITY FINDINGS

V-001 - Insecure HTTP Headers

Finding ID: V-001

Severity Level: Low

Evidence Confidence: Medium

OBSERVATION SUMMARY

The application is vulnerable to information disclosure via HTTP headers and missing browser permissions policy, which could allow attackers to gain sensitive information about the application.

WHY THIS MATTERS

This vulnerability could allow attackers to gain sensitive information about the application, which could be used to plan further attacks.

TECHNICAL EVIDENCE

Endpoint: http://zero.webappsecurity.com

HTTP Method: GET

Parameter: N/A

Payload Tested: N/A

Observed Response or Behavior: See raw scan output

V-002 - HTTP Security Headers Misconfiguration

Finding ID: V-002

Severity Level: Medium

Evidence Confidence: Medium

OBSERVATION SUMMARY

The application's HTTP security headers are misconfigured, which could allow attackers to exploit vulnerabilities such as cross-site scripting (XSS) and cross-site request forgery (CSRF).

WHY THIS MATTERS

This vulnerability could allow attackers to exploit vulnerabilities such as XSS and CSRF, which could result in unauthorized access or sensitive information disclosure.

TECHNICAL EVIDENCE

Endpoint: http://zero.webappsecurity.com

HTTP Method: GET

Parameter: N/A

Payload Tested: N/A

Observed Response or Behavior: See raw scan output

V-003 - Insecure TLS Configuration

Finding ID: V-003

Severity Level: High

Evidence Confidence: Medium

OBSERVATION SUMMARY

The application's TLS configuration is insecure, which could allow attackers to intercept or eavesdrop on sensitive information.

WHY THIS MATTERS

This vulnerability could allow attackers to intercept or eavesdrop on sensitive information, which could result in unauthorized access or sensitive information disclosure.

TECHNICAL EVIDENCE

Endpoint: http://zero.webappsecurity.com

HTTP Method: GET

Parameter: N/A

Payload Tested: N/A

Observed Response or Behavior: See raw scan output

4. FINDINGS SUMMARY

ID	Title	Severity	Evidence Confidence
V-001	Insecure HTTP Headers	Low	Medium
V-002	HTTP Security Headers Misconfiguration	Medium	Medium
V-003	Insecure TLS Configuration	High	Medium

5. REMEDIATION & VALIDATION GUIDANCE

V-001 - Insecure HTTP Headers

To fix this issue, the application should be configured to include proper security headers, such as Content-Security-Policy, X-Frame-Options, and X-Content-Type-Options, and a browser permissions policy should be implemented.

V-002 - HTTP Security Headers Misconfiguration

To fix this issue, the application's HTTP security headers should be properly configured to include headers such as Content-Security-Policy, X-Frame-Options, and X-Content-Type-Options.

V-003 - Insecure TLS Configuration

To fix this issue, the application's TLS configuration should be updated to use a secure protocol version, such as TLS 1.2 or 1.3, and a secure cipher suite should be used.

6. OVERALL ASSESSMENT VERDICT

The application's security posture is compromised due to the presence of several vulnerabilities, and it is recommended that these issues be addressed as soon as possible to prevent potential attacks.

7. TECHNICAL APPENDIX

V-001 - Insecure HTTP Headers

Finding ID: V-001

Endpoint(s): http://zero.webappsecurity.com

Parameter(s): N/A

Payload(s) tested: N/A

Observed response patterns: See raw scan output

V-002 - HTTP Security Headers Misconfiguration

Finding ID: V-002

Endpoint(s): http://zero.webappsecurity.com

Parameter(s): N/A

Payload(s) tested: N/A

Observed response patterns: See raw scan output

V-003 - Insecure TLS Configuration

Finding ID: V-003

Endpoint(s): http://zero.webappsecurity.com

Parameter(s): N/A

Payload(s) tested: N/A

Observed response patterns: See raw scan output

END OF REPORT