


Configure EtherChannel

Configure Switch **EtherChannel**



- Configure Switch **EtherChannel** For SW1

```
Sw1>enable
SW1#conf t
SW1(config)#int range 0/1-4
SW1(config-if)#switchport mode trunk
SW1(config-if)# channel-group 1 mode passive
```

- Configure Switch **EtherChannel** For SW2

```
Sw2>enable
SW2#conf t
SW2(config)#int range 0/1-4
SW2(config-if)#switchport mode trunk
SW2(config-if)# channel-group 1 mode active
```

```
Switch(config-if-range)#channel-group 1 mode ?
  active      Enable LACP unconditionally
  auto        Enable PAgP only if a PAgP device is detected
  desirable   Enable PAgP unconditionally
  on          Enable Etherchannel only
  passive     Enable LACP only if a LACP device is detected
```

Sw1#show etherchannel

```
Switch#show etherchannel
                        Channel-group listing:
                        -----

Group: 1
-----
Group state = L2
Ports: 4 Maxports = 16
Port-channels: 1 Max Port-channels = 16
Protocol:     LACP
```

Sw1#show etherchannel summary

```
Switch#show etherchannel summary
Flags:  D - down          P - in port-channel
        I - stand-alone  S - suspended
        H - Hot-standby (LACP only)
        R - Layer3       S - Layer2
        U - in use       f - failed to allocate aggregator
        u - unsuitable for bundling
        w - waiting to be aggregated
        d - default port
```

Number of channel-groups in use: 1

Number of aggregators: 1

Group	Port-channel	Protocol	Ports
1	Pol (SU)	LACP	Fa0/1 (P) Fa0/2 (P) Fa0/3 (P) Fa0/4 (P)