


Spanning-Tree (STP)

Configure Switch Spanning-Tree Mode Rapid-pvst



- Configure Switch SW1 Configure Rapid-pvst

```
Sw1>enable
```

```
SW1#Conf t
```

```
SW1(config)#spanning-tree mode rapid-pvst
```

- Configure Switch SW2 Configure Rapid-pvst

```
Sw2>enable
```

```
SW2#Conf t
```


```
SW2(config)#spanning-tree mode rapid-pvst
```

- Configure Switch SW3 Configure Rapid-pvst

```
Sw3>enable
```

```
SW3#Conf t
```

```
SW3(config)#spanning-tree mode rapid-pvst
```



- Configure Switch SW1 Configure portfast

Sw1>enable

SW1#Conf t


SW1(config)#int f0/4

SW1(config-if)# spanning-tree portfast

```

Switch(config)#int f0/4
Switch(config-if)#sp
Switch(config-if)#spa
Switch(config-if)#spanning-tree po
Switch(config-if)#spanning-tree portfast

```



- Configure Switch SW1 Configure vlan 1 root primary

Sw1>enable

SW1#Conf t

SW1(config)# spanning-tree vlan 1 root primary

- Configure Switch SW2 Configure vlan 2 root primary

Sw2>enable

SW2#Conf t

SW2(config)# spanning-tree vlan 2 root primary

- Configure Switch SW3 Configure vlan 3 root primary

Sw3>enable

SW3#Conf t

SW3(config)# spanning-tree vlan 3 root primary