

```

default@DESKTOP-FENLH6Q:/mnt/c/Users/cmomo/Desktop/formation-automatisation-ci-monitoring-main/ressources/lab$ cd ressource
rce/lab
./lab-up.sh
...
-bash: cd: ressources/lab: No such file or directory
[lab] Backend : multipass | VMs : taskflow-web1 taskflow-web2 | Ubuntu 22.04
[lab] VM taskflow-web1 déjà existante (skip création).
[lab] Injection de la clé SSH dans taskflow-web1...
[lab] VM taskflow-web2 déjà existante (skip création).
[lab] Injection de la clé SSH dans taskflow-web2...
[lab] Attente des adresses IP...
[lab] taskflow-web1 -> 10.213.166.64
[lab] taskflow-web2 -> 10.213.166.166
# Généré par lab-up.sh (multipass) - à coller dans ansible/inventory/hosts.ini
[staging]
taskflow-web1 ansible_host=10.213.166.64

[prod]
taskflow-web2 ansible_host=10.213.166.166

[web:children]
staging
prod

[web:vars]
ansible_user=ubuntu
ansible_ssh_private_key_file=/home/default/.ssh/taskflow_lab

[lab] Variables à créer sur GitHub (Settings → Environments) :
  environment staging → variable TARGET_IP = 10.213.166.64
  environment production → variable TARGET_IP = 10.213.166.166 (+ required reviewer)
  secret SSH_PRIVATE_KEY (les deux environnements) = contenu de /home/default/.ssh/taskflow_lab :
    cat /home/default/.ssh/taskflow_lab | pbcopy (macOS) | cat /home/default/.ssh/taskflow_lab | clip.exe (WSL) |
    xclip -sel clip < /home/default/.ssh/taskflow_lab (Linux)
[lab] Inventaire écrit dans : ./inventory.generated.ini
[lab] Test de connexion :
  ssh -i /home/default/.ssh/taskflow_lab ubuntu@10.213.166.64
[lab] Lab prêt ✅ (la suite - runner, Ansible, Prometheus - est identique pour tous)
> |

```

← → ↑ ↺ 🖨 > ... tp > fil-rouge-taskflow > taskflow-ops > ansible > inventory >

⊕ Nouveau ▾ ✂ 📄 📁 🗑 🔍 ⬆ Trier ▾ ☰ Afficher ▾ ...

	Nom	Modifié le	Type	Taille
📁	group_vars	21/09/2026 15:43	Dossier de fichiers	
📄	hosts.ini	21/09/2026 15:31	Paramètres de con...	1 Ko

pour le moment je reprends

hosts.ini

Fichier Modifier Affichage

```

[staging]
taskflow-web1 ansible_host=10.213.166.64

[prod]
taskflow-web2 ansible_host=10.213.166.166

[web:children]
staging
prod

[web:vars]
ansible_user=ubuntu
ansible_ssh_private_key_file=/home/default/.ssh/taskflow_lab

```

```

default@DESKTOP-FENLH6Q:~/taskflow-ops$ ansible -i ansible/inventory/hosts.ini all -m ping
[WARNING]: Host 'taskflow-web2' is using the discovered Python interpreter at '/usr/bin/python3.14', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.20/reference_appendices/interpreter_discovery.html for more information.
taskflow-web2 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.14"
  },
  "changed": false,
  "ping": "pong"
}
[WARNING]: Host 'taskflow-web1' is using the discovered Python interpreter at '/usr/bin/python3.14', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.20/reference_appendices/interpreter_discovery.html for more information.
taskflow-web1 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.14"
  },
  "changed": false,
  "ping": "pong"
}
default@DESKTOP-FENLH6Q:~/taskflow-ops$

```

```

GNU nano 8.7.1 ansible/roles/taskflow/defaults/main.yml
---
app_name: taskflow
app_root: /opt/taskflow
app_user: taskflow
app_env: local
app_server_name: taskflow.local
app_http_port: 80
api_port: 3000
node_major: 20
keep_releases: 5

---
taskflow-web1: {
  "msg": "taskflow-web1 (staging) -> {'status': 'ok', 'version': 'manual-1', 'env': 'staging', 'uptime': 1}"
}

PLAY RECAP *****
taskflow-web1      : ok=23  changed=16  unreachable=0  failed=0  skipped=1  rescued=0  ignored=0

default@DESKTOP-FENLH6Q:~/taskflow-ops$ curl -s http://10.213.166.64/health
{"status": "ok", "version": "manual-1", "env": "staging", "uptime": 6}default@DESKTOP-FENLH6Q:~/taskflow-ops$ |
skipping: [taskflow-web2]

RUNNING HANDLER [../roles/taskflow : Restart taskflow-api] *****
changed: [taskflow-web2]

RUNNING HANDLER [../roles/taskflow : Reload nginx] *****
changed: [taskflow-web2]

TASK [Vérifier la santé de l'API depuis la VM] *****
ok: [taskflow-web2]

TASK [ansible.builtin.debug] *****
ok: [taskflow-web2] => {
  "msg": "taskflow-web2 (prod) -> {'status': 'ok', 'version': 'manual-1', 'env': 'prod', 'uptime': 1}"
}

PLAY RECAP *****
taskflow-web2      : ok=23  changed=11  unreachable=0  failed=0  skipped=1  rescued=0  ignored=0

default@DESKTOP-FENLH6Q:~/taskflow-ops$ curl -s http://10.213.166.166/health
{"status": "ok", "version": "manual-1", "env": "prod", "uptime": 3}default@DESKTOP-FENLH6Q:~/taskflow-ops$

```