

```
- name: Run unit tests with coverage
  run: npm test -- --coverage
```

Branch name pattern *

main

Applies to 1 branch

main

Protect matching branches

☒ Require a pull request before merging

When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.

☒ Require approvals

When enabled, pull requests targeting a matching branch require a number of approvals and no changes requested before they can be merged.

Required number of approvals before merging: 1 ▼

☒ Require status checks to pass before merging

Choose which [status checks](#) must pass before branches can be merged into a branch that matches this rule. When enabled, commits must first be pushed to another branch, then merged or pushed directly to a branch that matches this rule after status checks have passed.

☐ Require branches to be up to date before merging

This ensures pull requests targeting a matching branch have been tested with the latest code. This setting will not take effect unless at least one status check is enabled (see below).

Search for status checks in the last week for this repository

Status checks that are required

Lint & Test (Node 20)

 GitHub Actions ▼ ✕

Branch protection rules

Add rule

main

Currently applies to 1 branch

Convert to ruleset

...

```
export function countTasks(tasks) {
  return tasks.length;
}
```

```
import { createTask, addTask, deleteTask } from '..'
import { countTasks } from '../src/tasks.js';
```

```
describe('countTasks', () => {
  it('should return the correct number of tasks', () => {
    const tasks = [
      { id: 1, completed: false },
      { id: 2, completed: false }
    ];

    // Soit on vérifie la structure complète :
    expect(countTasks(tasks)).toEqual({
      total: 2,
      active: 2,
      completed: 0
    });

    // Soit on vérifie uniquement la propriété total :
    // expect(countTasks(tasks).total).toBe(2);
  });
});
```

```
Switched to a new branch: feat/add-task-counter
default@DESKTOP-FENLH6Q:/mnt/c/Users/cmomo/Desktop/taskflow-starter-main$ git add .
git commit -m "feat: add countTasks function with tests"
git push -u origin feat/add-task-counter
[feat/add-task-counter c1dd7b5] feat: add countTasks function with tests
 2 files changed, 14 insertions(+)
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 682 bytes | 62.00 KiB/s, done.
Total 6 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
remote:
remote: Create a pull request for 'feat/add-task-counter' on GitHub by visiting:
remote:   https://github.com/mohamedCherif-Dev/taskflow-starter/pull/new/feat/add-task-counter
remote:
To https://github.com/mohamedCherif-Dev/taskflow-starter.git
* [new branch]      feat/add-task-counter -> feat/add-task-counter
branch 'feat/add-task-counter' set up to track 'origin/feat/add-task-counter'.
```

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

 base repository: Foreach-Academy-France/taskf...

base: main

 head repository: mohamedCherif-Dev/taskflow-...

compare: feat/add-task-counter



There isn't anything to compare.

Foreach-Academy-France:main and mohamedCherif-Dev:feat/add-task-counter are entirely different commit histories.

Showing 2 changed files with 14 additions and 0 deletions.

SplitUnified

src/tasks.js

@@ -151,3 +151,8 @@ export function sortByPriority(tasks) {
151 151 const priorityOrder = { high: 0, medium: 1, low: 2 }
152 152 return [...tasks].sort((a, b) => priorityOrder[a.priority] - priorityOrder[b.priority])
153 153 }
154 +
155 +
156 + export function countTasks(tasks) {
157 + return tasks.length;
158 + }

tests/tasks.test.js

@@ -9,6 +9,7 @@
9 9
10 10 import { describe, it, expect } from 'vitest'
11 11 import { createTask, addTask, deleteTask } from '../src/tasks.js'
12 + import { countTasks } from '../src/tasks.js';
12 13

tests/tasks.test.js

@@ -9,6 +9,7 @@
9 9
10 10 import { describe, it, expect } from 'vitest'
11 11 import { createTask, addTask, deleteTask } from '../src/tasks.js'
12 + import { countTasks } from '../src/tasks.js';
12 13
13 14 describe('createTask', () => {
14 15 it('devrait créer une tâche avec les propriétés par défaut', () => {
@@ -61,3 +62,11 @@ describe('deleteTask', () => {
61 62 // - clearCompleted
62 63 // - countTasks
63 64 // - sortByPriority
65 +
66 +
67 + describe('countTasks', () => {
68 + it('should return the correct number of tasks', () => {
69 + const tasks = [{ id: 1 }, { id: 2 }];
70 + expect(countTasks(tasks)).toBe(2);
71 + });
72 + });

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff co](#)



base: **main**



compare: **feat/add-task-counter**

✓ **Able to merge.** These branches can be automatically merged.



Add a title *

feat: add countTasks function with tests



Add a description

Write

Preview

H

B

I

≡

<>

🔗

≡

≡

≡

📎

@

📎

↩

📎

Add your description here...

📖 Markdown is supported

📎 Paste, drop, or click to add files

Create pull request



Review required

At least 1 approving review is required by reviewers with write access.



All checks have passed

2 successful checks



🔄 CI / Lint & Test (Node 18) (pull_request) Successful in 15s



🔄 CI / Lint & Test (Node 20) (pull_request) Successful in 12s

Required



Merging is blocked

At least 1 approving review is required by reviewers with write access.



Merge without waiting for requirements to be met (bypass rules)

Merge pull request



You can also merge this with the command line. [View command line instructions.](#)



Pull request successfully merged and closed

You're all set — the `feat/add-task-counter` branch can be safely deleted.

Delete branch