

NEO-BRUTALIST WEB SYSTEM.

A complete, implementation-ready visual system for redesigning multi-page websites, dashboards, charts, maps, forms and navigation into a warm editorial Neo-Brutalist language. It is derived from the supplied references and written so an AI coding agent can apply it consistently across an entire website.

VERSION 1.0

DESKTOP + MOBILE

DATA UI

MAPS + CHARTS

AI-READY

What this style is






New Brutalism in interface design uses direct geometry, obvious structure, heavy outlines, hard offset shadows, flat color, assertive typography and deliberately visible interaction mechanics. The goal is not to make a page look unfinished. The goal is to make the hierarchy and controls unmistakable while retaining a playful, editorial character.

The core equation: high contrast + explicit framing + hard depth + flat color + functional clarity.

What it is not

- Not glassmorphism or frosted panels.
- Not generic soft SaaS cards.
- Not random bright colors on every component.
- Not intentionally inaccessible or chaotic.
- Not an excuse for inconsistent spacing or typography.
- Not “retro” decoration applied without product logic.

Reference board from the supplied screens



SIGNAL 01

Warm editorial canvas

Cream/off-white dominates the background so black frames and accent blocks remain visually strong without causing fatigue.

SIGNAL 02

Black structural frame

Borders are not decoration. They define navigation, panels, controls, cards, data regions and reading order.

SIGNAL 03

Hard depth

Depth is represented by offset black shadows, not blur. Interactions feel mechanical: pressing a button physically collapses its shadow.

Foundation Tokens

02

Core palette

Canvas

#F6E8D2

Surface

#FBFAF6

Ink

#161616

Yellow

#FCDD28

Orange

#F36D30

Pink

#FF4F85

Cyan

#12C8B0

Violet

#8167F5

Green

#4BD14A

Muted

#D8CCB9

Geometry

TOKEN	RULE
Border	2px default; 3px for shell / major modal; 1px for internal rules.
Shadow	3px, 5px or 8px hard offset black; blur radius = 0.
Radius	0-8px standard. Reserve pills for status/tag semantics.
Spacing	8px base rhythm; primary gaps 16, 24, 32, 48, 64.

Typography

LAYER	SPECIFICATION
Display	Heavy grotesk/sans, 700-900. Tight line-height and tracking.
Body	Neutral sans, 15-18px, 1.45-1.65 line-height.
Data / metadata	Monospace, 11-14px, tabular numerals.
Hierarchy	Use size + framing + spacing + accent block, not weight alone.

Starter CSS variables

```
:root {
  --nb-bg:#F6E8D2;
  --nb-surface:#FBFAF6;
  --nb-ink:#161616;
  --nb-yellow:#FCDD28;
  --nb-orange:#F36D30;
  --nb-pink:#FF4F85;
  --nb-cyan:#12C8B0;
  --nb-violet:#8167F5;
  --nb-green:#4BD14A;
  --nb-muted:#D8CCB9;
  --nb-border-1:1px solid var(--nb-ink);
  --nb-border-2:2px solid var(--nb-ink);
  --nb-border-3:3px solid var(--nb-ink);
  --nb-shadow-sm:3px 3px 0 var(--nb-ink);
  --nb-shadow-md:5px 5px 0 var(--nb-ink);
  --nb-shadow-lg:8px 8px 0 var(--nb-ink);
  --nb-radius-sm:4px;
  --nb-radius-md:8px;
  --nb-space-1:4px; --nb-space-2:8px; --nb-space-3:12px;
  --nb-space-4:16px; --nb-space-5:24px; --nb-space-6:32px;
  --nb-space-7:40px; --nb-space-8:48px; --nb-space-9:64px; --nb-space-10:80px;
  --nb-font-display:"Arial Black","Helvetica Neue",Arial,sans-serif;
  --nb-font-body:Inter,Arial,sans-serif;
  --nb-font-mono:"IBM Plex Mono","SFMono-Regular",Consolas,monospace;
  --nb-focus:3px solid var(--nb-violet);
}
.nb-card{background:var(--nb-surface);border:var(--nb-border-2);box-shadow:var(--nb-shadow-md);padding:24px;border-radius:var(--nb-radius-md)}
.nb-btn{min-height:44px;border:var(--nb-border-2);box-shadow:var(--nb-shadow-sm);background:var(--nb-yellow);color:var(--nb-ink);font-weight:800;padding:10px 16px;cursor:pointer;transition:transform .12s ease,box-shadow .12s ease}
.nb-btn:hover{transform:translate(-1px,-1px);box-shadow:5px 5px 0 var(--nb-ink)}
.nb-btn:active{transform:translate(2px,2px);box-shadow:1px 1px 0 var(--nb-ink)}
.nb-btn:focus-visible{outline:var(--nb-focus);outline-offset:3px}
.nb-input{min-height:46px;border:var(--nb-border-2);background:var(--nb-surface);padding:10px}
```

```
12px;font:inherit;color:var(--nb-ink)}
.nb-chip{display:inline-flex;align-items:center;gap:6px;border:var(--nb-border-1);padding:5px 9px;background:var(--nb-
bg);font:700 12px/1 var(--nb-font-mono)}
.nb-kpi{border:var(--nb-border-2);box-shadow:var(--nb-shadow-md);background:var(--nb-yellow);padding:20px}
.nb-kpi strong{display:block;font:900 36px/1 var(--nb-font-mono);margin-top:18px}
```

Layout + Navigation

SYSTEM

Overview

Analysis

Maps

Reports

Settings

DASHBOARD

Search...

FILTER

TOTAL OUTPUT

42,500

ACTIVE SITES

1,240

RISK RATE

42.3%

UPTIME

99.9%

PRIMARY ANALYSIS

BREAKDOWN

Desktop shell

- Persistent 220-260px sidebar for tools with many sections.
- 2px separator between navigation and content.
- Top utility row for search, filters, date range and account.
- Active state is obvious: black or yellow fill, not a subtle tint.

Mobile shell

- Replace sidebar with drawer or bottom navigation.
- Retain one clear primary action.
- Minimum 44x44px tap targets.
- No horizontal page scroll caused by hard shadows.

Information density

- Frame related controls into blocks.
- Use 1-2 accent colors per view.
- Let data be dense but keep headings, rules and alignment strict.
- Use white space as structure, not as decoration.

Component Library

04

Interactive primitives

Primary action

Run analysis

Secondary

High contrast

Framed input

STATUS: READY

LIVE

Interaction model: hover shifts the element slightly up-left and deepens the hard shadow. Active/pressed shifts it down-right and collapses the shadow. Focus is a thick violet or yellow outline with offset.

Cards

2px frame, 5px hard shadow. Use title row, metric/content zone, and optional footer rule. Do not stack endless cards inside cards.

Forms

Labels above inputs, strong borders, explicit helper/error text. Invalid state must include text/icon plus color.

Modals

Opaque backdrop, 3px modal frame, 8px shadow. Header and footer separated by hard rules. No blurred glass panel.

COMPONENT	RECOMMENDED VISUAL ANATOMY	DO NOT
Button	2px frame + 4px shadow + flat accent	Soft shadow, gradient, fully pill-shaped default
Card	2px frame + flat surface + clear title	Low-contrast floating card on similar background
Tabs	Framed rectangles; active = black/yellow/orange	Thin underline as the only active signal
Dropdown	Framed menu; 2px dividers; hard selected state	Frosted/translucent popover
Toast	Compact framed block; icon + title + message	Transparent soft bubble
Data table	Strong header; 1px row rules; aligned numbers	Decorative zebra colors with weak hierarchy
Empty state	Framed panel, short reason, one action	Large illustration that hides the next step

Recommended page order


1. **Title strip:** page name, 1-line purpose, date/context, primary actions.
2. **KPI row:** 3-5 critical metrics.
3. **Primary analysis row:** large chart/map + secondary diagnostic.
4. **Detail row:** table, log, model output, alerts or narrative.
5. **Footer utilities:** export, methodology, last update, data provenance.

Color assignment rule

Accent colors communicate function. Example: yellow = primary/attention; orange = action; cyan = live/measurement; pink = alert/exception; violet = selection/model; green = success/pass. Do not make every module a different color merely to appear playful.


For research and analytical websites, Neo-Brutalism should increase legibility and traceability. The system must never obscure units, axes, methodology, provenance, uncertainty or error states.

Line / area chart



- VIOLET = SERIES
- YELLOW = POINT


Bar / comparison chart



- 2PX BLACK OUTLINES

FLAT FILLS
- NO GRADIENT
- | CHART TYPE | NEO-BRUTALIST TREATMENT | INTERACTION |
|------------|--|---|
| Line | 2.5-4px line; explicit markers; black axes; direct label | Framed tooltip; highlight point with yellow/white badge |
| Bar | Flat fill; 1.5-2px black outline; square corners | Hover uses outline/thicker stroke, not glow |
| Scatter | Geometric markers with black outline | Selection = larger marker + hard ring |
| Heatmap | Discrete bins with border between cells | Tooltip gives bin, raw value and unit |
| Donut | Use sparingly; segment borders; direct percentages | Click selects segment with black offset marker |
| Timeline | Hard baseline, framed event labels | Horizontal pan/zoom retained if necessary |

Map styling target



Base map

Warm land, flat cyan water, pale green parks, black/gray road hierarchy, restrained labels. The underlying provider may remain unchanged if custom styling is limited, but controls and analytical overlays must match the UI.

Markers + overlays

Geometric markers with 2px outlines. Selection uses yellow/orange, larger scale and hard edge. Buffers, routes and boundaries use 2-4px strokes with direct legend labels.

Spatial analytics

Prefer discrete choropleth classes, grid cells or contour bands over fuzzy glow. Legends are framed, explicit and include thresholds + units.

ELEMENT	SPECIFICATION
Zoom / layer controls	44px square, 2px black border, cream/yellow fill, 4px hard shadow
Popup	

	Warm white, 2px frame, 5px shadow, clear close button and structured metadata
Marker	2px outline; 26-34px common size; selected 36-44px; cluster shows count
Choropleth	5-7 discrete classes; black/brown administrative outline; framed legend
Heat/intensity	Discrete cells/contours preferred; never uncontrolled neon blur
Attribution	Always preserved; restyled for readability but not removed

Responsive + Motion

≥ 1200px

Full app shell, 12-column grid, 3-5 KPIs, map/chart pairings, dense tables.

768-1199px

Sidebar collapses when needed, grid becomes 6-column / 2-up, primary panels stack selectively.

< 768px

One primary column, drawer/bottom nav, horizontally scrollable data tables, charts retain readable labels and min height.

Motion rules

- 100-180ms transition.
- Use transform + shadow depth as physical feedback.
- No ambient floating/bouncing.
- Respect prefers - reduced - motion.

Overflow risk

Hard shadows add visual width. On small screens either reduce the offset, add safe padding, or remove nonessential shadows. Never allow a shadow to create horizontal page scroll.

Accessibility + Professional Use

- ☐ WCAG AA contrast for body text and interactive controls.
- ☐ Visible focus ring on every keyboard-operable element.
- ☐ Semantic headings in logical order.
- ☐ Explicit labels for every form input.
- ☐ 44x44px minimum touch targets for primary mobile controls.
- ☐ Icons used alone receive accessible names.
- ☐ Do not encode state only with color.
- ☐ Charts include accessible titles/summary and preferably a table fallback for critical data.
- ☐ Units and date/time formats are always explicit.
- ☐ Loading, empty, error and success states all have text.
- ☐ Map controls remain keyboard-operable where library permits.
- ☐ Reduced-motion preference is respected.
- ☐ Print/export views preserve data, labels and provenance.
- ☐ Never trade scientific/data accuracy for visual style.

For analytical products, “brutal” means visually explicit, not hostile. Usability, accessibility and data fidelity are non-negotiable.

AI Migration Protocol

Phase A — Audit

- 1. Inventory all pages/routes.
- 2. List shared components.
- 3. Identify JS selectors and event hooks.
- 4. Identify all maps/charts/libraries.
- 5. Map old component -> new component.

Phase B — System first

- 1. Create global CSS tokens.
- 2. Create app shell/nav.
- 3. Create buttons/forms/cards/tables/tabs.
- 4. Create chart theme helper.
- 5. Create map UI theme layer.

Phase C — Page migration

- 1. Apply shell and hierarchy.
- 2. Refactor components without breaking semantics.
- 3. Restyle data views.
- 4. Add states and responsive behavior.
- 5. Remove obsolete styles only after verification.

Phase D — Regression QA

- 1. Test routes and links.
- 2. Test forms and actions.
- 3. Test charts/maps/filters.
- 4. Test 1440, 1024, 768, 390 widths.
- 5. Keyboard + accessibility test.

Preservation rules for coding agents

PRESERVE	REASON
IDs, data-* attributes and classes used by JS	Prevents event binding and data-selection regressions.
Form names/actions/methods	Preserves submission behavior and backend contracts.

Chart/map container IDs	Prevents library initialization failures.
ARIA / semantic landmarks	Preserves accessibility and assistive-technology behavior.
Routes, anchors and navigation destinations	Keeps the site architecture intact.
Actual values, units and scales	Style must never change analytical meaning.

Strict QA Checklist

- ☐ No gradient backgrounds.
 - ☐ No soft/blurry drop shadows.
 - ☐ No glassmorphism / backdrop blur.
 - ☐ No excessive 20px+ rounded cards.
 - ☐ One shared palette across all pages.
 - ☐ Border widths are consistent.
 - ☐ Navigation pattern is consistent across pages.
 - ☐ Active navigation state is obvious.
 - ☐ Charts use the shared palette and framed tooltips.
 - ☐ Maps use styled controls, markers, popups and legends.
- ☐ Tables have aligned numerics and clear header row.
 - ☐ Forms show labels, errors and focus states.
 - ☐ Buttons visibly react on hover/press.
 - ☐ Hard shadows do not create mobile overflow.
 - ☐ All original interactions still work.
 - ☐ No content is silently deleted.
 - ☐ Responsive layout checked at 1440/1024/768/390px.
 - ☐ Keyboard navigation checked.
 - ☐ WCAG contrast checked.
 - ☐ Print/export functionality checked where present.

Copy-Ready Master Prompt

12

Use this prompt with any coding/design agent together with the website's HTML/CSS/JS files. It explicitly tells the agent to redesign the complete site, preserve functionality, and apply the system to dashboards, charts and maps.

You are a senior product designer and front-end engineer. Redesign ALL attached HTML pages of this website into a coherent Neo-Brutalist / New-Brutalism design system. Treat the attached pages as one product, not as isolated mockups.

PRIMARY OBJECTIVE

Create a complete visual and interaction redesign while preserving the website's information architecture, content, routes, working functions, JavaScript behavior, form actions, IDs/data attributes used by scripts, accessibility semantics, and data bindings. The result must look intentionally designed from the first page to the last page, with one shared visual language.

DESIGN DIRECTION

Use a warm editorial Neo-Brutalist system:

- Background/canvas: warm cream (#F6E8D2 or #F7EFE4)
- Ink: near-black (#161616)
- Primary yellow: #FCDD28
- Orange: #F36D30
- Coral/pink: #FF4F85
- Turquoise: #12C8B0
- Violet: #8167F5
- Green: #4BD14A
- White/surface: #FBFAF6
- Borders: solid 2px or 3px black
- Shadows: hard offset shadows, usually 4-8px 4-8px 0 #161616; never soft/glowing
- Corners: mostly 0-10px; no pill-heavy UI except tags/status chips where semantically useful
- Typography: bold grotesk/sans for display and UI; monospace for metadata, numbers, labels, timestamps, code-like values
- No gradients, no glassmorphism, no blurred shadows, no translucent floating cards, no generic SaaS aesthetic
- Prefer strong hierarchy, flat color fields, visible frames, large headings, direct labels, clear alignment, and playful asymmetry only when it does not harm usability.

FIRST: AUDIT THE EXISTING WEBSITE

1. Inventory every HTML page, route, navigation item, section, modal, form, table, chart, map, dashboard card, data panel, footer, and interactive control.
2. Identify shared components and duplicated CSS.
3. Identify all JavaScript selectors, IDs, class hooks, inline event handlers, data-* attributes, form names/actions, chart containers, map containers, and external libraries.
4. Create a component mapping from OLD -> NEW before editing.
5. Do not remove content or features merely to simplify the redesign.

CREATE A SHARED DESIGN SYSTEM FIRST

Add a shared token layer using CSS custom properties. At minimum define:

```
--nb-bg, --nb-surface, --nb-ink, --nb-yellow, --nb-orange, --nb-pink, --nb-cyan, --nb-violet, --nb-green, --nb-muted;  
--nb-border-1, --nb-border-2, --nb-border-3;  
--nb-shadow-sm, --nb-shadow-md, --nb-shadow-lg;  
--nb-radius-sm, --nb-radius-md;  
--nb-space-1 through --nb-space-10;  
--nb-font-display, --nb-font-body, --nb-font-mono;  
--nb-focus.
```

Use the same tokens on every page. Do not invent unrelated palettes per page.

APP SHELL AND NAVIGATION

Desktop:

- Use a persistent left navigation or top+left hybrid when the product is dashboard-heavy.
- Sidebar width around 220-260px, warm surface, 2px right border.
- Each navigation item is a framed rectangle; active item uses black fill with light text OR yellow fill with black text.
- Use small uppercase/monospace section labels.
- Header/search row has a 2px bottom border.
- Search input is a rectangular framed field with strong icon and no soft shadow.

Mobile:

- Collapse sidebar into a menu/drawer.
- Keep primary actions visible in a bottom nav or compact top bar where appropriate.
- Minimum target size 44x44px.

LAYOUT

- Use an 8px base spacing rhythm.
- Max content width generally 1440px; dense tools may use full width.

- Desktop grid: 12 columns; card gaps 16-24px.
- Use explicit framed sections rather than floating unbounded content.
- Prefer asymmetric dashboard compositions only when reading order remains obvious.
- At 1024px reduce columns; at 768px switch most dashboards to 1-2 columns; at 480px use one column.

TYPOGRAPHY

- H1: 40-64px desktop, 34-44px mobile; 700-900 weight; tight line-height 0.95-1.05.
- H2: 28-40px; H3: 20-28px.
- Body: 15-18px, line-height 1.45-1.65.
- UI labels: 12-14px, often uppercase or monospace.
- Data/KPI values: monospace or tabular numerals.
- Never rely on font weight alone for hierarchy; also use size, framing, color blocks, and spacing.

CORE COMPONENTS

Buttons:

- Rectangular, 2px black border, 4-6px hard shadow.
- Primary: yellow or orange fill, black text.
- Secondary: warm white/cream fill.
- Destructive: coral/red family with accessible contrast.
- Hover: translate(-1px,-1px), shadow grows slightly.
- Active: translate(3px,3px), shadow collapses to 1-2px.
- Focus-visible: 3px outline, 2px offset.

Cards/Panels:

- 2px black border, white or accent fill, 5-8px hard shadow.
- Use strong title strip or clear top row.
- Avoid excessive nesting. A card inside a card needs a functional reason.
- KPI cards can use a single accent fill and very large numeric value.

Inputs/Forms:

- 2px black border, cream/white fill, 44-52px height.
- Labels above controls; helper/error text below.
- Checkbox/radio controls should be visibly framed and large enough to click.
- Invalid states use coral/red border plus text/icon, not color alone.

Tabs/Chips:

- Use framed rectangular tabs; active tab can be black, yellow, or orange.
- Chips are compact and may be lightly rounded, but retain 1.5-2px border.

Tables/Data Grids:

- Outer 2px black border.
- Strong header row using yellow/cream/black.
- 1px row rules; avoid zebra striping unless needed for large datasets.
- Numeric columns right-aligned with tabular numerals.
- Sticky header for long tables.
- Selected row: yellow or cyan fill with black outline.

Modals/Drawers:

- Opaque backdrop (no glass blur).
- Modal has 3px border and 8px hard shadow.
- Header/footer separated by rules.

Tooltips/Toasts:

- Small framed black or accent boxes with high contrast.
- No floating translucent bubbles.

CHART DESIGN SYSTEM

Restyle every chart library configuration to match the UI.

- Chart container: 2px black border; hard shadow only at container level.
- Plot background: off-white/cream.
- Axes: black, 1.5-2px.
- Gridlines: subtle warm gray, dashed or dotted; do not overuse.
- Series: use discrete palette colors from the system; never default rainbow gradients.
- Line charts: 2.5-4px lines; visible markers only when needed.
- Bars: flat fills, black 1-2px outline; square corners or ≤ 2 px radius.
- Areas: flat 15-25% tint only if library supports print-safe alpha; no glossy gradients.
- Legends: framed mini-labels or direct labels; place near data when possible.
- Tooltips: cream/yellow box with 2px black border and 4px hard shadow.
- KPI annotations: black-on-yellow or black-on-white framed labels.
- Pie/donut charts: use sparingly; if used, 2px black segment borders and direct percentages.
- Heatmaps: use discrete stepped bins (5-9 classes) instead of soft continuous glow.
- Accessibility: do not encode meaning only by hue; use symbols, line styles, labels, or patterns when necessary.
- Preserve actual values, scales, units, date formatting, interactions, zoom, filters, and export features.

MAP DESIGN SYSTEM

Keep the actual map engine (Leaflet, Mapbox GL, Google Maps, OpenLayers, ArcGIS JS, etc.) unless migration is technically necessary. Restyle controls and overlays.

Base map aesthetic:

- Warm cream land/background.
- Roads: near-black major roads; muted gray minor roads.
- Water: cyan/very light blue with black or dark outline where possible.
- Parks/green: pale green with dark outline.
- Buildings: warm white/light beige with 1px dark outline at close zoom.
- Labels: dark ink; use bold sans for key places; minimize clutter.

Controls:

- Square zoom/geolocation/layer buttons, 2px black border, cream/yellow fill, 4px hard shadow.
- Selected tool uses yellow/orange fill.

Markers:

- Use bold geometric markers: square, circle, pin, or badge with 2px black outline.
- Selected marker increases size and uses yellow/orange plus hard shadow.

- Clusters are solid colored circles/rectangles with black border and numeric label.
- Popups:
- Cream/white panel, 2px black border, no default speech-bubble styling if avoidable; 5px hard shadow; clear close button.
- Choropleth:
- Prefer 5-7 discrete classes using one ordered hue family or carefully chosen system colors.
 - Always include a framed legend with exact thresholds and units.
- Heat/intensity layers:
- Prefer discrete cell/grid representations or stepped contours; avoid fuzzy neon heat-glow that conflicts with brutalism.
- Analytical overlays:
- Selection boxes, buffers, catchments, and route lines use 2-4px hard strokes with explicit labels.
 - Keep map attribution visible and legally compliant.

DASHBOARDS

- Start with a strong page title and short descriptor.
- First row: 3-5 KPI cards.
- Second row: primary chart/map in a wide panel + secondary chart/table in a narrower panel.
- Third row: detailed table, feed, or diagnostics.
- Use accent colors to distinguish function, not decoration.
- Avoid placing every card in a different color. Use 1-2 dominant accents per view.

CONTENT / EDITORIAL PAGES

- Use bold titles, framed metadata strips, pull quotes/callouts, strong dividers, and clear reading width.
- For images/media, use 2px black frame and optional 5px hard shadow.
- For long text, reduce visual aggression: cream canvas, black text, limited accents.

ICONOGRAPHY

- Use simple line or solid icons, 1.8-2.5px stroke.
- Do not mix multiple icon families.
- Icon buttons are square and framed.
- Decorative icons must not substitute for text labels on critical controls.

MOTION

- Fast, physical and minimal: 100-180ms.
- Animate translation and shadow depth for buttons/cards.
- No slow floating, glowing, parallax-heavy, or bouncy animation.
- Respect prefers-reduced-motion.

ACCESSIBILITY / UX NON-NEGOTIABLES

- WCAG AA contrast minimum for text and controls.
- Visible keyboard focus everywhere.
- Semantic heading hierarchy.
- All form inputs have labels.
- Icons used alone have aria-label/title.
- Charts need accessible labels/summary or table fallback for important data.
- Do not use color as the only indicator.
- Preserve screen-reader landmarks and skip-link where appropriate.

RESPONSIVE RULES

- Do not scale the desktop UI down proportionally.
- Reflow grids and navigation.
- Remove decorative offsets/shadows if they cause horizontal overflow.
- Tables: use responsive scroll container or convert to stacked data cards when appropriate.
- Charts: maintain readable axis labels and minimum heights.
- Maps: at least 360px height mobile, 480-640px desktop where they are primary.

IMPLEMENTATION RULES

- Prefer CSS variables and reusable classes/components over inline style duplication.
- If pages share separate stylesheets, consolidate tokens into one design-system file and import it everywhere.
- Preserve existing framework (plain HTML, Bootstrap, Tailwind, React-generated HTML, etc.) unless the task explicitly allows architectural migration.
- If Bootstrap is present, override variables/components consistently rather than fighting individual elements.
- If Tailwind is present, add a theme layer and reusable component classes.
- For Chart.js/ECharts/Plotly/ApexCharts/D3: create one shared Neo-Brutalist chart theme/config helper.
- For Leaflet/Mapbox/OpenLayers/ArcGIS: create one shared control/popup/marker style layer.
- Do not break print/export functionality.
- Remove obsolete CSS after migration only when you verify it is unused.

PAGE-BY-PAGE PROCEDURE

For every HTML page:

- Identify the page purpose and primary task.
- Apply the global app shell/navigation.
- Rebuild hierarchy using title -> summary/actions -> primary content -> supporting content.
- Replace generic rounded cards/buttons with the system components.
- Restyle charts, maps, tables, forms, filters, and modal states.
- Check empty/loading/error/success states.
- Verify mobile/tablet/desktop.
- Verify keyboard navigation and focus.
- Verify all original interactions still work.

STRICT VISUAL QA

Reject any page that contains:

- soft drop shadows
- gradient backgrounds
- glassmorphism / backdrop blur
- excessive 20px+ rounded corners
- random pastel palette unrelated to tokens
- unframed floating UI with weak hierarchy
- inconsistent border widths
- default browser/chart/map controls left unstyled when they are visually prominent
- duplicated navigation patterns

- broken responsive overflow
- inaccessible contrast or focus states

FINAL DELIVERABLES

1. Updated HTML pages with all functionality preserved.
2. One shared Neo-Brutalist design-system stylesheet (or equivalent framework theme).
3. Shared chart theme/config.
4. Shared map UI style/config where maps exist.
5. A short CHANGELOG listing every redesigned page and major component.
6. A QA report: routes tested, interactions tested, responsive widths tested, known issues.
7. Do not stop after redesigning only the home/dashboard page. Convert the entire attached website.

VISUAL TARGET

The finished website should feel like a serious research/productivity tool redesigned through an editorial Neo-Brutalist lens: warm cream surfaces, assertive black frames, hard shadows, bright yellow/orange/cyan/pink/violet accents used deliberately, bold type, explicit controls, dense but legible dashboards, and consistent high-contrast interaction patterns. It must be visually distinctive without sacrificing usability, data accuracy, or professional credibility.

Recommended Deliverable Structure

13

```
/website
/assets
/css
  neo-brutalism-tokens.css
  neo-brutalism-components.css
  neo-brutalism-charts.css
  neo-brutalism-maps.css
/js
  chart-theme.js
  map-theme.js
index.html
...all existing pages...
CHANGELOG_NEO_BRUTALISM.md
QA_REPORT.md
```

Best workflow: give the AI agent this guideline + the full website folder. Ask it to audit first, then create the shared design system, then migrate every page, and finally run regression QA.

NEO-BRUTALIST WEB SYSTEM / V1.0 / Derived from supplied visual references / Built as an implementation specification, not merely a mood board.