```
<!DOCTYPE html>
<!--[if It IE 7]> <html class="no-js It-ie9 It-ie8 It-ie7"> <![endif]-->
<!--[if gt IE 8]><!--> <html class="no-js"> <!--<![endif]-->
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Languade detection using AI </title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="Free HTML5 Template by FREEHTML5.CO" />
<meta name="keywords" content="free html5, free template, free bootstrap, html5, css3, mobile first, responsive" />
<meta name="author" content="FREEHTML5.CO" />
 <!-- Facebook and Twitter integration -->
<meta property="og:title" content=""/>
<meta property="og:image" content=""/>
<meta property="og:url" content=""/>
<meta property="og:site_name" content=""/>
<meta property="og:description" content=""/>
<meta name="twitter:title" content="" />
<meta name="twitter:image" content="" />
<meta name="twitter:url" content="" />
<meta name="twitter:card" content="" />
<!-- Place favicon.ico and apple-touch-icon.png in the root directory -->
<!-- <li>k rel="shortcut icon" href="favicon.ico"> -->
<!-- <li>https://fonts.googleapis.com/css?
family=Playfair+Display:400,700,400italic,700italic|Merriweather:300,400italic,300italic,400,700italic' rel='stylesheet'
type='text/css'> -->
<!-- Animate.css -->
k rel="stylesheet" type="text/css" href="{{ url for('static', filename='css/animate.css') }}">
rel="stylesheet" type="text/css" href="{{ url_for('static', filename='css/icomoon.css') }}">
k rel="stylesheet" type="text/css" href="{{ url_for('static', filename='css/simple-line-icons.css') }}">
k rel="stylesheet" type="text/css" href="{{ url_for('static', filename='css/magnific-popup.css') }}">
k rel="stylesheet" type="text/css" href="{{ url_for('static', filename='css/bootstrap.css') }}">
<link rel="stylesheet" type="text/css" href="{{ url_for('static', filename='css/style.css') }}">
<!-- Modernizr JS -->
<script src= "{{url_for('static', filename='js/modernizr-2.6.2.min.js') }} " ></script>
<!-- FOR IE9 below -->
<!--[if It IE 9]>
<script src="js/respond.min.js"></script>
<!/endif]-->
</head>
<body>
<!-- Loader -->
<div class="fh5co-page">
<div id="fh5co-container">
 <div class="js-sticky">
 <div class="fh5co-main-nav">
  <div class="container">
  <div class="fh5co-menu-1">
```

```
<a href="home.html" data-nav-section="home">Home</a>
  <a href="#" data-nay-section="team">The Team</a>
  <a href="#" data-nav-section="contact">Try our service!</a>
  </div>
 </div>
 </div>
</div>
</div> <!-- END fh5co-about -->
</div> <!-- END fh5co-services -->
</div> <!-- END fh5co-gallery -->
<style type="text/css">
.text{
background: grey;
</style>
<div id="fh5co-contact" data-section="contact">
<div class="container">
 <div class="col-md-6 col-md-offset-3 text-center fh5co-heading">
  <h2>Results </h2>
The text that you have entered is written in <b> {% print( prediction) %} </b>
 </div>
</div>
</div>
<div id="fh5co-footer">
<div class="container">
 <div class="row">
 <!-- <div class="col-md-6">
  <a href="#"><i class="icon-twitter"></i></a>
   <a href="#"><i class="icon-facebook"></i></a>
   <a href="#"><i class="icon-vine"></i></a>
   <a href="#"><i class="icon-linkedin"></i></a>
   <a href="#"><i class="icon-instagram"></i></a>
  </div>
 </div>
 </div>
</div>
</div>
</div>
<div class="gototop js-top">
<a href="#" class="js-gotop"><i class="icon-arrow-up"></i>
</div>
```

```
<!-- jQuery -->
<script src= "{{url_for('static', filename='js/jquery.min.js')}} " ></script>
<script src= "{{url_for('static', filename='js/jquery.easing.1.3.js') }} " ></script>
<script src= "{{url_for('static', filename='js/bootstrap.min.js')}} " ></script>
<script src= "{{url_for('static', filename='js/jquery.waypoints.min.js')}} " ></script>
<script src= "{{url_for('static', filename='js/jquery.stellar.min.js')}} " ></script>
<script src= "{{url_for('static', filename='js/jquery.magnific-popup.min.js')}} " ></script>
<script src= "{{url_for('static', filename='js/magnific-popup-options.js')}} " ></script>
<script src= "{{url_for('static', filename='js/main.js')}} " ></script>
</body>
</html>
```