IMPLEMENT A MAPREDUCE PROGRAM TO PROCESS A WEATHER DATASET

AIM:

To implement a MapReduce python program to process a weather dataset in Hadoop.

PROCEDURE:

1. Open command prompt as administrator and start the Hadoop by using the command:

start-all.cmd

- 2. Create a new directory in the Hadoop file systems using the command:
- hadoop fs -mkdir/weather
- 3. Upload the input text file into the weather directory using the command:

hadoop fs -put C:/DA/weather/weather.txt /weather

- 4. Create the mapper and reducer files.
- 5. To execute the files with Hadoop streaming run the following command:

hadoop jar "C:\hadoop-3.3.6\share\hadoop\tools\lib\hadoop-streaming-3.3.6.jar" ^-input /weather/weather.txt ^-output /weather/output/ ^-mapper "python C:/weather/mapper.py" ^-reducer "python C:/weather/reducer.py"

MAPPER.PY:


```
#!C:/Users/md_aa/AppData/Local/Microsoft/
WindowsApps/python.exe
import sys
def map1():
    for line in sys.stdin:
        tokens = line.strip().split()
        if len(tokens) < 13:
            continue
        station = tokens[0]</pre>
```

```
if "STN" in station:
       continue
    date_hour = tokens[2]
    temp = tokens[3]
    dew = tokens[4]
    wind = tokens[12]
    if temp == "9999.9" or dew == "9999.9" or wind == "999.9":
       continue
    hour = int(date\_hour.split("\_")[-1])
    date = date_hour[:date_hour.rfind("_")-2]
    if 4 < hour <= 10:
       section = "section1"
    elif 10 < hour <= 16:
       section = "section2"
    elif 16 < hour <= 22:
       section = "section3"
    else:
       section = "section4"
    key_out = f"{station}_{date}_{section}"
    value_out = f"{temp} {dew} {wind}"
    print(f"{key_out}\t{value_out}")
if___name___== "_main_":
  map1()
REDUCER.PY:
#!C:/ProgramData/chocolatey/bin/python3.exe
```

```
import sys
def reduce1():
  current_key = None
  sum\_temp, sum\_dew, sum\_wind = 0, 0, 0
```


```
count = 0
  for line in sys.stdin:
    key, value = line.strip().split("\t")
    temp, dew, wind = map(float, value.split())
    if current_key is None:
      current_key = key
    if key == current_key:
       sum_temp += temp
       sum_dew += dew
       sum_wind += wind
       count += 1
    else:
       avg\_temp = sum\_temp / count
       avg_dew = sum_dew / count
       avg_wind = sum_wind / count
       print(f"{current_key}\t{avg_temp} {avg_dew} {avg_wind}")
       current_key = key
       sum_temp, sum_dew, sum_wind = temp, dew, wind
       count = 1
  if current_key is not None:
    avg_temp = sum_temp / count
    avg_dew = sum_dew / count
    avg_wind = sum_wind / count
    print(f"{current_key}\t{avg_temp} {avg_dew} {avg_wind}")
if___name___== "_main_":
  reduce1()
```


OUTPUT:





Browse Directory





RESULT:

Thus, the implementation of the MapReduce python program to process a weather dataset in Hadoop is executed successfully.