Status	Finished
Started	Monday, 26 October 2026, 12:45 AM
Completed	Monday, 26 October 2026, 12:50 AM
Duration	4 mins 5 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

a. c and d
b. b and d
c. a and b ✓
d. a and c

Question **2**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. [10, 20, 30, 40, 50]
b. Error
c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓
d. [1, 2, 3, 4, 5]

Question **3**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

a. False
b. True ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is not method of dictionary?

a. len
b. pop
c. del ✓
d. update

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. 5
b. A
c. Invalid Synatx,Error
d. 4 ✓

Question **6**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. values
b. update
c. get ✓
d. del

Question **7**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. True ✓
b. False

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. C = ( )

b. D = { } ✓

c. L = [ ]

d. None of the mentioned

Question **9**

Correct

Mark 1.00 out of 1.00

_____ datatype fall under mapping.

a. String

b. Dictionary ✓

c. List

d. Tuple

Question **10**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'Emily', 'John', 'Eleanor']

b. ['Janice', 'John', 'Erik']

c. ['Emily', 'John', 'Erik'] ✓

d. ['Janice', 'Emily', 'John']

Question **11**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

- a. D1.pop(7)
- b. D1.get(7) ✓
- c. D1.values(7)
- d. D1.disp(7)

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. a,b
- b. c,d,e
- c. b,c
- d. d,e,f ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. dictionary
- b. dict ✓
- c. create
- d. convert

Question **14**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓

b. True

Question **15**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. It will create a new dictionary.

b. None of the mentioned

c. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓

d. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.