

Content

- History
- Laravel Employees
- Composer
- Install Laravel
- Directory Structure
- Routing
- Blade Templating Engine

History

- DHH released first version of ruby on rails on 2004
- Some of php frameworks got inspired by RoR
- In 2010 taylor become dissatisfied with CodeIgniter as

  They were slow to catch up new features like namespaces

  [Check Laravel Origins Documentary Video]



History

- Laravel 1 (June 2011) included built in support for (authentication - routing - models - views - ..)

- Laravel 2 (September 2011) included support for (controllers - blade template engine - IOC - ..)

- Laravel 3 (February 2012) included support for (CLI Artisan - events - migrations - bundles - ..)



History

- Laravel 4 (May 2013) taylor rewrote framework from scratch and developed set of components under code name Illuminate , and pulled majority of components from symfony also included support for (seeding - soft delete - ..)

- Laravel 5 (Feb 2015) new directory tree structure and included support for (socialite - elixir - dotenv -...)

History

- Laravel 6 (September 2019) introduced Semantic Versioning and extracted front end scaffolding to laravel/ui . and introduced Lazy Collection which allow you to work with very large dataset while keeping memory usage low .

- Laravel 8 (September 2020) moved to a single release per year check this blog post for more.



Laravel Employees

- Taylor Otwel Creator Of Framework
- Mohamed Said First Laravel Employee
- Dries Vints Creator Of Popular Open Source Laravel IO
- James Brooks Creator Of Popular Open Source Cachet
- Nuno Maduro Creator of Pest PHP Testing Framework

Composer

- Composer is a dependency manager like npm for node or ruby gems for ruby .

- Download From here https://getcomposer.org/download/

- Make composer globally https://getcomposer.org/doc/00-intro.md#globally

Install Laravel

https://laravel.com/docs/master/installation#installing-laravel



Directory Structure

- Laravel Version >= 5.4 you will see :-
- app/ --> where your application go like (models controllers)
- bootstrap/ --> files laravel uses to boot every time
- config/ --> configuration files like (database configuration)
- database/ --> where (migrations - seeds - factories) exist
- public/ --> directory where server points to it when serving request it also contains (index.php)
- resources/ --> contains (views - Saas -Less files - ..)
- routes/ --> all routes definitions (Api - console -http)



Directory Structure

- storage/ --> where cache logs compiled files exist
- tests/ --> where unit & integration test exist
- vendor/ --> composer packages
- .env --> defines environments variables
- .env.example --> same as above ,it should be copied when cloning other projects
- .gitattributes , .gitignore --> git configuration files
- artisan --> php script to run artisan commands

Directory Structure

- composer.json , composer.lock --> contains project dependencies
- package.json --> like composer.json for frontend assets
- phpunit.xml --> configuration for php unit
- readme.md --> markdown for laravel introduction
- server.php --> it's a server that emulate apache mod_rewrite
- webpack.mix.js --> used for compiling and mixing frontend assets

Routing

- Controller's Method

```
Route::get('/posts' , [PostsController::class, 'index']);
```

- Parameters

```
Route::get('/posts/{id}' , [PostsController::class, 'edit']);
```

Routing

- Named Routes

```
Route::get('/posts' , [PostsController::class, 'index'])
->name('posts.index')
```

more at https://laravel.com/docs/master/routing



Blade

- Blade is inspired by .NET's Razor engine .

- echo data :- {{ $post }} instead of <?php echo $post ; ?>

- conditions :-

```
@if ($post->name == 'firstPost')
// do some stuff
@endif
```

https://laravel.com/docs/master/blade#introduction



Blade

- looping :-
  @foreach($posts as $post) //do some stuff @endforeach

- inheritance :- @exnteds(‘layouts.master’)

- define sections :-
  @section(‘content’)
  <h1> hello from the content
  @endsection

Blade

- printing sections :- @yield('content')

- including :- @include('scripts')

- Including with parameters :-

  @include('post.form',['method' => 'POST'])

more at https://laravel.com/docs/master/blade#introduction

Lab Guideline

- create a github repo and use it to the rest of days

- all labs code will be pushed to main branch so don't create sub branches for each day

- don't create a new github repo for each lab please 😂 .. don't create sub branches please 😂

Lab 1 (Index & Destroy)

ITI Blog All Posts

Create Post

Please Format Created At As Shown in lab 2

Pagination in lab 2

	Title	Posted By	Created At	Actions
1	Learn PHP	Ahmed	2018-04-10	View Edit Delete
2	Solid Principles	Mohamed	2018-04-12	View Edit Delete
3	Design Patterns	Ali	2018-04-13	View Edit Delete

Pagination in lab 2

Previous 1 2 3 Next

Lab 1 (Create & Store)

ITI Blog All Posts

Title

Description

Post Creator

Ahmed

Create

Lab 1 (Edit & Update)

ITI Blog All Posts

Title

Solid Principles

Description

in this post we are going to know the SOLID Principles , so you should be familiar with OOP

Post Creator

Mohamed

Update

Lab 1 (Show)

ITI Blog All Posts

Post Info

Title :- Special title treatment

Description :-
With supporting text below as a natural lead-in to additional content.

Post Creator Info

Name :- Ahmed

Email :- ahmed@gmail.com

Created At :- Thursday 25th of December 1975 02:15:16 PM

(Search in carbon documentation to know how to format it like this) in lab 2

Comments form will exist on this page (Day 2 labs)

Lab 1

- we will make CRUD operation on Posts using Hyper UI

- Implement Resource Controller methods like screenshots (Index, Create, Store, Edit, Update, Destroy, Show) https://laravel.com/docs/master/controllers#resource-controllers

- All Posts is a link that redirect back to /posts route

- use blade layout to not duplicate navbar across view files

- when submitting a form make sure to redirect back to /posts route (For Delete Button Logic Leave It For Lab 2)



Lab 1 (Bonus)

- Install This PHP Intelephense & Laravel
- Create a blade component called Button that accepts type parameter so that it can be called like this

```
<x-button type="primary">View</x-button>
<x-button type="secondary">Edit</x-button>
<x-button type="danger">Delete</x-button>
```

```
php artisan make:component Button
```

Then read this doc link and apply the same concepts on the button component