

VibeGuard Security Report

Target: c:\Users\mahme\OneDrive\Desktop\CodeShield AI
Generated at: 2026-06-12T09:19:17.550Z (v1.4.0)

Summary

Score: 0/100 (Grade F)

Total Vulnerabilities: 44

Files Scanned: 53

Findings

[HIGH] VG-XSS-001 - Cross-Site Scripting (XSS)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\frontend\js\app.js:456
Message: Unsafe assignment to "innerHTML" may allow XSS if the value contains user-controlled input.

[HIGH] VG-XSS-001 - Cross-Site Scripting (XSS)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\frontend\js\app.js:562
Message: Unsafe assignment to "innerHTML" may allow XSS if the value contains user-controlled input.

[HIGH] VG-XSS-001 - Cross-Site Scripting (XSS)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\frontend\js\app.js:584
Message: Unsafe assignment to "innerHTML" may allow XSS if the value contains user-controlled input.

[HIGH] VG-XSS-001 - Cross-Site Scripting (XSS)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\frontend\js\app.js:863
Message: Unsafe assignment to "innerHTML" may allow XSS if the value contains user-controlled input.

[HIGH] VG-XSS-001 - Cross-Site Scripting (XSS)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\frontend\js\app.js:865
Message: Unsafe assignment to "innerHTML" may allow XSS if the value contains user-controlled input.

[HIGH] VG-XSS-001 - Cross-Site Scripting (XSS)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\frontend\js\app.js:877
Message: Unsafe assignment to "innerHTML" may allow XSS if the value contains user-controlled input.

[HIGH] VG-XSS-001 - Cross-Site Scripting (XSS)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\frontend\js\app.js:921
Message: Unsafe assignment to "innerHTML" may allow XSS if the value contains user-controlled input.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\vscode-extension\src\pdf-exporter.ts:83
Message: fs.writeFileSync() called with a non-literal path — potential path traversal.

[MEDIUM] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\vscode-extension\src\extension.ts:495
Message: path.join() called with a non-literal argument — verify that path segments are validated.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\vscode-extension\src\extension.ts:511
Message: fs.mkdirSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\vscode-extension\src\extension.ts:512
Message: fs.writeFileSync() called with a non-literal path — potential path traversal.

[MEDIUM] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\vscode-extension\build.js:16
Message: path.join() called with a non-literal argument — verify that path segments are validated.

[MEDIUM] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\vscode-extension\build.js:17
Message: path.join() called with a non-literal argument — verify that path segments are validated.

[MEDIUM] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\vscode-extension\build.js:18
Message: path.join() called with a non-literal argument — verify that path segments are validated.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\last_analyzer.py:23
Message: eval()/exec() used with dynamic input on line 23 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\last_analyzer.py:24
Message: eval()/exec() used with dynamic input on line 24 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\last_analyzer.py:179
Message: eval()/exec() used with dynamic input on line 179 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\last_analyzer.py:181

Message: eval()/exec() used with dynamic input on line 181 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\last_analyzer.py:188

Message: eval()/exec() used with dynamic input on line 188 — potential code injection.

[CRITICAL] PY-002 - Python Command Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\last_analyzer.py:31

Message: Shell command execution detected at line 31. If user input is included, this is exploitable.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:108

Message: eval()/exec() used with dynamic input on line 108 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:111

Message: eval()/exec() used with dynamic input on line 111 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:112

Message: eval()/exec() used with dynamic input on line 112 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:113

Message: eval()/exec() used with dynamic input on line 113 — potential code injection.

[CRITICAL] PY-001 - Python eval/exec Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:116

Message: eval()/exec() used with dynamic input on line 116 — potential code injection.

[CRITICAL] PY-002 - Python Command Injection

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:127

Message: Shell command execution detected at line 127. If user input is included, this is exploitable.

[HIGH] PY-003 - Python Insecure Deserialization (pickle)

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:172

Message: pickle.load/loads() at line 172 — deserializing untrusted data can execute arbitrary code.

[HIGH] PY-005 - Python Hardcoded Secret

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:84

Message: Possible hardcoded credential at line 84.

[HIGH] PY-005 - Python Hardcoded Secret

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:98

Message: Possible hardcoded credential at line 98.

[MEDIUM] PY-007 - Python Insecure Random

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\webapp\backend\app\rules.py:157

Message: random module used at line 157. Not suitable for cryptographic operations.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\scanner.ts:84

Message: fs.statSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\scanner.ts:126

Message: fs.statSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\scanner.ts:132

Message: fs.readFileSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\scanner.ts:259

Message: fs.statSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\sca-engine.ts:75

Message: fs.readFileSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\sca-engine.ts:243

Message: fs.readdirSync() called with a non-literal path — potential path traversal.

[MEDIUM] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\sca-engine.ts:249

Message: path.join() called with a non-literal argument — verify that path segments are validated.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\core\src\sca-engine.ts:263

Message: fs.statSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\cli\src\pdfReport.ts:82

Message: fs.writeFileSync() called with a non-literal path — potential path traversal.

[MEDIUM] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\cli\src\index.ts:25

Message: path.join() called with a non-literal argument — verify that path segments are validated.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\cli\src\index.ts:243

Message: fs.writeFileSync() called with a non-literal path — potential path traversal.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\cli\src\index.ts:361

Message: fs.writeFileSync() called with a non-literal path — potential path traversal.

[MEDIUM] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\cli\src\index.ts:374

Message: path.join() called with a non-literal argument — verify that path segments are validated.

[HIGH] VG-PATH-001 - Path Traversal

Location: c:\Users\mahme\OneDrive\Desktop\CodeShield AI\vibeguard\cli\src\index.ts:395

Message: fs.writeFileSync() called with a non-literal path — potential path traversal.