


Table 1. Magnitudes of the Association between Lung Cancer and Selected Risk Factors

Risk Factors	Relative Risk	Reference
<i>Fruit Consumption:</i>		
<i>High vs low intake Finnish nonsmoking males vs population controls</i>	<i>0.13 (p for trend <0.001)</i>	<i>Knekt et al. 1991</i>
<i>High vs low intake U.S. Seventh-day Adventists cases vs controls</i>	<i>0.26 (0.10-0.70)</i>	<i>Fraser et al. 1991</i>
<i>High vs low intake Asian female cases vs controls</i>	<i>0.4 (0.2-0.9)</i>	<i>Koo 1988</i>
<i>Dietary Carotene</i>		
<i>Medium vs low intake of dietary beta-carotene Female cases vs population controls</i>	<i>0.2 (p < 0.05)</i>	<i>Pastorino et al. 1987</i>
<i>High vs low intake of carotene from fruits and vegetables Never and ex-smoking female cases vs population controls</i>	<i>0.3 (p for trend = 0.06)</i>	<i>Byers et al. 1987</i>
<i>High vs. low intake of other dietary carotenoids with vitamin A activity Female cases vs population controls</i>	<i>0.3 (p for trend = 0.009)</i>	<i>Le Marchand et al. 1989</i>

87604320



HRC Report

EVALUATION OF EFFECTS OF COMPOUND B226 ON THE
CARDIOVASCULAR SYSTEM AND ON
RESPIRATION IN THE ANAESTHETISED DOG

Huntingdon Research Centre



87476686

RESEARCH & DEVELOPMENT DEPT. REPORT...

Comparisons of Smoke
Yields of Cigarettes
Utilizing Ultraporous
Tippings and
Perforated Tippings.

May 29, 1973

S. W. McCarty

W. B. Long

C. M. O'Shields

81215581

ECUSTA PAPER DIVISION

P.O. BOX 200, PISGAH FOREST, NORTH CAROLINA 28768

Olin