

Module 4:

Website Analysis



Topic 1: Website Analysis



Web Archiving

Web archiving is the process of collecting websites from the World Wide Web to make sure that their contents are preserved in an archive so they will be available for future research.

Web archives can be useful in a lot of cases in OSINT investigations, for example if a website or a web page has been deleted, changed or replaced with different content.



Web Archiving

The Wayback Machine <https://web.archive.org/> began archiving web pages in 1996 and has archived more than 613 billion web pages over time.

INTERNET ARCHIVE
WayBackMachine

Web Archiving



chrome web store

[Home](#) > [Extensions](#) > Wayback Machine



Wayback Machine

Offered by: Internet Archive

Web Archiving

(<https://archive.today>) is an archive site that was launched in 2012.

archive.today
webpage capture

[email](#) [blog](#) [ask me](#) [FAQ](#) [Donate](#)



My url is alive and I want to archive its content

Archive.today is a time capsule for web pages!

It takes a 'snapshot' of a webpage that will always be online even if the original page disappears.

It saves a text and a graphical copy of the page for better accuracy

and provides a short and reliable link to an unalterable record of any web page

Including those from Web 2.0 sites:

- <https://archive.ph/2020-04-21vrl-lva/>
- <https://archive.ph/2014-06-26pocqg-com/maps/>

This can be useful if you want to take a 'snapshot' a page which could change soon: price list, job offer, real estate listing, drunk blog post, ...

Saved pages will have no active elements and no scripts, so they keep you safe as they cannot have any popups or malware!

I want to search the archive for saved snapshots

search queries by example

- [microsoft.com](#) for snapshots from the host microsoft.com
- [*.microsoft.com](#) for snapshots from microsoft.com and all its subdomains (e.g. www.microsoft.com)
- [http://twitter.com/turgetking](#) for snapshots from exact url (search is case-sensitive)
- [http://twitter.com/burg](#) for snapshots from urls starting with http://twitter.com/burg

Web Archiving



chrome web store

[Home](#)



[Extensions](#)



Archive Page



Archive Page

Offered by: John Navas

WHOIS Records

Whois is a TCP-based query/response protocol that is used to provide information services to internet users, usually about registered domain names.

A whois record often contains information about the person or company that registers a domain name, such as:

- Registrant information (The owner of the domain), such as: The registrant's name and contact information.
- Registrar information (The organization that registered the domain), such as: The registrar's name and contact information.
- Registration dates
- Name servers
- Most recent update
- Expiration dates

WHOIS Records

whois command line utility can be used to perform “WHOIS lookup”:

```
root@Cyb3rDoctor:~# whois google.com
Domain Name: GOOGLE.COM
Registry Domain ID: 2138514_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.markmonitor.com
Registrar URL: http://www.markmonitor.com
Updated Date: 2019-09-09T15:39:04Z
Creation Date: 1997-09-15T04:00:00Z
Registry Expiry Date: 2028-09-14T04:00:00Z
Registrar: MarkMonitor Inc.
Registrar IANA ID: 292
Registrar Abuse Contact Email: abusecomplaints@markmonitor.com
Registrar Abuse Contact Phone: +1.2083895740
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Domain Status: serverDeleteProhibited https://icann.org/epp#serverDeleteProhibited
Domain Status: serverTransferProhibited https://icann.org/epp#serverTransferProhibited
Domain Status: serverUpdateProhibited https://icann.org/epp#serverUpdateProhibited
Name Server: NS1.GOOGLE.COM
Name Server: NS2.GOOGLE.COM
Name Server: NS3.GOOGLE.COM
Name Server: NS4.GOOGLE.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2021-09-26T14:32:46Z <<<
```

WHOIS Records

There are a lot of online tools to perform “WHOIS lookup”, such as:

- <https://viewdns.info/whois/>

Viewdns.info

Lab

WHOIS



Web Application Fingerprinting

In general, fingerprinting is used to identify objects. In the case of web applications, the goal is to identify the technologies and software stacks running on the HTTP server.

Web Applications Fingerprinting is an essential step of the information gathering phase in web applications penetration testing, it is used to narrow on specific technologies, because an accurately identified web application can help us to determine known vulnerabilities and the appropriate exploits to use during penetration testing.

Web Application Fingerprinting

WhatWeb (<https://github.com/urbanadventurer/WhatWeb>) recognizes web technologies including content management systems (CMS), blogging platforms, statistic/analytics packages, JavaScript libraries, web servers, and embedded devices. It has over 1800 plugins, each to recognise something different. It also identifies version numbers, email addresses, account IDs, web framework modules, SQL errors, and more.



Web Application Fingerprinting

Wappalyzer (<https://www.wappalyzer.com/>) identifies technologies on websites, such as CMS, web frameworks, ecommerce platforms, JavaScript libraries, analytics tools and more.



Wappalyzer