association rules for the symptom : Product administered to patient of inappropriate age of ID 11414

+------+----+-----+

|rules |value |

|No adverse event | 0.58504944207566 |

| Wrong product administered | | 0.09090084369046539 |

|Incorrect dose administered |0.08990293023677765 |

| No adverse event | 0.07756509117300191 |

|Extra dose administered | 0.030209561825274425 |

|Inappropriate schedule of product administration | 0.028576612537421754 |

| Pyrexia | 0.027215821464211195 |

|Medication error | 0.01841603919078291 |

|Off label use |0.016329492878526718 |

| Pain in extremity | |0.014061507756509117 |

|Interchange of vaccine products | 0.011974961444252925 |

|Pain in extremity | 0.011884242039372222 |

|Overdose |0.011521364419849406|

|Incorrect product formulation administered | 0.011339925610087998 |

| Underdose | 0.01115848680032659 |

| Off label use | 0.010886328585684477 |

| Headache | 0.010614170371042366 |

| Overdose | 0.010432731561280958 |

|Circumstance or information capable of leading to medication

error|0.010432731561280958|

|Exposure during pregnancy | 0.009979134536877437 |

|Expired product administered |0.009888415131996734|

| Pain | |0.009434818107593215 |

|Fatigue | 0.008164746439263359 |

| Fatigue | |0.007892588224621246 |

| Product use issue | |0.007801868819740543 |

|Headache | 0.007257552390456319 |

| Product administration error | |0.007166832985575615 |

| SARS-CoV-2 test | 0.006441077746529983 |

| Vomiting | | 0.006078200127007167 |

| Nausea | |0.005806041912365055 |

| Incorrect dose administered | | 0.005261725483080831 |

| Injection site pain | 0.005080286673319423 |

|Accidental overdose | 0.004989567268438719 |

| Myalgia | 0.004354531434273791 |

|Injection site pain | 0.004173092624512383 |

| Incorrect product formulation administered | 0.004082373219631679 |

|Chills | |0.004082373219631679 |

| Product preparation error | |0.003991653814750975 |

|Accidental underdose | 0.0038102150049895674|

| Vaccination failure | | 0.0037194956001088634|

| Product storage error | 0.0037194956001088634|

|Crying |0.0036287761952281594|

|Dizziness |0.0036287761952281594|

| Medication error | 0.0036287761952281594|

| Inappropriate schedule of product administration | 0.0035380567903474554|

| Diarrhoea | | 0.0035380567903474554|

| Malaise | | 0.0034473373854667514|

| Rash | |0.0034473373854667514|

| Vaccination site pain | 0.0033566179805860474|

|Arthralgia | |0.0032658985757053434|

| Vaccination error | 0.0031751791708246394|

|Incorrect route of product administration |0.0031751791708246394|

| Dizziness | |0.0031751791708246394|

| Dyspnoea | |0.0030844597659439353|

| Product preparation issue | | 0.0030844597659439353|

|Diarrhoea | |0.0029937403610632313|

| Somnolence | |0.0029030209561825273|

|Apnoea | 0.0029030209561825273|

|Herpes zoster | 0.0029030209561825273|

| Pallor | |0.0028123015513018233|

| Oropharyngeal pain | 0.0025401433366597113|

|Erythema | |0.0025401433366597113|

| Extra dose administered | 0.0024494239317790077|

|Abdominal pain | 0.0024494239317790077|

|Incomplete course of vaccination | 0.0024494239317790077|

| Chills | |0.0023587045268983037|

| Swelling | |0.0023587045268983037|

|Abdominal pain upper | |0.0023587045268983037|

|Body temperature | |0.0022679851220175997|

|COVID-19 |0.0022679851220175997|

| Interchange of vaccine products | | 0.0021772657171368957|

| Syncope | 0.0020865463122561917|

| Hypotonic-hyporesponsive episode | 0.0020865463122561917|

| Influenza like illness | 0.0020865463122561917|

| Seizure | |0.0020865463122561917|

|Pain | |0.0019958269073754877|

| Paraesthesia | | 0.0019958269073754877 |

| Product administered at inappropriate site | |0.0019958269073754877|

| Peripheral swelling | 0.0019958269073754877|

Tremor	0.00199582690737	754877
Decreased appetite	0.00199582	69073754877
Hyperhidrosis	0.00190510750)24947837
Injection site swelling	0.001905107	75024947837
Feeling hot	0.0017236686927	7333757
Chest pain	0.001723668692	7333757
Insomnia	0.0017236686927	7333757
Feeling abnormal	0.001723668	6927333757
Herpes zoster	0.00163294928	378526717
Irritability	0.00163294928785	26717
Erythema	0.0016329492878	8526717
Palpitations	0.001632949287	8526717
Lymphadenopathy	0.00163294	192878526717
Electrocardiogram	0.001632949	92878526717
Injection site erythema	0.00154222	298829719677
Cough	0.00154222988297	719677
Loss of consciousness	0.0015422	2298829719677
Rhinorrhoea	0.001542229882	29719677
Crying	0.00154222988297	19677
Drug ineffective	0.00145151047	780912637
Asthenia	0.0014515104780	912637
Adverse event	0.00145151047	780912637
Hypoaesthesia	0.0014515104	780912637
Tachycardia	0.001451510478	30912637
Pruritus	0.00136079107321	05597
Injection site erythema	0.00136079	910732105597
Loss of personal independence	in daily activities	0.0012700716683298557
Illness	0.001270071668329	98557

| Vaccination site swelling | | 0.0012700716683298557|

| Incorrect route of product administration | 0.0012700716683298557|

|Accidental exposure to product | 0.0012700716683298557|

| Hypotonia | | 0.0012700716683298557|

| Heart rate increased | 0.0011793522634491519|

|Condition aggravated | |0.0011793522634491519|

|Anxiety |0.0011793522634491519|

| Pneumonia | 0.0011793522634491519|

| Restlessness | 0.0011793522634491519|

|Dyspnoea | |0.0011793522634491519|

| Urticaria | | 0.0011793522634491519|

| Condition aggravated | | 0.0011793522634491519|

| Lethargy | |0.0011793522634491519|

|Body temperature increased |0.0011793522634491519|

|Poor quality product administered |0.0010886328585684479|

| Product use in unapproved indication | |0.0010886328585684479|

| Product dose omission issue | | 0.0010886328585684479|

| Asthenia | | 0.0010886328585684479|

| Muscle spasms | 0.0010886328585684479|

| Mobility decreased | 0.0010886328585684479|

|Malaise | |0.0010886328585684479|

| Investigation | |0.0010886328585684479|

| Migraine | | 0.0010886328585684479|

| Wrong patient received product | 0.0010886328585684479|

| Screaming | 0.0010886328585684479|

| Body temperature | |0.0010886328585684479|

| Vaccination site erythema | | 0.0010886328585684479|

| Product temperature excursion issue |0.0010886328585684479|

```
| Product prescribing error
                                          |0.0010886328585684479|
                                        |9.979134536877439E-4|
| Impaired work ability
                                       |9.979134536877439E-4|
| Nasal congestion
| Neck pain
                                   |9.979134536877439E-4|
| Polymerase chain reaction positive
                                               |9.979134536877439E-4|
                                        |9.071940488070398E-4|
|Decreased appetite
                                      |9.071940488070398E-4|
|Influenza like illness
                                      |9.071940488070398E-4|
| C-reactive protein
| Weight decreased
                                       |9.071940488070398E-4|
| Exposure during pregnancy
                                            |9.071940488070398E-4|
                                     |9.071940488070398E-4|
| Sleep disorder
                                 |9.071940488070398E-4|
|Death
                                   |9.071940488070398E-4|
|Chest pain
| Vaccination site reaction
                                         |9.071940488070398E-4|
                                   |9.071940488070398E-4|
| Myocarditis
| Blood test
                                  |8.164746439263358E-4|
                                          |8.164746439263358E-4|
| Musculoskeletal stiffness
                                       |8.164746439263358E-4|
| Injection site reaction
| Gait disturbance
                                      |8.164746439263358E-4|
| Feeling cold
                                   |8.164746439263358E-4|
                                       |8.164746439263358E-4|
|Feeling abnormal
| Heart rate
                                  |8.164746439263358E-4|
|Hypotonic-hyporesponsive episode
                                                |8.164746439263358E-4|
| Norovirus test positive
                                        |8.164746439263358E-4|
                                       |8.164746439263358E-4|
| Visual impairment
| Gastroenteritis norovirus
                                          |8.164746439263358E-4|
|Blood test
                                  |7.257552390456318E-4|
                                             |7.257552390456318E-4|
Oxygen saturation decreased
```

| Arthralgia |7.257552390456318E-4| | Vertigo |7.257552390456318E-4| |Fever neonatal |7.257552390456318E-4| | Immediate post-injection reaction |7.257552390456318E-4| | Measles antibody negative |7.257552390456318E-4| | Presyncope |7.257552390456318E-4| |7.257552390456318E-4| Discomfort | Product prescribing issue |7.257552390456318E-4| | White blood cell count |7.257552390456318E-4| |7.257552390456318E-4| |Immunodeficiency | Rash erythematous |7.257552390456318E-4| |Adverse reaction |7.257552390456318E-4| | Full blood count |7.257552390456318E-4| | Vaccination site oedema |7.257552390456318E-4| |7.257552390456318E-4| | Induration | Bradycardia |7.257552390456318E-4| | Rubella antibody negative |7.257552390456318E-4| | Wrong technique in product usage process |7.257552390456318E-4| | Neutrophil count |7.257552390456318E-4| | Chest discomfort |7.257552390456318E-4| | SARS-CoV-2 test negative |7.257552390456318E-4| | Haemoglobin |7.257552390456318E-4| | Cyanosis |7.257552390456318E-4| |Back pain |7.257552390456318E-4| |6.350358341649278E-4| |Myalgia | Vision blurred |6.350358341649278E-4| |Hypoaesthesia |6.350358341649278E-4|

|6.350358341649278E-4|

|Nausea

|Blister | |6.350358341649278E-4 |

|Febrile convulsion | 6.350358341649278E-4 |

| Faeces discoloured | |6.350358341649278E-4 |

| Immunisation | | 6.350358341649278E-4 |

|Irritability | |6.350358341649278E-4 |

| Nasopharyngitis | | 6.350358341649278E-4 |

| Syringe issue | | 6.350358341649278E-4 |

| Photophobia | |6.350358341649278E-4 |

| Mumps antibody test negative | | 6.350358341649278E-4 |

| Blood glucose | |6.350358341649278E-4 |

| Incomplete course of vaccination | 6.350358341649278E-4 |

| Vaccination complication | |6.350358341649278E-4 |

|Illness | 6.350358341649278E-4 |

|Cough | 6.350358341649278E-4 |

|Cellulitis | |6.350358341649278E-4 |

|Blood pressure measurement | 6.350358341649278E-4 |

|Hypotonia | |6.350358341649278E-4|

| Limb discomfort | |5.443164292842239E-4 |

| Laboratory test | |5.443164292842239E-4 |

|Axillary pain | |5.443164292842239E-4|

| Pericarditis | |5.443164292842239E-4 |

| Dysphagia | |5.443164292842239E-4 |

| Eye pain | |5.443164292842239E-4 |

| COVID-19 | |5.443164292842239E-4 |

| Platelet count | | 5.443164292842239E-4 |

|Antibody test negative | |5.443164292842239E-4|

| Swelling face | |5.443164292842239E-4 |

|5.443164292842239E-4| | Swollen tongue | Poor feeding infant |5.443164292842239E-4| |5.443164292842239E-4| | C-reactive protein increased Choking |5.443164292842239E-4| | Unresponsive to stimuli |5.443164292842239E-4| |Contusion |5.443164292842239E-4| |5.443164292842239E-4| | Febrile convulsion |5.443164292842239E-4| | Oxygen saturation | Neuralgia |5.443164292842239E-4| |5.443164292842239E-4| Delivery | Inflammation |5.443164292842239E-4| | Rash pruritic |5.443164292842239E-4| |Product administered at inappropriate site |5.443164292842239E-4| |5.443164292842239E-4| | Skin lesion |5.443164292842239E-4| | Dyspepsia |Infant irritability |5.443164292842239E-4| |5.443164292842239E-4| | Back pain | Injection site rash |5.443164292842239E-4| | Confusional state |5.443164292842239E-4| |Chest discomfort |5.443164292842239E-4| |5.443164292842239E-4| | Haematochezia |Anaphylactic reaction |5.443164292842239E-4| |5.443164292842239E-4| | Fever neonatal | Tinnitus |5.443164292842239E-4| |5.443164292842239E-4| |Lymphadenopathy | Ill-defined disorder |5.443164292842239E-4| | Product confusion |4.535970244035199E-4|

|4.535970244035199E-4|

| Constipation

| Injected limb mobility decreased |4.535970244035199E-4| | Ophthalmic herpes zoster |4.535970244035199E-4| |4.535970244035199E-4| | Skin discolouration | Hypertension |4.535970244035199E-4| | Muscular weakness |4.535970244035199E-4| |4.535970244035199E-4| |Apathy |4.535970244035199E-4| | Rotavirus infection | Magnetic resonance imaging head |4.535970244035199E-4| | Eye swelling |4.535970244035199E-4| | Impaired driving ability |4.535970244035199E-4| |4.535970244035199E-4| | Pharyngeal swelling | Chest X-ray |4.535970244035199E-4| |4.535970244035199E-4| | Blood pressure measurement |4.535970244035199E-4| | Local reaction |4.535970244035199E-4| | Hypersomnia |Haematochezia |4.535970244035199E-4| |4.535970244035199E-4| | Throat tightness Ophthalmic herpes zoster |4.535970244035199E-4| | Poor quality product administered |4.535970244035199E-4| | Therapy non-responder |4.535970244035199E-4| |4.535970244035199E-4| | Hypersensitivity |Hypersensitivity |4.535970244035199E-4| |Maternal exposure during pregnancy |4.535970244035199E-4| | Rash vesicular |4.535970244035199E-4| |4.535970244035199E-4| | Speech disorder | Gastroenteritis rotavirus |4.535970244035199E-4| | Generalised tonic-clonic seizure |4.535970244035199E-4| |4.535970244035199E-4| |Burning sensation

|Immunisation reaction |4.535970244035199E-4| | Product packaging confusion |4.535970244035199E-4| |4.535970244035199E-4| |Myocarditis | Echocardiogram |4.535970244035199E-4| | Physical examination |4.535970244035199E-4| |Erythema multiforme |4.535970244035199E-4| |4.535970244035199E-4| | Skin warm | Paralysis |4.535970244035199E-4| |Contraindication to vaccination |4.535970244035199E-4| |Injection site rash |4.535970244035199E-4| | Tenderness |4.535970244035199E-4| |4.535970244035199E-4| | Tearfulness |4.535970244035199E-4| | Influenza | Injection site pruritus |4.535970244035199E-4| |4.535970244035199E-4| | Flatulence | Sneezing |4.535970244035199E-4| | Vaccination site warmth |3.628776195228159E-4| | Mucous stools |3.628776195228159E-4| | Immunisation reaction |3.628776195228159E-4| |Immediate post-injection reaction |3.628776195228159E-4| |3.628776195228159E-4| | Intensive care | Blood fibrinogen |3.628776195228159E-4| | Emotional distress |3.628776195228159E-4| | Autonomic nervous system imbalance |3.628776195228159E-4| |3.628776195228159E-4| | Hot flush |Abdominal distension |3.628776195228159E-4|

|3.628776195228159E-4|

|3.628776195228159E-4|

| White blood cell count normal

| Dysphonia

|Injection site swelling |3.628776195228159E-4| |Drug ineffective |3.628776195228159E-4| |3.628776195228159E-4| | Death |Nasopharyngitis |3.628776195228159E-4| |Muscle spasms |3.628776195228159E-4| |Deafness unilateral |3.628776195228159E-4| |3.628776195228159E-4| | Injection site haemorrhage |3.628776195228159E-4| | Full blood count normal | Rash papular |3.628776195228159E-4| | Flushing |3.628776195228159E-4| | International normalised ratio |3.628776195228159E-4| |3.628776195228159E-4| | Depression |3.628776195228159E-4| | Ear infection |3.628776195228159E-4| | Petechiae |3.628776195228159E-4| |Arrhythmia | Ocular hyperaemia |3.628776195228159E-4| |3.628776195228159E-4| | Facial paralysis | General physical health deterioration |3.628776195228159E-4| | Injection site induration |3.628776195228159E-4| | Facial pain |3.628776195228159E-4| |3.628776195228159E-4| | Thrombocytopenia | Epilepsy |3.628776195228159E-4| |3.628776195228159E-4| | Leukocytosis | Specialist consultation |3.628776195228159E-4| |C-reactive protein increased |3.628776195228159E-4| |3.628776195228159E-4| | Wheezing | Blood creatinine |3.628776195228159E-4|

|3.628776195228159E-4|

| Eczema

| Lymph node pain |3.628776195228159E-4| | Magnetic resonance imaging |3.628776195228159E-4| |Bell's palsy |3.628776195228159E-4| | Suspected COVID-19 |3.628776195228159E-4| | Gastrointestinal disorder |3.628776195228159E-4| | Social problem |3.628776195228159E-4| |3.628776195228159E-4| |Bronchitis |3.628776195228159E-4| | Oedema peripheral | Computerised tomogram head |3.628776195228159E-4| |Abdominal discomfort |3.628776195228159E-4| | Postural orthostatic tachycardia syndrome |3.628776195228159E-4| |3.628776195228159E-4| |Insomnia | Platelet count decreased |3.628776195228159E-4| |Eye pain |3.628776195228159E-4| |Injected limb mobility decreased |3.628776195228159E-4| |3.628776195228159E-4| | Ear pain |3.628776195228159E-4| |Epistaxis |3.628776195228159E-4| | Hypophagia | Live birth |3.628776195228159E-4| |3.628776195228159E-4| | Product dispensing error |2.7215821464211196E-4| | Listless | Lumbar puncture |2.7215821464211196E-4| |2.7215821464211196E-4| | Disease recurrence |2.7215821464211196E-4| | Maternal exposure during pregnancy |2.7215821464211196E-4| | Urinary tract infection |2.7215821464211196E-4| | Hyperaesthesia | Infantile vomiting |2.7215821464211196E-4|

| Poor quality sleep

|2.7215821464211196E-4|

| Injury |2.7215821464211196E-4| | Otitis media |2.7215821464211196E-4| | Injection site warmth |2.7215821464211196E-4| | Rotavirus test positive |2.7215821464211196E-4| | SARS-CoV-2 test positive |2.7215821464211196E-4| | Neurological symptom |2.7215821464211196E-4| |2.7215821464211196E-4| |Loss of consciousness |Cardiac disorder |2.7215821464211196E-4| | Body temperature increased |2.7215821464211196E-4| | Eye movement disorder |2.7215821464211196E-4| | Therapeutic response unexpected |2.7215821464211196E-4| | Respiratory tract infection |2.7215821464211196E-4| | Product label confusion |2.7215821464211196E-4| | Dysuria |2.7215821464211196E-4| |2.7215821464211196E-4| | Gait inability | Respiratory distress |2.7215821464211196E-4| | Haemoglobin decreased |2.7215821464211196E-4| |Pallor |2.7215821464211196E-4| | Musculoskeletal pain |2.7215821464211196E-4| | Throat irritation |2.7215821464211196E-4| | N-terminal prohormone brain natriuretic peptide |2.7215821464211196E-4| | Red blood cell sedimentation rate increased |2.7215821464211196E-4| | Lividity |2.7215821464211196E-4| | Oedema |2.7215821464211196E-4| | Respiratory tract congestion |2.7215821464211196E-4| |Limb discomfort |2.7215821464211196E-4| | Hepatitis B antibody negative |2.7215821464211196E-4|

|2.7215821464211196E-4|

| Anxiety

Muscle tightness	2.7215821464211196E-4
Autoimmune disorder	2.7215821464211196E-4
Neurodermatitis	2.7215821464211196E-4
Infant irritability	2.7215821464211196E-4
Monocyte percentage	2.7215821464211196E-4
Arthritis	2.7215821464211196E-4
Urine analysis normal	2.7215821464211196E-4
Respiratory disorder	2.7215821464211196E-4
Product dispensing issue	2.7215821464211196E-4
Dehydration	2.7215821464211196E-4
Burning sensation	2.7215821464211196E-4
White blood cell count decreased	2.7215821464211196E-4
Abnormal behaviour	2.7215821464211196E-4
Vaccine positive rechallenge	2.7215821464211196E-4
Sinusitis	2.7215821464211196E-4
Sinusitis Blood creatine phosphokinase MB	
Blood creatine phosphokinase MB	2.7215821464211196E-4
Blood creatine phosphokinase MB	2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased	2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased Aspartate aminotransferase	2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased Aspartate aminotransferase Alanine aminotransferase	2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased Aspartate aminotransferase Alanine aminotransferase Fear of injection	2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased Aspartate aminotransferase Alanine aminotransferase Fear of injection Axillary pain	2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased Aspartate aminotransferase Alanine aminotransferase Fear of injection Axillary pain Varicella zoster virus infection	2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased Aspartate aminotransferase Alanine aminotransferase Fear of injection Axillary pain Varicella zoster virus infection Asthma	2.7215821464211196E-4 2.7215821464211196E-4
Blood creatine phosphokinase MB Blood creatine phosphokinase White blood cell count increased Aspartate aminotransferase Alanine aminotransferase Fear of injection Axillary pain Varicella zoster virus infection Asthma Red blood cell sedimentation rate	2.7215821464211196E-4 2.7215821464211196E-4

Metabolic function test	2.7215821464211196E-4
Injection site mass	2.7215821464211196E-4
Blood thyroid stimulating hormo	one 2.7215821464211196E-4
Rash macular	2.7215821464211196E-4
Myoclonus	2.7215821464211196E-4
Chest X-ray normal	2.7215821464211196E-4
Monoparesis	2.7215821464211196E-4
C-reactive protein normal	2.7215821464211196E-4
Fall	2.7215821464211196E-4
Guillain-Barre syndrome	2.7215821464211196E-4
Ophthalmological examination	2.7215821464211196E-4
Immunisation	2.7215821464211196E-4
Endometriosis	2.7215821464211196E-4
Hypotension	2.7215821464211196E-4
Bronchitis	2.7215821464211196E-4
Cyanosis	2.7215821464211196E-4
Hepatitis B antibody negative	2.7215821464211196E-4
Viral titre	2.7215821464211196E-4
Intentional product use issue	2.7215821464211196E-4
Discomfort	2.7215821464211196E-4
Moaning	2.7215821464211196E-4
Sepsis	2.7215821464211196E-4
Partial seizures	2.7215821464211196E-4
Electrocardiogram abnormal	2.7215821464211196E-4
Lip swelling	2.7215821464211196E-4
Gastrooesophageal reflux disea	se 2.7215821464211196E-4
Stomatitis	2.7215821464211196E-4
Respiratory symptom	2.7215821464211196E-4

|Acute disseminated encephalomyelitis |2.7215821464211196E-4|

| Depressed mood | 2.7215821464211196E-4|

| Pharyngitis | 2.7215821464211196E-4|

| Pain in jaw | 2.7215821464211196E-4|

|Angioedema | 2.7215821464211196E-4|

|Dermatitis bullous |2.7215821464211196E-4|

| Troponin | 2.7215821464211196E-4|

| Skin plaque | 1.8143880976140796E-4|

|Dyskinesia |1.8143880976140796E-4|

| Appendicitis | 1.8143880976140796E-4|

| Mood altered | 1.8143880976140796E-4|

| Neisseria test positive | 1.8143880976140796E-4|

| Electrocardiogram ambulatory | 1.8143880976140796E-4|

| Dysmenorrhoea | 1.8143880976140796E-4|

| Neutrophil percentage decreased | 1.8143880976140796E-4|

| Polymerase chain reaction | 1.8143880976140796E-4|

| Eye irritation | 1.8143880976140796E-4|

|Cardiomegaly |1.8143880976140796E-4|

| Purulent discharge | 1.8143880976140796E-4|

|Fall |1.8143880976140796E-4|

| Immune system disorder | 1.8143880976140796E-4|

|Pertussis |1.8143880976140796E-4|

|Hepatitis B antibody | 1.8143880976140796E-4|

|Colitis ulcerative |1.8143880976140796E-4|

| Skin erosion | 1.8143880976140796E-4|

| Muscle twitching | 1.8143880976140796E-4|

| Human rhinovirus test positive | 1.8143880976140796E-4|

| Product name confusion | 1.8143880976140796E-4|

| Disability |1.8143880976140796E-4| |1.8143880976140796E-4| |Hyperhidrosis |1.8143880976140796E-4| |Bone pain | Vaccination site abscess |1.8143880976140796E-4| |1.8143880976140796E-4| |Asplenia |Mumps antibody test negative |1.8143880976140796E-4| | Rheumatoid arthritis |1.8143880976140796E-4| |1.8143880976140796E-4| | Nodule |1.8143880976140796E-4| | Respiratory rate | Exercise tolerance decreased |1.8143880976140796E-4| |1.8143880976140796E-4| | Panic attack |1.8143880976140796E-4| | Nervousness |1.8143880976140796E-4| | Dermatitis atopic |1.8143880976140796E-4| | Thrombosis |1.8143880976140796E-4| | Sinus rhythm | Extensive swelling of vaccinated limb |1.8143880976140796E-4| |1.8143880976140796E-4| |Angina pectoris |1.8143880976140796E-4| | Product use complaint |Pneumonia |1.8143880976140796E-4| |Cerebrovascular accident |1.8143880976140796E-4| |1.8143880976140796E-4| |Myelitis transverse |Depressed level of consciousness |1.8143880976140796E-4| |1.8143880976140796E-4| |Neutropenia |1.8143880976140796E-4| |Constipation |1.8143880976140796E-4| | Flank pain |1.8143880976140796E-4| | Aspartate aminotransferase increased | Choking |1.8143880976140796E-4|

| Splenectomy

|1.8143880976140796E-4|

| Blood potassium increased |1.8143880976140796E-4| |1.8143880976140796E-4| | Blood potassium |1.8143880976140796E-4| | CSF protein |Alopecia |1.8143880976140796E-4| |Blood test normal |1.8143880976140796E-4| | Red blood cell count |1.8143880976140796E-4| | Hyperthermia |1.8143880976140796E-4| |1.8143880976140796E-4| |Conjunctivitis |Heart rate increased |1.8143880976140796E-4| | Heavy menstrual bleeding |1.8143880976140796E-4| |1.8143880976140796E-4| | Frequent bowel movements |1.8143880976140796E-4| |Anaemia | Injection site discolouration |1.8143880976140796E-4| |1.8143880976140796E-4| |Intercepted product prescribing error |1.8143880976140796E-4| | Overweight |1.8143880976140796E-4| | Polymenorrhoea |1.8143880976140796E-4| |Influenza |1.8143880976140796E-4| |Circulatory collapse |Asymptomatic COVID-19 |1.8143880976140796E-4| |Measles antibody negative |1.8143880976140796E-4| |1.8143880976140796E-4| |Autonomic neuropathy | Fibrin D dimer |1.8143880976140796E-4| |1.8143880976140796E-4| |Allergy test |1.8143880976140796E-4| | Laser therapy |1.8143880976140796E-4| | No reaction on previous exposure to drug |1.8143880976140796E-4| | Haemorrhage | Cerebrovascular accident |1.8143880976140796E-4|

|1.8143880976140796E-4|

| Brain injury

Dyskinesia	1.8143880976140796E-4
Injection site inflammation	1.8143880976140796E-4
Gastrointestinal tube insertion	1.8143880976140796E-4
Troponin I	1.8143880976140796E-4
Dysaesthesia	1.8143880976140796E-4
Menometrorrhagia	1.8143880976140796E-4
High-pitched crying	1.8143880976140796E-4
Colitis ulcerative	1.8143880976140796E-4
Nephrotic syndrome	1.8143880976140796E-4
Muscle strain	1.8143880976140796E-4
Oropharyngeal discomfort	1.8143880976140796E-4
Dehydration	1.8143880976140796E-4
Blood urine present	1.8143880976140796E-4
Rhinitis	1.8143880976140796E-4
Metabolic acidosis	1.8143880976140796E-4
Mass	1.8143880976140796E-4
Feeding disorder	1.8143880976140796E-4
Varicella virus test negative	1.8143880976140796E-4
Mobility decreased	1.8143880976140796E-4
Vulvovaginal mycotic infection	1.8143880976140796E-4
Blood glucose increased	1.8143880976140796E-4
Exposure via skin contact	1.8143880976140796E-4
Psoriasis	1.8143880976140796E-4
Facial paralysis	1.8143880976140796E-4
SARS-CoV-2 antibody test	1.8143880976140796E-4
Haematocrit decreased	1.8143880976140796E-4
Red blood cell count decreased	1.8143880976140796E-4
Pre-eclampsia	1.8143880976140796E-4

Blepharospasm	1.8143880976140796E-4
Lacrimation increased	1.8143880976140796E-4
Haematocrit	1.8143880976140796E-4
Device connection issue	1.8143880976140796E-4
Lymphocyte count	1.8143880976140796E-4
Decreased interest	1.8143880976140796E-4
Blood pressure increased	1.8143880976140796E-4
Renal failure	1.8143880976140796E-4
Product administered by wrong p	erson 1.8143880976140796E-4
Gastroenteritis	1.8143880976140796E-4
Hallucination	1.8143880976140796E-4
Gaze palsy	1.8143880976140796E-4
Ventricular extrasystoles	1.8143880976140796E-4
Dysgeusia	1.8143880976140796E-4
Injection related reaction	1.8143880976140796E-4
Pain of skin	1.8143880976140796E-4
Ultrasound abdomen	1.8143880976140796E-4
Aplastic anaemia	1.8143880976140796E-4
Vaccination site induration	1.8143880976140796E-4
Lip swelling	1.8143880976140796E-4
Meningitis	1.8143880976140796E-4
Infusion	1.8143880976140796E-4
Arthritis reactive	1.8143880976140796E-4
Quadriplegia	1.8143880976140796E-4
Lung disorder	1.8143880976140796E-4
Physical product label issue	1.8143880976140796E-4
Respiratory failure	1.8143880976140796E-4
Vaccination site paraesthesia	1.8143880976140796E-4

Agitation	1.8143880976140796E-4
Scab	1.8143880976140796E-4
Oropharyngeal pain	1.8143880976140796E-4
Product appearance confusion	1.8143880976140796E-4
Urinary incontinence	1.8143880976140796E-4
Cold sweat	1.8143880976140796E-4
Cellulitis	1.8143880976140796E-4
Pregnancy test	1.8143880976140796E-4
Menstrual disorder	1.8143880976140796E-4
Joint range of motion decreased	1.8143880976140796E-4
Viral infection	1.8143880976140796E-4
Neck pain	1.8143880976140796E-4
Computerised tomogram thorax	1.8143880976140796E-4
Pregnancy	1.8143880976140796E-4
Productive cough	1.8143880976140796E-4
Injection site bruising	1.8143880976140796E-4
Adverse drug reaction	1.8143880976140796E-4
Gastroenteritis	1.8143880976140796E-4
Surgery	1.8143880976140796E-4
Local reaction	1.8143880976140796E-4
Cardiac arrest	1.8143880976140796E-4
Heart rate abnormal	1.8143880976140796E-4
Laboratory test	1.8143880976140796E-4
Phonophobia	1.8143880976140796E-4
Troponin increased	1.8143880976140796E-4
Abnormal faeces	1.8143880976140796E-4
Gastroenteritis viral	1.8143880976140796E-4
Contusion	1.8143880976140796E-4

Henoch-Schonlein purpura	1.8143880976140796E-4
Poor sucking reflex	1.8143880976140796E-4
Eczema	1.8143880976140796E-4
Transfusion	1.8143880976140796E-4
Crohn's disease	1.8143880976140796E-4
Product lot number issue	1.8143880976140796E-4
Inflammatory marker increased	1.8143880976140796E-4
Injection site reaction	1.8143880976140796E-4
Therapeutic response decreased	1.8143880976140796E-4
Drug dispensed to wrong patient	1.8143880976140796E-4
Electroencephalogram	1.8143880976140796E-4
Post herpetic neuralgia	1.8143880976140796E-4
Gastrointestinal disorder	1.8143880976140796E-4
Night sweats	1.8143880976140796E-4
Skin abrasion	1.8143880976140796E-4
Epistaxis	1.8143880976140796E-4
Laboratory test abnormal	1.8143880976140796E-4
Liver function test	1.8143880976140796E-4
Defaecation urgency	1.8143880976140796E-4
Musculoskeletal discomfort	1.8143880976140796E-4
Coma scale	1.8143880976140796E-4
Neurological examination	1.8143880976140796E-4
Neuropathy peripheral	1.8143880976140796E-4
Motor dysfunction	1.8143880976140796E-4
Immunodeficiency	1.8143880976140796E-4
Lower respiratory tract infection	1.8143880976140796E-4
Herpes virus infection	1.8143880976140796E-4
Acupuncture	1.8143880976140796E-4

| Oropharyngeal blistering |1.8143880976140796E-4| |1.8143880976140796E-4| | Neoplasm |1.8143880976140796E-4| | Candida infection | Blood immunoglobulin M normal |1.8143880976140796E-4| |Needle issue |1.8143880976140796E-4| | Computerised tomogram head abnormal |1.8143880976140796E-4| |1.8143880976140796E-4| | Rib fracture |1.8143880976140796E-4| |Autoimmune disorder | Eating disorder |1.8143880976140796E-4| | Fibromyalgia |1.8143880976140796E-4| |1.8143880976140796E-4| | Facial paresis |1.8143880976140796E-4| |Appendicitis |1.8143880976140796E-4| | Restless legs syndrome |1.8143880976140796E-4| | Infection |1.8143880976140796E-4| | Hypoaesthesia oral |1.8143880976140796E-4| | Breath holding |1.8143880976140796E-4| | Extrasystoles |1.8143880976140796E-4| | Stertor | Paraesthesia oral |1.8143880976140796E-4| | Oral pain |1.8143880976140796E-4| |Blood albumin decreased |1.8143880976140796E-4| | Blood immunoglobulin E normal |1.8143880976140796E-4| |COVID-19 immunisation |1.8143880976140796E-4| |1.8143880976140796E-4| |Allergy to vaccine |1.8143880976140796E-4| | Respiratory syncytial virus test |1.8143880976140796E-4| | Vomiting projectile | Pleurisy |1.8143880976140796E-4|

| Magnetic resonance imaging head abnormal

|1.8143880976140796E-4|

```
| Hormone level abnormal
                                           |1.8143880976140796E-4|
|Emotional distress
                                       |1.8143880976140796E-4|
| Superinfection bacterial
                                         |1.8143880976140796E-4|
| Dysgeusia
                                   |1.8143880976140796E-4|
| Head discomfort
                                      |1.8143880976140796E-4|
| Heart rate irregular
                                      |1.8143880976140796E-4|
| Endotracheal intubation
                                          |1.8143880976140796E-4|
| Differential white blood cell count normal
                                                 |1.8143880976140796E-4|
| Dry skin
                                 |1.8143880976140796E-4|
|Hepatitis B surface antibody
                                           |1.8143880976140796E-4|
                                                    |1.8143880976140796E-4|
| Type III immune complex mediated reaction
| Respiratory rate increased
                                          |1.8143880976140796E-4|
                                   |1.8143880976140796E-4|
Bedridden
| Slow response to stimuli
                                         |1.8143880976140796E-4|
| Neutrophil count increased
                                           |9.071940488070398E-5|
| Thoracic vertebral fracture
                                          |9.071940488070398E-5|
| Computerised tomogram thorax abnormal
                                                    |9.071940488070398E-5|
                                       |9.071940488070398E-5|
| Protein urine absent
| Tuberculin test
                                     |9.071940488070398E-5|
| Diplopia
                                  |9.071940488070398E-5|
| Similar reaction on previous exposure to drug
                                                   |9.071940488070398E-5|
| Haemodialysis
                                     |9.071940488070398E-5|
                                    |9.071940488070398E-5|
|Leukaemia
| Eosinophil count
                                      |9.071940488070398E-5|
                                  |9.071940488070398E-5|
|Deformity
| Vaccination site mass
                                        |9.071940488070398E-5|
| Urine ketone body absent
                                          |9.071940488070398E-5|
```

| Vaccination site joint movement impairment

|9.071940488070398E-5|

|9.071940488070398E-5| | Lower respiratory tract congestion |9.071940488070398E-5| |Hypertonia | Vaccination site papule |9.071940488070398E-5| |Application site erythema |9.071940488070398E-5| |9.071940488070398E-5| | Diarrhoea neonatal |9.071940488070398E-5| |Echocardiogram |9.071940488070398E-5| | Intrapartum haemorrhage | Lymphocyte percentage increased |9.071940488070398E-5| |9.071940488070398E-5| | Electroencephalogram abnormal |Myasthenia gravis |9.071940488070398E-5| |9.071940488070398E-5| | Thyroxine free | Scan brain |9.071940488070398E-5| |9.071940488070398E-5| | Abnormal faeces |9.071940488070398E-5| |Injection site induration | Gastrointestinal inflammation |9.071940488070398E-5| | Blood gases abnormal |9.071940488070398E-5| |9.071940488070398E-5| | Anosmia |9.071940488070398E-5| | Bronchial disorder |Injection site injury |9.071940488070398E-5| |Culture urine |9.071940488070398E-5| |9.071940488070398E-5| | Blood chloride increased | Palatal oedema |9.071940488070398E-5| | Injection site scar |9.071940488070398E-5| Incorrect product administration duration |9.071940488070398E-5| |9.071940488070398E-5| | Splenic injury |9.071940488070398E-5| | Non-Hodgkin's lymphoma | Culture throat negative |9.071940488070398E-5| |9.071940488070398E-5| | Renal impairment

Nuchal rigidity	9.071940488070398E-5
Nervousness	9.071940488070398E-5
Complement factor C3	9.071940488070398E-5
Blepharospasm	9.071940488070398E-5
Hypertension	9.071940488070398E-5
Streptococcus test negative	9.071940488070398E-5
Product selection error	9.071940488070398E-5
Rash generalised	9.071940488070398E-5
Vaginal haemorrhage	9.071940488070398E-5
Peptic ulcer	9.071940488070398E-5
Cardiac failure	9.071940488070398E-5
Gastrointestinal pain	9.071940488070398E-5
Hypokalaemic syndrome	9.071940488070398E-5
Mean cell haemoglobin concent	ration normal 9.071940488070398E-5
Carboxyhaemoglobin	9.071940488070398E-5
Haemorrhage subcutaneous	9.071940488070398E-5
Exploratory operation	9.071940488070398E-5
Dermatitis atopic	9.071940488070398E-5
Cluster headache	9.071940488070398E-5
Dermatitis diaper	9.071940488070398E-5
Regurgitation	9.071940488070398E-5
Scratch	9.071940488070398E-5
Haemorrhagic diathesis	9.071940488070398E-5
Disturbance in sexual arousal	9.071940488070398E-5
Imaging procedure	9.071940488070398E-5
Endotracheal intubation	9.071940488070398E-5
Mouth ulceration	9.071940488070398E-5
Anal incontinence	9.071940488070398E-5

Conduction disorder	9.071940488070398E-5
Investigation	9.071940488070398E-5
Reflex test	9.071940488070398E-5
Acid base balance	9.071940488070398E-5
Cerebral microhaemorrhage	9.071940488070398E-5
Injection site fibrosis	9.071940488070398E-5
Periorbital swelling	9.071940488070398E-5
Skin infection	9.071940488070398E-5
Lipids	9.071940488070398E-5
Vitamin C normal	9.071940488070398E-5
Legionella test	9.071940488070398E-5
Periarthritis	9.071940488070398E-5
Bilirubin conjugated	9.071940488070398E-5
Eye irritation	9.071940488070398E-5
Laryngeal papilloma	9.071940488070398E-5
Alopecia	9.071940488070398E-5
Cow pox	9.071940488070398E-5
Immobile	9.071940488070398E-5
Eye pruritus	9.071940488070398E-5
Vaccination site nerve damage	9.071940488070398E-5
Aura	9.071940488070398E-5
Blood potassium decreased	9.071940488070398E-5
Deafness unilateral	9.071940488070398E-5
Vaccination site anaesthesia	9.071940488070398E-5
Delivery	9.071940488070398E-5
Feeding tube user	9.071940488070398E-5
Amenorrhoea	9.071940488070398E-5
Blood pressure decreased	9.071940488070398E-5

| Sensitive skin |9.071940488070398E-5| | Effusion |9.071940488070398E-5| | Gestational diabetes |9.071940488070398E-5| | Oculomucocutaneous syndrome |9.071940488070398E-5| |9.071940488070398E-5| |Altered state of consciousness |9.071940488070398E-5| | Hangover |9.071940488070398E-5| | Caesarean section |9.071940488070398E-5| | Skin maceration |Accidental exposure to product by child |9.071940488070398E-5| |Anxiety disorder |9.071940488070398E-5| |9.071940488070398E-5| |Eye disorder |9.071940488070398E-5| |Dysmenorrhoea |9.071940488070398E-5| | Ligament sprain |9.071940488070398E-5| | Hypohidrosis |9.071940488070398E-5| | Leukaemia | Serum ferritin |9.071940488070398E-5| |9.071940488070398E-5| | Rhabdomyolysis |9.071940488070398E-5| | Emergency care | High density lipoprotein |9.071940488070398E-5| | Nasal pruritus |9.071940488070398E-5| | Viral titre decreased |9.071940488070398E-5| |Cardiac discomfort |9.071940488070398E-5| | Visual acuity reduced |9.071940488070398E-5| |9.071940488070398E-5| | Superinfection |9.071940488070398E-5| | Life support |9.071940488070398E-5| | Intraventricular haemorrhage | Tracheostomy |9.071940488070398E-5|

|Mechanical ventilation

|9.071940488070398E-5|

White blood cells urine negative	9.071940488070398E-5
pH urine normal	9.071940488070398E-5
Caecum operation	9.071940488070398E-5
Body temperature decreased	9.071940488070398E-5
Oxygen saturation abnormal	9.071940488070398E-5
Renal pain	9.071940488070398E-5
Hypocalcaemia	9.071940488070398E-5
Strawberry tongue	9.071940488070398E-5
Product label issue	9.071940488070398E-5
Application site inflammation	9.071940488070398E-5
Staphylococcus test positive	9.071940488070398E-5
Psychomotor hyperactivity	9.071940488070398E-5
Product complaint	9.071940488070398E-5
Blood creatinine normal	9.071940488070398E-5
Gastrointestinal infection	9.071940488070398E-5
Injection site mass	9.071940488070398E-5
Hepatitis B virus test	9.071940488070398E-5
Culture	9.071940488070398E-5
Iron deficiency anaemia	9.071940488070398E-5
Blood pressure decreased	9.071940488070398E-5
Injection site pruritus	9.071940488070398E-5
Head injury	9.071940488070398E-5
Dysstasia	9.071940488070398E-5
Product label on wrong product	9.071940488070398E-5
Concomitant disease aggravated	9.071940488070398E-5
Thyroxine normal	9.071940488070398E-5
Hypertonia	9.071940488070398E-5
Ageusia	9.071940488070398E-5

Injection site hyperaesthesia	9.071940488070398E-5
Dystonia	9.071940488070398E-5
Thermal burns of eye	9.071940488070398E-5
Influenza virus test	9.071940488070398E-5
Intra-abdominal fluid collection	9.071940488070398E-5
Skin irritation	9.071940488070398E-5
Laparotomy	9.071940488070398E-5
Gaze palsy	9.071940488070398E-5
Alanine aminotransferase increas	ed 9.071940488070398E-5
Papule	9.071940488070398E-5
Apnoea	9.071940488070398E-5
Cardiopulmonary exercise test	9.071940488070398E-5
Infection susceptibility increased	9.071940488070398E-5
Increased bronchial secretion	9.071940488070398E-5
Dyspnoea exertional	9.071940488070398E-5
Procalcitonin	9.071940488070398E-5
Oral disorder	9.071940488070398E-5
Meningitis viral	9.071940488070398E-5
Rubella antibody test	9.071940488070398E-5
Obesity	9.071940488070398E-5
Gastric dilatation	9.071940488070398E-5
Blood sodium normal	9.071940488070398E-5
Urine ketone body	9.071940488070398E-5
Apathy	9.071940488070398E-5
Haemoglobin increased	9.071940488070398E-5
Head discomfort	9.071940488070398E-5
Neuralgic amyotrophy	9.071940488070398E-5
Ultrasound skull normal	9.071940488070398E-5

Blood calcium	9.071940488070398E-5
Pituitary hypoplasia	9.071940488070398E-5
Hypocoagulable state	9.071940488070398E-5
Myasthenia gravis crisis	9.071940488070398E-5
Sputum discoloured	9.071940488070398E-5
Ichthyosis	9.071940488070398E-5
Haematology test	9.071940488070398E-5
Temperature regulation disorder	9.071940488070398E-5
Mean cell haemoglobin increased	9.071940488070398E-5
Gastroenteritis rotavirus	9.071940488070398E-5
Haematemesis	9.071940488070398E-5
Osmophobia	9.071940488070398E-5
Bronchospasm	9.071940488070398E-5
Immune thrombocytopenia	9.071940488070398E-5
Chiropractic	9.071940488070398E-5
Platelet count increased	9.071940488070398E-5
Social avoidant behaviour	9.071940488070398E-5
Blood sodium increased	9.071940488070398E-5
Magnetic resonance imaging spina	l 9.071940488070398E-5
Intra-abdominal haemorrhage	9.071940488070398E-5
Platelet distribution width	9.071940488070398E-5
Glucose urine absent	9.071940488070398E-5
Measles	9.071940488070398E-5
Bundle branch block right	
,	9.071940488070398E-5
Balance disorder	9.071940488070398E-5 9.071940488070398E-5
	·
Balance disorder	9.071940488070398E-5

|Adenovirus infection | |9.071940488070398E-5 |

|Dry mouth | 9.071940488070398E-5 |

| Haemangioma-thrombocytopenia syndrome | 9.071940488070398E-5 |

|Cardiac infection | 9.071940488070398E-5 |

|Paraesthesia | 9.071940488070398E-5 |

|Application site swelling | |9.071940488070398E-5 |

| Viral rash | |9.071940488070398E-5 |

| Blood bilirubin unconjugated increased | 9.071940488070398E-5 |

|Herpes zoster oticus | |9.071940488070398E-5 |

| Menstruation normal | 9.071940488070398E-5 |

|Feeling hot | 9.071940488070398E-5 |

| Cerebral ischaemia | |9.071940488070398E-5 |

| Hepatic pain | |9.071940488070398E-5 |

| Enteropathy-associated T-cell lymphoma | 9.071940488070398E-5 |

| Aspartate aminotransferase normal | 9.071940488070398E-5 |

|Activated partial thromboplastin time | 9.071940488070398E-5 |

| Immunohistochemistry | 9.071940488070398E-5 |

| Wheelchair user | |9.071940488070398E-5 |

| Morbillivirus test positive | |9.071940488070398E-5 |

| Conjunctivitis | 9.071940488070398E-5 |

| Chronic fatigue syndrome | |9.071940488070398E-5 |

| Corneal reflex decreased | 9.071940488070398E-5 |

| Emergency care examination | 9.071940488070398E-5 |

| Anaphylactic reaction | 9.071940488070398E-5 |

| Blood urea | |9.071940488070398E-5 |

| Q fever | |9.071940488070398E-5 |

|Injection site ulcer | |9.071940488070398E-5 |

| Lymph node abscess | 9.071940488070398E-5 |

```
| Magnetic resonance imaging heart
                                               |9.071940488070398E-5|
                                        |9.071940488070398E-5|
| Cytomegalovirus test
| Weight bearing difficulty
                                         |9.071940488070398E-5|
| Echocardiogram normal
                                          |9.071940488070398E-5|
| Hepatitis C antibody negative
                                            |9.071940488070398E-5|
                                  |9.071940488070398E-5|
| Anaemia
                                    |9.071940488070398E-5|
| Ecchymosis
                                |9.071940488070398E-5|
| Acne
                                             |9.071940488070398E-5|
|Angiotensin converting enzyme
|Infantile spasms
                                      |9.071940488070398E-5|
                                         |9.071940488070398E-5|
| Seborrhoeic dermatitis
                                    |9.071940488070398E-5|
| Septic shock
                                      |9.071940488070398E-5|
| Feeling of despair
                                   |9.071940488070398E-5|
| Incoherent
                                   |9.071940488070398E-5|
| Encephalitis
| Transient ischaemic attack
                                           |9.071940488070398E-5|
| Computerised tomogram abdomen normal
                                                     |9.071940488070398E-5|
                                      |9.071940488070398E-5|
| Nasal obstruction
| Foetal monitoring abnormal
                                            |9.071940488070398E-5|
| Ejection fraction decreased
                                           |9.071940488070398E-5|
                                      |9.071940488070398E-5|
| Pharyngeal lesion
| Fluid intake reduced
                                       |9.071940488070398E-5|
                                    |9.071940488070398E-5|
| Corneal scar
                                       |9.071940488070398E-5|
| Impaired quality of life
                                        |9.071940488070398E-5|
| Coronavirus infection
                                         |9.071940488070398E-5|
|Intermenstrual bleeding
| Foreign body aspiration
                                         |9.071940488070398E-5|
                                         |9.071940488070398E-5|
| Enterovirus test positive
```

Prescription drug used without a prescription	
9.071940488070398E-5	
9.071	940488070398E-5
9.07194048	8070398E-5
9.071940488	070398E-5
9.071940488	8070398E-5
9.0	71940488070398E-5
9.0719	40488070398E-5
9.071940488070)398E-5
9.071940	488070398E-5
9.0719404	488070398E-5
9.07194048807	'0398E-5
9.0719	40488070398E-5
9.071940	488070398E-5
9.071940)488070398E-5
9.07194048	8070398E-5
9.071940	488070398E-5
9.0719	940488070398E-5
9.071940	488070398E-5
9.07194048807	0398E-5
9.071940488	8070398E-5
9.07194048	8070398E-5
9.0719404	188070398E-5
9.071940488	070398E-5
9.071940488	8070398E-5
9.07194	0488070398E-5
9.07	71940488070398E-5
9.071940)488070398E-5
	9.0719404880 9.0719404880 9.071940488070 9.071940488070

Injection site nodule	9.071940488070398E-5
Skin test	9.071940488070398E-5
Partial seizures	9.071940488070398E-5
External ear pain	9.071940488070398E-5
Vestibular neuronitis	9.071940488070398E-5
Fracture displacement	9.071940488070398E-5
Tendonitis	9.071940488070398E-5
C-reactive protein normal	9.071940488070398E-5
Urinary sediment present	9.071940488070398E-5
Twin pregnancy	9.071940488070398E-5
Vital signs measurement	9.071940488070398E-5
Mycoplasma infection	9.071940488070398E-5
Hyperaemia	9.071940488070398E-5
Injection site oedema	9.071940488070398E-5
Physiotherapy	9.071940488070398E-5
Decreased activity	9.071940488070398E-5
Fluid balance assessment	9.071940488070398E-5
Breast feeding	9.071940488070398E-5
Angiopathy	9.071940488070398E-5
Hypophagia	9.071940488070398E-5
Blood sodium	9.071940488070398E-5
Deafness	9.071940488070398E-5
Heart rate decreased	9.071940488070398E-5
Blood albumin	9.071940488070398E-5
Stridor	9.071940488070398E-5
Rash rubelliform	9.071940488070398E-5
Pulmonary haemorrhage	9.071940488070398E-5
Encephalitis viral	9.071940488070398E-5

Mean cell volume normal	9.071940488070398E-5
Vaccination site scar	9.071940488070398E-5
Antinuclear antibody	9.071940488070398E-5
Enzyme activity assay	9.071940488070398E-5
Injection site extravasation	9.071940488070398E-5
Wound closure	9.071940488070398E-5
Mumps antibody test	9.071940488070398E-5
Systemic lupus erythematosus	9.071940488070398E-5
Respiratory arrest	9.071940488070398E-5
Electrocardiogram	9.071940488070398E-5
Muscle rigidity	9.071940488070398E-5
Asthma	9.071940488070398E-5
CSF glucose	9.071940488070398E-5
Influenza B virus test	9.071940488070398E-5
Internal haemorrhage	9.071940488070398E-5
Oral herpes	9.071940488070398E-5
Laryngoscopy abnormal	9.071940488070398E-5
Intervertebral disc protrusion	9.071940488070398E-5
Peripheral sensory neuropathy	9.071940488070398E-5
Blood bilirubin increased	9.071940488070398E-5
Acute kidney injury	9.071940488070398E-5
Joint hyperextension	9.071940488070398E-5
Cardiac discomfort	9.071940488070398E-5
Confusional state	9.071940488070398E-5
Blood thyroid stimulating hormon	e decreased 9.071940488070398E-5
Drug intolerance	9.071940488070398E-5
Balance disorder	9.071940488070398E-5
Breath sounds abnormal	9.071940488070398E-5

| Growth disorder |9.071940488070398E-5| |9.071940488070398E-5| | Helicobacter gastritis |9.071940488070398E-5| | Bell's palsy | Sweating fever |9.071940488070398E-5| |9.071940488070398E-5| | Fibrosis | Oral mucosal erythema |9.071940488070398E-5| |9.071940488070398E-5| | Vaccine virus shedding |9.071940488070398E-5| | visual | Blast cell proliferation |9.071940488070398E-5| | Ataxia |9.071940488070398E-5| |9.071940488070398E-5| | Antineutrophil cytoplasmic antibody |9.071940488070398E-5| |Allergy to metals |9.071940488070398E-5| | Laboratory test normal |9.071940488070398E-5| | Rectal ulcer haemorrhage |9.071940488070398E-5| | Culture urine negative |Imprisonment |9.071940488070398E-5| |9.071940488070398E-5| | Pulmonary function test normal |9.071940488070398E-5| |Abdominal cavity drainage | Phototherapy |9.071940488070398E-5| | Swelling of eyelid |9.071940488070398E-5| | Apparent life threatening event |9.071940488070398E-5| | Immunoglobulin therapy |9.071940488070398E-5| Otitis externa |9.071940488070398E-5| |9.071940488070398E-5| |Haemoglobin |9.071940488070398E-5| |Ear infection |9.071940488070398E-5| | Dry eye | Ovulation disorder |9.071940488070398E-5| |9.071940488070398E-5| | Mastitis

Respiratory syncytial virus infection	9.071940488070398E-5
Ultrasound abdomen abnormal	9.071940488070398E-5
PCO2 increased	9.071940488070398E-5
Developmental regression	9.071940488070398E-5
Infectious mononucleosis	9.071940488070398E-5
Diarrhoea haemorrhagic	9.071940488070398E-5
Bone loss 9	9.071940488070398E-5
Rectal haemorrhage	9.071940488070398E-5
pH body fluid abnormal	9.071940488070398E-5
Epilepsy 9.	.071940488070398E-5
Eosinophil percentage increased	9.071940488070398E-5
Plasma cell myeloma	9.071940488070398E-5
Injection site hypoaesthesia	9.071940488070398E-5
Increased viscosity of bronchial secre	tion 9.071940488070398E-5
Blood cholesterol	9.071940488070398E-5
Diabetes mellitus	9.071940488070398E-5
Magnetic resonance imaging brain abo	normal 9.071940488070398E-5
Hyposplenism	9.071940488070398E-5
Dry eye 9.6	071940488070398E-5
Blood immunoglobulin M increased	9.071940488070398E-5
Hepatitis B surface antibody negative	9.071940488070398E-5
Mucosal inflammation	9.071940488070398E-5
Staphylococcal infection	9.071940488070398E-5
Dark circles under eyes	9.071940488070398E-5
Seasonal allergy	9.071940488070398E-5
Vaccination site abscess sterile	9.071940488070398E-5
Injection site discomfort	9.071940488070398E-5

Application site swelling	9.071940488070398E-5
Blood culture	9.071940488070398E-5
Blood lactate dehydrogenase	9.071940488070398E-5
Exposure via eye contact	9.071940488070398E-5
Interleukin-2 receptor assay	9.071940488070398E-5
Diplegia	9.071940488070398E-5
Sigmoidoscopy normal	9.071940488070398E-5
Imaging procedure abnormal	9.071940488070398E-5
Hyperbaric oxygen therapy	9.071940488070398E-5
Body mass index	9.071940488070398E-5
Blood urine absent	9.071940488070398E-5
Heart transplant	9.071940488070398E-5
Dry mouth	9.071940488070398E-5
Vaccination site pruritus	9.071940488070398E-5
Ankylosing spondylitis	9.071940488070398E-5
Enterocolitis viral	9.071940488070398E-5
Radial pulse	9.071940488070398E-5
Chemotherapy	9.071940488070398E-5
Pleural effusion	9.071940488070398E-5
Cytokine test	9.071940488070398E-5
White blood cells urine	9.071940488070398E-5
Ill-defined disorder	9.071940488070398E-5
Disseminated intravascular coagu	lation 9.071940488070398E-5
Neoplasm malignant	9.071940488070398E-5
Behcet's syndrome	9.071940488070398E-5
CSF culture negative	9.071940488070398E-5
Blood methaemoglobin	9.071940488070398E-5
Streptococcus test	9.071940488070398E-5

|Cold sweat |9.071940488070398E-5| |9.071940488070398E-5| |Groin pain | Gastrointestinal ulcer |9.071940488070398E-5| |Emotional disorder |9.071940488070398E-5| | Hyperkalaemia |9.071940488070398E-5| | Shock |9.071940488070398E-5| |9.071940488070398E-5| | Angioedema |9.071940488070398E-5| |Encephalitis |Alanine aminotransferase increased |9.071940488070398E-5| | Weight |9.071940488070398E-5| | Scan with contrast abnormal |9.071940488070398E-5| | Chromaturia |9.071940488070398E-5| |9.071940488070398E-5| | Immunoglobulins | Liver function test increased |9.071940488070398E-5| |Blood glucose normal |9.071940488070398E-5| | Bladder catheterisation |9.071940488070398E-5| |9.071940488070398E-5| | Lymphocyte percentage |9.071940488070398E-5| | Respiratory rate decreased | Epstein-Barr virus antibody positive |9.071940488070398E-5| | Angiocardiogram |9.071940488070398E-5| |9.071940488070398E-5| | CSF red blood cell count | Spinal X-ray |9.071940488070398E-5| |Monoplegia |9.071940488070398E-5| | Meningitis meningococcal |9.071940488070398E-5| |9.071940488070398E-5| |Application site cellulitis | Blood bicarbonate increased |9.071940488070398E-5| | Ocular discomfort |9.071940488070398E-5| |9.071940488070398E-5| |Diarrhoea haemorrhagic

|Caesarean section |9.071940488070398E-5| |9.071940488070398E-5| |Mucous stools | Cognitive disorder |9.071940488070398E-5| | Incorrect product administration duration |9.071940488070398E-5| |9.071940488070398E-5| | Face oedema | Product availability issue |9.071940488070398E-5| | Sleep deficit |9.071940488070398E-5| |9.071940488070398E-5| |Feeling cold | Endoscopy upper gastrointestinal tract abnormal |9.071940488070398E-5| | Neutropenia |9.071940488070398E-5| |9.071940488070398E-5| | Floppy infant |9.071940488070398E-5| | Tunnel vision |9.071940488070398E-5| |Painful respiration |9.071940488070398E-5| |Congenital optic nerve anomaly |9.071940488070398E-5| | Tongue discomfort | Stress urinary incontinence |9.071940488070398E-5| |9.071940488070398E-5| | Neutrophil percentage |9.071940488070398E-5| | Lymphatic disorder | Blood iron normal |9.071940488070398E-5| | Blindness |9.071940488070398E-5| |9.071940488070398E-5| |Alice in wonderland syndrome |Dysphagia |9.071940488070398E-5| |9.071940488070398E-5| | Pneumothorax |9.071940488070398E-5| |Intensive care |9.071940488070398E-5| | Inflammatory marker test |9.071940488070398E-5| | X-ray | Pregnancy test positive |9.071940488070398E-5|

|9.071940488070398E-5|

| Ehrlichia test

| Coma scale abnormal |9.071940488070398E-5| |9.071940488070398E-5| | Epstein-Barr virus test |9.071940488070398E-5| | Electrocardiogram PR interval |Fracture |9.071940488070398E-5| | Blood potassium normal |9.071940488070398E-5| |9.071940488070398E-5| |Blood potassium increased |9.071940488070398E-5| | Complement factor C4 |9.071940488070398E-5| | Muscle contractions involuntary |Mouth haemorrhage |9.071940488070398E-5| | Multiple organ dysfunction syndrome |9.071940488070398E-5| |9.071940488070398E-5| | Thrombocytopenic purpura | Inflammatory marker increased |9.071940488070398E-5| |9.071940488070398E-5| | Walking aid user |9.071940488070398E-5| |Musculoskeletal pain |9.071940488070398E-5| | Borrelia test |9.071940488070398E-5| | Papilloma |9.071940488070398E-5| | Taste disorder |9.071940488070398E-5| | Radial pulse abnormal |Allodynia |9.071940488070398E-5| |Endocrine test |9.071940488070398E-5| | Computerised tomogram head normal |9.071940488070398E-5| |Incisional drainage |9.071940488070398E-5| |Gait disturbance |9.071940488070398E-5| | Sudden death |9.071940488070398E-5| |9.071940488070398E-5| | Blood magnesium |9.071940488070398E-5| | Arrhythmia |Disseminated intravascular coagulation |9.071940488070398E-5|

|9.071940488070398E-5|

| Chlamydial infection

Toothache	9.071940488070398E-5
Electrocoagulation	9.071940488070398E-5
Appendix disorder	9.071940488070398E-5
Joint swelling	9.071940488070398E-5
Anogenital warts	9.071940488070398E-5
Patient restraint	9.071940488070398E-5
Aphthous ulcer	9.071940488070398E-5
Dysarthria	9.071940488070398E-5
Dizziness postural	9.071940488070398E-5
Coagulopathy	9.071940488070398E-5
Product quality issue	9.071940488070398E-5
Coagulation test	9.071940488070398E-5
Mental status changes	9.071940488070398E-5
Paresis	9.071940488070398E-5
Illusion	9.071940488070398E-5
Complement factor normal	9.071940488070398E-5
C-reactive protein decreased	9.071940488070398E-5
Vaccination site hypoaesthesia	9.071940488070398E-5
Red blood cell sedimentation rat	e normal 9.071940488070398E-5
Cytomegalovirus infection	9.071940488070398E-5
Dermatitis contact	9.071940488070398E-5
Dyscalculia	9.071940488070398E-5
Food protein-induced enterocoli	tis syndrome 9.071940488070398E-5
Multisystem inflammatory syndr	ome in children 9.071940488070398E-5
Haemodynamic instability	9.071940488070398E-5
Bronchoscopy abnormal	9.071940488070398E-5
Abortion spontaneous	9.071940488070398E-5
Sensory disturbance	9.071940488070398E-5

Autoantibody test	9.071940488070398E-5
Oral discomfort	9.071940488070398E-5
Gonorrhoea	9.071940488070398E-5
Electrocardiogram T wave normal	9.071940488070398E-5
Traumatic delivery	9.071940488070398E-5
Injection site bruising	9.071940488070398E-5
Parvovirus B19 test negative	9.071940488070398E-5
Monocyte count normal	9.071940488070398E-5
Hepatitis infectious mononucleosi	s 9.071940488070398E-5
Facial paresis	9.071940488070398E-5
Chest wall mass	9.071940488070398E-5
Product supply issue	9.071940488070398E-5
Animal bite	9.071940488070398E-5
Chest injury	9.071940488070398E-5
Plasmapheresis	9.071940488070398E-5
Coma	9.071940488070398E-5
Hypopnoea	9.071940488070398E-5
Computerised tomogram	9.071940488070398E-5
Blood test abnormal	9.071940488070398E-5
Leukopenia	9.071940488070398E-5
Pancreatitis	9.071940488070398E-5
CD8 lymphocytes decreased	9.071940488070398E-5
Ultrasound scan normal	9.071940488070398E-5
Antinuclear antibody	9.071940488070398E-5
Incorrect dosage administered	9.071940488070398E-5
Biopsy heart	9.071940488070398E-5
Bronchiolitis	9.071940488070398E-5
Impetigo	9.071940488070398E-5

Cardiac murmur	9.071940488070398E-5
Blood triglycerides	9.071940488070398E-5
Muscle tightness	9.071940488070398E-5
Platelet count normal	9.071940488070398E-5
Breast feeding	9.071940488070398E-5
Blood glucose normal	9.071940488070398E-5
Migraine	9.071940488070398E-5
Rheumatoid factor	9.071940488070398E-5
No reaction on previous exposure t	o drug 9.071940488070398E-5
Stem cell transplant	9.071940488070398E-5
Measles antibody positive	9.071940488070398E-5
Mast cell activation syndrome	9.071940488070398E-5
Eosinophilic oesophagitis	9.071940488070398E-5
Encephalopathy	9.071940488070398E-5
Meningitis viral	9.071940488070398E-5
Tendon disorder	9.071940488070398E-5
Hypersomnia	9.071940488070398E-5
Blood lactic acid increased	9.071940488070398E-5
Epstein-Barr virus test positive	9.071940488070398E-5
Electroneuromyography	9.071940488070398E-5
Hand-foot-and-mouth disease	9.071940488070398E-5
Electrocardiogram QT interval	9.071940488070398E-5
Rash morbilliform	9.071940488070398E-5
Blood iron increased	9.071940488070398E-5
Lip oedema	9.071940488070398E-5
Hemiparesis	9.071940488070398E-5
Vein disorder	9.071940488070398E-5
Myxoid cyst	9.071940488070398E-5

| Nuclear magnetic resonance imaging abnormal |9.071940488070398E-5| |9.071940488070398E-5| | Foetal death |9.071940488070398E-5| | Culture urine | Injection site necrosis |9.071940488070398E-5| |9.071940488070398E-5| |Hypotension | Viral test |9.071940488070398E-5| | Nuclear magnetic resonance imaging normal |9.071940488070398E-5| |9.071940488070398E-5| | Protein total | Cafe au lait spots |9.071940488070398E-5| |Adenoidal disorder |9.071940488070398E-5| | CSF culture |9.071940488070398E-5| | Raynaud's phenomenon |9.071940488070398E-5| |9.071940488070398E-5| | Abscess |9.071940488070398E-5| | Large intestinal obstruction reduction |9.071940488070398E-5| |Ligament disorder |Injection site extravasation |9.071940488070398E-5| |9.071940488070398E-5| |Multimorbidity |9.071940488070398E-5| |Basal ganglia stroke | Panic reaction |9.071940488070398E-5| | Hypernatraemia |9.071940488070398E-5| |9.071940488070398E-5| |Electroencephalogram normal | Myopericarditis |9.071940488070398E-5| |Dermatitis |9.071940488070398E-5| |Brain natriuretic peptide |9.071940488070398E-5| |9.071940488070398E-5| | Strabismus |9.071940488070398E-5| | Influenza A virus test |HIV infection |9.071940488070398E-5|

|9.071940488070398E-5|

| Snoring

Alanine aminotransferase normal	9.071940488070398E-5
Subcutaneous abscess	9.071940488070398E-5
Chiropractic	9.071940488070398E-5
Posture abnormal	9.071940488070398E-5
Autism spectrum disorder	9.071940488070398E-5
Cardiomyopathy	9.071940488070398E-5
Pleuritic pain	9.071940488070398E-5
Blood triglycerides abnormal	9.071940488070398E-5
Erectile dysfunction	9.071940488070398E-5
Erectile dysfunction	9.071940488070398E-5
Disease complication	9.071940488070398E-5
Mouth swelling	9.071940488070398E-5
Pregnancy test urine negative	9.071940488070398E-5
Joint contracture	9.071940488070398E-5
Lower respiratory tract inflammat	ion 9.071940488070398E-5
Hypoalbuminaemia	9.071940488070398E-5
Basophil percentage decreased	9.071940488070398E-5
Respiratory viral panel	9.071940488070398E-5
Oral mucosal eruption	9.071940488070398E-5
Pericarditis	9.071940488070398E-5
Electrocardiogram normal	9.071940488070398E-5
Tracheostomy tube removal	9.071940488070398E-5
CSF cell count	9.071940488070398E-5
Electric shock sensation	9.071940488070398E-5
Radiculitis brachial	9.071940488070398E-5
HIV test	9.071940488070398E-5
Troponin I increased	9.071940488070398E-5
CD4 lymphocytes decreased	9.071940488070398E-5

| Fungal infection |9.071940488070398E-5| |9.071940488070398E-5| | Stool analysis normal |9.071940488070398E-5| | Lymphadenitis |Biopsy skin |9.071940488070398E-5| | Ophthalmological examination normal |9.071940488070398E-5| |9.071940488070398E-5| | Amnesia |9.071940488070398E-5| | Expired product administered |9.071940488070398E-5| | Polycythaemia |Cerebral disorder |9.071940488070398E-5| |Amplified musculoskeletal pain syndrome |9.071940488070398E-5| |9.071940488070398E-5| |Feeling jittery | Product substitution issue |9.071940488070398E-5| |9.071940488070398E-5| |Blood glucose increased |9.071940488070398E-5| | Upper motor neurone lesion | Hair growth abnormal |9.071940488070398E-5| | Eosinophil count normal |9.071940488070398E-5| |9.071940488070398E-5| |HIV test |9.071940488070398E-5| | Tympanic membrane perforation | Scintillating scotoma |9.071940488070398E-5| | Immature granulocyte count |9.071940488070398E-5| | Red cell distribution width |9.071940488070398E-5| |Atypical pneumonia |9.071940488070398E-5| |9.071940488070398E-5| | Bursitis |9.071940488070398E-5| |Haematemesis |9.071940488070398E-5| | Head injury |9.071940488070398E-5| | Cerebral palsy | Selective eating disorder |9.071940488070398E-5| |9.071940488070398E-5| | Female sexual dysfunction

Muscle fatigue	9.071940488070398E-5
Developmental delay	9.071940488070398E-5
Low density lipoprotein	9.071940488070398E-5
Blast cell crisis	9.071940488070398E-5
Cerebral infarction	9.071940488070398E-5
Cluster headache	9.071940488070398E-5
Blood immunoglobulin M decrease	ed 9.071940488070398E-5
Immobile	9.071940488070398E-5
Hypoaesthesia eye	9.071940488070398E-5
Decreased vibratory sense	9.071940488070398E-5
Road traffic accident	9.071940488070398E-5
Sense of oppression	9.071940488070398E-5
Cephalhaematoma	9.071940488070398E-5
Varicella virus test positive	9.071940488070398E-5
Foetal growth restriction	9.071940488070398E-5
Salivary hypersecretion	9.071940488070398E-5
Pupil fixed	9.071940488070398E-5
Injection site urticaria	9.071940488070398E-5
Culture stool	9.071940488070398E-5
Mycoplasma test	9.071940488070398E-5
Full blood count abnormal	9.071940488070398E-5
Visual field tests	9.071940488070398E-5
Biopsy skin	9.071940488070398E-5
Hypoglycaemia	9.071940488070398E-5
Food refusal	9.071940488070398E-5
Floppy infant	9.071940488070398E-5
QRS axis	9.071940488070398E-5
Sinus tachycardia	9.071940488070398E-5

| Sudden infant death syndrome |9.071940488070398E-5| |9.071940488070398E-5| | Bone pain | Diabetes mellitus inadequate control |9.071940488070398E-5| | Painful respiration |9.071940488070398E-5| |9.071940488070398E-5| | Thermometry abnormal |9.071940488070398E-5| | Exanthema subitum |9.071940488070398E-5| | Eye contusion |9.071940488070398E-5| | Odynophagia |Intentional product misuse |9.071940488070398E-5| |Loss of personal independence in daily activities |9.071940488070398E-5| |9.071940488070398E-5| | Neutrophil count decreased | Injection site irritation |9.071940488070398E-5| |9.071940488070398E-5| | CSF protein normal |9.071940488070398E-5| |Breath sounds abnormal |9.071940488070398E-5| | Circulatory collapse |9.071940488070398E-5| | Tryptase |9.071940488070398E-5| |Hyperglycaemia |9.071940488070398E-5| |Dental discomfort | Encephalomyelitis |9.071940488070398E-5| | Altered state of consciousness |9.071940488070398E-5| |9.071940488070398E-5| | Base excess |Intestinal haemorrhage |9.071940488070398E-5| | Cytogenetic analysis |9.071940488070398E-5| | Blood creatinine decreased |9.071940488070398E-5| |9.071940488070398E-5| | Skin reaction |9.071940488070398E-5| | Magnetic resonance imaging brain | Colonoscopy abnormal |9.071940488070398E-5|

|9.071940488070398E-5|

|Neuralgia

| Blister |9.071940488070398E-5| |9.071940488070398E-5| | Otoscopy |Abnormal sensation in eye |9.071940488070398E-5| | Perineal injury |9.071940488070398E-5| | Blood immunoglobulin G increased |9.071940488070398E-5| |9.071940488070398E-5| |Brain injury |9.071940488070398E-5| | Internal capsule infarction |9.071940488070398E-5| | Appendicectomy |9.071940488070398E-5| | Malignant melanoma | Genotype drug resistance test abnormal |9.071940488070398E-5| |9.071940488070398E-5| | Quality of life decreased |9.071940488070398E-5| | Pulmonary congestion |9.071940488070398E-5| | Vaccine interaction | Cardiac function test normal |9.071940488070398E-5| |9.071940488070398E-5| | Meningitis bacterial |9.071940488070398E-5| |Amylase |9.071940488070398E-5| | Cryoglobulinaemia | Urobilinogen urine increased |9.071940488070398E-5| | Aphasia |9.071940488070398E-5| | Hepatitis C virus test |9.071940488070398E-5| |Maternal exposure during breast feeding |9.071940488070398E-5| | Endoscopy biliary tract |9.071940488070398E-5| |Coagulation test |9.071940488070398E-5| | Vaccination site hypertrichosis |9.071940488070398E-5| |9.071940488070398E-5| | Mastication disorder | Urine bilirubin increased |9.071940488070398E-5| |Glycosylated haemoglobin |9.071940488070398E-5| |9.071940488070398E-5| | Middle insomnia

|9.071940488070398E-5| | Uterine pain |9.071940488070398E-5| | Vaccination site haemorrhage | Large for dates baby |9.071940488070398E-5| | Polymers allergy |9.071940488070398E-5| | Keratitis |9.071940488070398E-5| | Reaction to excipient |9.071940488070398E-5| |9.071940488070398E-5| |Cardio-respiratory arrest |Food protein-induced enterocolitis syndrome |9.071940488070398E-5| |Gastrooesophageal reflux disease |9.071940488070398E-5| |Fibroblast growth factor 23 |9.071940488070398E-5| |9.071940488070398E-5| | Metamorphopsia |9.071940488070398E-5| |Abdominal operation |9.071940488070398E-5| | Laparoscopy abnormal |9.071940488070398E-5| | Magnetic resonance imaging head normal |9.071940488070398E-5| |Nasal congestion |9.071940488070398E-5| | Penis disorder |9.071940488070398E-5| | Respiratory depression |9.071940488070398E-5| | Antibody test | Skin ulcer |9.071940488070398E-5| | Hypoxia |9.071940488070398E-5| |9.071940488070398E-5| | Blood immunoglobulin G normal Jaundice |9.071940488070398E-5| | Weight gain poor |9.071940488070398E-5| |9.071940488070398E-5| | Influenza virus test negative |9.071940488070398E-5| | Essential thrombocythaemia |9.071940488070398E-5| | Tension headache | Basophil count decreased |9.071940488070398E-5|

|9.071940488070398E-5|

|Culture throat

Multiple sclerosis	9.071940488070398E-5
Enteritis	9.071940488070398E-5
Metabolic function test normal	9.071940488070398E-5
Blood cholesterol	9.071940488070398E-5
Brachial plexopathy	9.071940488070398E-5
Hypogammaglobulinaemia	9.071940488070398E-5
Nasal discharge discolouration	9.071940488070398E-5
Fundus autofluorescence	9.071940488070398E-5
Prothrombin time	9.071940488070398E-5
Capillary nail refill test abnormal	9.071940488070398E-5
Skin laceration	9.071940488070398E-5
Erythema multiforme	9.071940488070398E-5
Blood pressure systolic increased	9.071940488070398E-5
Wrong patient	9.071940488070398E-5
Agitation	9.071940488070398E-5
Vagus nerve disorder	9.071940488070398E-5
Chlamydia test positive	9.071940488070398E-5
Calcium ionised normal	9.071940488070398E-5
Blood bicarbonate	9.071940488070398E-5
Skin wound	9.071940488070398E-5
Peripheral swelling	9.071940488070398E-5
Infantile apnoea	9.071940488070398E-5
Chest tube insertion	9.071940488070398E-5
Dermatitis bullous	9.071940488070398E-5
Disturbance in attention	9.071940488070398E-5
Booster dose missed	9.071940488070398E-5
Blood immunoglobulin A decrease	ed 9.071940488070398E-5
Monkeypox	9.071940488070398E-5

| Idiopathic intracranial hypertension |9.071940488070398E-5| |9.071940488070398E-5| |Antibody test |9.071940488070398E-5| Lethargy | Physical abuse |9.071940488070398E-5| | Differential white blood cell count |9.071940488070398E-5| |9.071940488070398E-5| | Lung assist device therapy |9.071940488070398E-5| |Intentional dose omission |9.071940488070398E-5| | Stress | CSF test abnormal |9.071940488070398E-5| | Mean platelet volume normal |9.071940488070398E-5| |9.071940488070398E-5| | Urine output decreased |9.071940488070398E-5| | Varicella virus test |9.071940488070398E-5| | Biopsy skin abnormal |9.071940488070398E-5| | Haemorrhagic varicella syndrome |9.071940488070398E-5| | Urine analysis abnormal | Tonsillar disorder |9.071940488070398E-5| |9.071940488070398E-5| | Product substitution error |9.071940488070398E-5| | Skin burning sensation | Paraparesis |9.071940488070398E-5| | Aphthous ulcer |9.071940488070398E-5| |Immune thrombocytopenic purpura |9.071940488070398E-5| | Urinary sediment abnormal |9.071940488070398E-5| |9.071940488070398E-5| | Secretion discharge |9.071940488070398E-5| | Hyporesponsive to stimuli |9.071940488070398E-5| | Hiatus hernia |9.071940488070398E-5| | Fear |Blood ketone body |9.071940488070398E-5| |9.071940488070398E-5| | Total complement activity test

| Blood bilirubin unconjugated |9.071940488070398E-5| |9.071940488070398E-5| | Intertrigo |9.071940488070398E-5| | X-ray normal |Embolism |9.071940488070398E-5| |Disruptive mood dysregulation disorder |9.071940488070398E-5| |9.071940488070398E-5| | Abdominal pain upper |9.071940488070398E-5| | Herpes zoster meningoencephalitis | CSF white blood cell count increased |9.071940488070398E-5| | Platelet-large cell ratio |9.071940488070398E-5| | Vaccination site infection |9.071940488070398E-5| |9.071940488070398E-5| [Intussusception] |9.071940488070398E-5| | Infertility female |9.071940488070398E-5| | Skin exfoliation |9.071940488070398E-5| Chemotherapy |9.071940488070398E-5| | Bacterial infection | Infantile back arching |9.071940488070398E-5| |9.071940488070398E-5| | Brain fog | Epstein-Barr virus infection |9.071940488070398E-5| | Sputum normal |9.071940488070398E-5| | Electrolyte imbalance |9.071940488070398E-5| | Circadian rhythm sleep disorder |9.071940488070398E-5| Intentional product misuse to child |9.071940488070398E-5| |9.071940488070398E-5| | Cystoscopy | Gingival swelling |9.071940488070398E-5| | Vaccination site nodule |9.071940488070398E-5| | Central nervous system lesion |9.071940488070398E-5| | Clavicle fracture |9.071940488070398E-5|

|Neoplasm malignant

|9.071940488070398E-5|

| Sitting disability |9.071940488070398E-5| | Menstruation irregular |9.071940488070398E-5| |9.071940488070398E-5| | Bedridden | Anaphylactic shock |9.071940488070398E-5| |Haemolytic uraemic syndrome |9.071940488070398E-5| |9.071940488070398E-5| | Genital herpes |9.071940488070398E-5| | Wound treatment |9.071940488070398E-5| | Upper-airway cough syndrome |9.071940488070398E-5| |Autonomic nervous system imbalance | Injection site ulcer |9.071940488070398E-5| |9.071940488070398E-5| | Ear tube insertion |9.071940488070398E-5| |Bursitis | Lipase |9.071940488070398E-5| |9.071940488070398E-5| |Agglutination test |9.071940488070398E-5| | Skin necrosis | Varicella post vaccine |9.071940488070398E-5| |9.071940488070398E-5| | Skin tightness |9.071940488070398E-5| |Lower respiratory tract infection | Pancreatic enzymes |9.071940488070398E-5| | General symptom |9.071940488070398E-5| |9.071940488070398E-5| | COVID-19 immunisation | Maternal exposure before pregnancy |9.071940488070398E-5| |9.071940488070398E-5| | Computerised tomogram |9.071940488070398E-5| | Splenic rupture |9.071940488070398E-5| |Contraindicated product prescribed |9.071940488070398E-5| | Empyema | Hepatic enzyme increased |9.071940488070398E-5|

| Blood pH normal

|9.071940488070398E-5|

Hyperthyroidism	9.071940488070398E-5
Sinus congestion	9.071940488070398E-5
Wound	9.071940488070398E-5
Blindness unilateral	9.071940488070398E-5
Varicella	9.071940488070398E-5
Generalised oedema	9.071940488070398E-5
Aphasia	9.071940488070398E-5
Rash pustular	9.071940488070398E-5
Biopsy pancreas	9.071940488070398E-5
International normalised ratio dec	creased 9.071940488070398E-5
Hepatitis A antibody negative	9.071940488070398E-5
Red blood cell nucleated morpho	logy 9.071940488070398E-5
Thirst	9.071940488070398E-5
Blood culture negative	9.071940488070398E-5
Blood creatine phosphokinase	9.071940488070398E-5
Lumbar puncture normal	9.071940488070398E-5
Nitrite urine absent	9.071940488070398E-5
CSF glucose normal	9.071940488070398E-5
Immune thrombocytopenia	9.071940488070398E-5
Vaccination site granuloma	9.071940488070398E-5
Respiration abnormal	9.071940488070398E-5
Myositis	9.071940488070398E-5
Oesophageal papilloma	9.071940488070398E-5
Pericardial effusion	9.071940488070398E-5
Contraindicated product adminis	tered 9.071940488070398E-5
Rash maculo-papular	9.071940488070398E-5
Blood immunoglobulin A normal	9.071940488070398E-5
Hemiparaesthesia	9.071940488070398E-5

| Metabolic disorder |9.071940488070398E-5| | Colitis |9.071940488070398E-5| | CSF white blood cell count |9.071940488070398E-5| |9.071940488070398E-5| | Intestinal haemorrhage | Prolonged pregnancy |9.071940488070398E-5| |Acoustic stimulation tests normal |9.071940488070398E-5| | Fontanelle bulging |9.071940488070398E-5| |Escherichia infection |9.071940488070398E-5| | Decreased eye contact |9.071940488070398E-5| | Specific gravity urine |9.071940488070398E-5| |9.071940488070398E-5| | Skin weeping | Computerised tomogram abdomen abnormal |9.071940488070398E-5| |Histamine intolerance |9.071940488070398E-5| |Cancer in remission |9.071940488070398E-5|

+-----+