

TMD Miguel Milá, 2005 Floor lamp





The metal version of the famous TMM standard lamp, with an elegant circular base and shaft to create greater lightness.

GENERAL DESCRIPTION

Satin nickel structure.
Height-adjustable white linen lampshade.
The light is switched on /off by pulling lightly on the cable.
Electric cable length: 2,5 m / 97.5"

LIGHT SOURCE

Recommended light sources: LED bulb: 12 W Compact fluorescence: 20 W Incandescent: Max. 100 W E27 - E26 (Max. hgt. 125 mm / 4.9") Light source not included.

Compatible with bulbs of the Energy efficiency class (E.E.C): A⁺⁺... E.

Suitable only for indoor use.

Always use the light source recommended or equivalent.

Input voltage: 100, 120, 230 Vac. (50 Hz / 60 Hz) According to destination.



APPROXIMATE WEIGHT (without package)

9 Kg / 19.84 lb

REGULATIONS

c(UL) us ϵ

Non-class 2 IP 20 Dry location only

UNE-EN 60598 UL-153 UNE-EN 55015 E-352592

UNE-EN 60529

MAINTENANCE


Clean with a smooth cloth. Do not use ammonia, solvent or abrasive cleaning products.

OTHERS

The lamp is delivered in different packages.

The assembly instructions are delivered with the product.

MODEL





Collection

Table lamp



TMD