Name :Mohamed Arsath R

Reg No : 411625243028

Department : B.tech-Artificial Intelligence And Data Science

Subject : Python

Batch : 01

Mini Project: Simple MCQ Questions Quiz using Python(MINI PROJECT-2)

---

1. Project Title

Simple MCQ Questions Quiz using Python

---

2. Problem Statement

To design and implement a simple Multiple Choice Question (MCQ) quiz system that asks questions to the user, accepts answers, and calculates the total score automatically.

---

3. Objective

- To create a console-based quiz application
- To practice Python input/output functions
- To use conditional statements
- To calculate scores using variables
- To simulate an online MCQ examination

---

4. Tools Used

- Python 3
- VS Code / IDLE

---

5. Description

This project is a simple quiz application developed using Python. The program displays 20 multiple-choice questions one by one. The user selects the correct option (A/B/C/D). For every correct answer, the score increases by 1. After answering all questions, the total score is displayed.

---

6. Algorithm

1. Start
2. Initialize score = 0
3. Display welcome message
4. Show each question with four options
5. Get user input
6. Compare answer with correct option
7. If correct → increase score
8. Repeat for all 20 questions
9. Display total score
10. Stop

---

7. Program (Python Code)

```
score = 0


print("Welcome to the Python MCQ Quiz")
print("Answer by typing A, B, C, or D\n")


print("1. What is the output of print(type(10))?")
print("A) int\nB) float\nC) str\nD) bool")
ans = input("Your answer: ").upper()
if ans == "A":
    score += 1
```

```
print("\n2. Which symbol is used for comments in Python?")
print("A) //\nB) #\nC) /* */\nD) --")
ans = input("Your answer: ").upper()
if ans == "B":
    score += 1

print("\n3. What is the output of print(3 * \"Hi\")?")
print("A) HiHiHi\nB) 9\nC) Error\nD) Hi*3")
ans = input("Your answer: ").upper()
if ans == "A":
    score += 1
print("\n4. Which data type is immutable?")
print("A) List\nB) Dictionary\nC) Set\nD) Tuple")
ans = input("Your answer: ").upper()
if ans == "D":
    score += 1
print("\n5. What is the output of len([1, 2, 3, 4])?")
print("A) 3\nB) 4\nC) 5\nD) Error")
ans = input("Your answer: ").upper()
if ans == "B":
    score += 1

print("\n6. Which keyword is used to define a function in Python?")
print("A) function\nB) fun\nC) def\nD) define")
ans = input("Your answer: ").upper()
if ans == "C":
```

```
    score += 1
print("\n7. What will print(5 // 2) output?")
print("A) 2.5\nB) 3\nC) 2\nD) 2.0")
ans = input("Your answer: ").upper()
if ans == "C":
    score += 1
print("\n8. Which of the following is used to store key-value pairs?")
print("A) List\nB) Tuple\nC) Set\nD) Dictionary")
ans = input("Your answer: ").upper()
if ans == "D":
    score += 1
print("\n9. What is the output of print(bool(\"\"))?")
print("A) True\nB) False\nC) None\nD) Error")
ans = input("Your answer: ").upper()
if ans == "B":
    score += 1
print("\n10. Which loop is used when the number of iterations is unknown?")
print("A) for\nB) while\nC) do-while\nD) foreach")
ans = input("Your answer: ").upper()
if ans == "B":
    score += 1
print("\n11. Which function is used to take input from user?")
print("A) read()\nB) scan()\nC) input()\nD) get()")
ans = input("Your answer: ").upper()
if ans == "C":
    score += 1
print("\n12. What is the output of print(10 % 3)?")
```

```
print("A) 1\nB) 3\nC) 0\nD) 10")
ans = input("Your answer: ").upper()
if ans == "A":
    score += 1
print("\n13. Which operator is used for exponentiation?")
print("A) ^\nB) **\nC) //\nD) %")
ans = input("Your answer: ").upper()
if ans == "B":
    score += 1
print("\n14. What is the output of print(len(\"Python\"))?")
print("A) 5\nB) 6\nC) 7\nD) Error")
ans = input("Your answer: ").upper()
if ans == "B":
    score += 1

print("\n15. Which data type stores multiple values in order?")
print("A) list\nB) set\nC) float\nD) bool")
ans = input("Your answer: ").upper()
if ans == "A":
    score += 1
print("\n16. Which keyword is used to exit a loop?")
print("A) stop\nB) exit\nC) break\nD) return")
ans = input("Your answer: ").upper()
if ans == "C":
    score += 1
print("\n17. What is the output of print(2 == 2)?")
print("A) True\nB) False\nC) 2\nD) Error")
```

```
ans = input("Your answer: ").upper()
if ans == "A":
    score += 1
print("\n18. Which of the following is a Boolean value?")
print("A) yes\nB) 1\nC) True\nD) on")
ans = input("Your answer: ").upper()
if ans == "C":
    score += 1
print("\n19. Which keyword is used for decision making?")
print("A) for\nB) if\nC) while\nD) switch")
ans = input("Your answer: ").upper()
if ans == "B":
    score += 1
print("\n20. What is the output of print(type([]))?")
print("A) <class 'list'>\nB) tuple\nC) set\nD) dictionary")
ans = input("Your answer: ").upper()
if ans == "A":
    score += 1

print("\nQuiz Completed")
print("Total Correct Answers:", score, "out of 20")
```

---

8. Sample Output

```
Welcome to the Python MCQ Quiz
Answer by typing A, B, C, or D

1. What is the output of print(type(10))?
A) int
B) float
C) str
D) bool
Your answer: a

2. Which symbol is used for comments in Python?
A) //
B) #
C) /* */
D) --
Your answer: b

3. What is the output of print(3 * "Hi")?
A) HiHiHi
B) 9
C) Error
D) Hi*3
Your answer: a

4. Which data type is immutable?
A) List
B) Dictionary
C) Set
D) Tuple
Your answer: d

5. What is the output of len([1, 2, 3, 4])?
A) 3
B) 4
C) 5
D) Error
Your answer: b

6. Which keyword is used to define a function in Python?
A) function
B) fun
C) def
D) define
Your answer: c

7. What will print(5 // 2) output?
A) 2.5
B) 3
C) 2
D) 2.0
Your answer: c

8. Which of the following is used to store key-value pairs?
A) List
B) Tuple
C) Set
D) Dictionary
Your answer: d
```

```
9. What is the output of print(bool(""))?
A) True
B) False
C) None
D) Error
Your answer: b

10. Which loop is used when the number of iterations is unknown?
A) for
B) while
C) do-while
D) foreach
Your answer: b

11. Which function is used to take input from user?
A) read()
B) scan()
C) input()
D) get()
Your answer: c

12. What is the output of print(10 % 3)?
A) 1
B) 3
C) 0
D) 10
Your answer: a

13. Which operator is used for exponentiation?
A) ^
B) **
C) //
D) %
Your answer: b

14. What is the output of print(len("Python"))?
A) 5
B) 6
C) 7
D) Error
Your answer: b

15. Which data type stores multiple values in order?
A) list
B) set
C) float
D) bool
Your answer: a

16. Which keyword is used to exit a loop?
A) stop
B) exit
C) break
D) return
Your answer: c
```

```
17. What is the output of print(2 == 2)?
A) True
B) False
C) 2
D) Error
Your answer: a

18. Which of the following is a Boolean value?
A) yes
B) 1
C) True
D) on
Your answer: c

19. Which keyword is used for decision making?
A) for
B) if
C) while
D) switch
Your answer: b

20. What is the output of print(type([]))?
A) <class 'list'>
B) tuple
C) set
D) dictionary
Your answer: a

Quiz Completed
Total Correct Answers: 20 out of 20
```

---

9. Result

The quiz program successfully asks all questions and calculates the total score correctly.

---

10. Conclusion

This project demonstrates how Python can be used to build a simple MCQ quiz system using input, output, and conditional statements. It helps improve programming logic and understanding of Python basics.