


3-PHASE BUSBAR WITH INFEED RIGHT, FOR 2
CIRCUIT-BREAKERS, SIZE S00 UND S0



General technical data:

| | | |
|-----------------------------|--|---|
| product brand name | | SIRIUS |
| Product designation | | 3-phase busbars with infeed |
| Design of the product | | for 2 switches with infeed on the right |
| Size of the circuit-breaker | | S00, S0 |
| Suitability for use | | circuit-breakers 3RV2 |

Installation/ mounting/ dimensions:

| | | |
|-------------------------------------|----|--|
| Mounting position | | any |
| Mounting type | | snap-on fastening on 35 mm standard rail |
| Width | mm | 110 |
| Height | mm | 129 |
| Depth | mm | 86.5 |
| Required spacing for live parts | | |
| • upwards | mm | 10 |
| • Backwards | mm | 0 |
| • at the side | mm | 0 |
| Required spacing for grounded parts | | |
| • upwards | mm | 10 |

- Backwards
- at the side

| | |
|----|---|
| mm | 0 |
| mm | 0 |

Required spacing with side-by-side mounting

- upwards
- Backwards
- at the side

| | |
|----|----|
| mm | 10 |
| mm | 0 |
| mm | 0 |

Certificates/ approvals:

Certificate of suitability

CE / UL / CSA / CCC

Shipping Approval



ABS

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RV2917-1E>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RV2917-1E>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RV2917-1E&lang=en



last modified:

11/11/2016