SIEMENS

EXTENSION CONNECTOR FOR CONNECTING 3-PHASE BUSBARS 3RV2917

General technical data:		
product brandname		SIRIUS
Product designation		Expansion plug
Design of the product		as spare part
Size of the circuit-breaker		S0
Protection class IP on the front		IP20
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-20 ... +60
Ampacity maximum	A	63

Installation/ mounting/ dimensions:		
Width	mm	23.2
Height	mm	41.7
Depth	mm	26.8

Certificates/ approvals:		
Certificate of suitability		CE / UL / CSA / CCC

General Product Approval			Test Certificates	Shipping Approval	
CSA	UL	EAC	spezielle Prüfbescheinigungen	ABS	BUREAU VERITAS

Shipping Approval				other	
LRS	PRS	RINA	RMRS	Umweltbestätigung	Bestätigungen

other	Railway
VDE	Schwingen/Schocken

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)
http://www.siemens.com/industrymall

Cax online generator
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RV2917-5BA00

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3RV2917-5BA00

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RV2917-5BA00&lang=en

23.2

26.8

41.7

last modified: 02/20/2017