

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60      WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0004		SR 83 300' NORTH OF CR 1084	N	0	S	0	2700 C	9.5	62.5F	8.3F
0005		BOY SCOUT RD - 275' S OF SR 10 (US 90)	N	0	S	0	700 C	9.5	62.5F	16.5F
0006		SR 10 (US 90) - 425' E OF SR 285	E	0	W	0	8800 C	9.5	62.5F	8.8F
0010		SR 10 (US 90) - 550' W OF CR 183 (DEFUNIAK)	E	1700	W	1700	3400 C	9.5	62.5F	11.3A
0012		SR 81 - 225' S OF CR 183	N	1100E	S	1300E	2400 F	9.5	62.5F	13.3P
0050		SR 83 - 200' N OF CR 2	N	1300	S	1100	2400 C	9.5	62.5F	8.2A
0051	T	SR 83, 0.6 MI N OF CR-192,N OF DEFUNIAK,WALTON C	N	2467	S	2507	4974 C	9.5	72.1A	8.0A
0055		CR 183B - 400' SE OF CR 185	N	0	S	0	200 C	9.5	62.5F	4.2F
0056		CR 1084 - 150' E OF SR 187 (US 331)	E	0	W	0	350 C	9.5	62.5F	16.5F
0057		CR 192 - 450' E OF SR 187 (US 331)	E	0	W	0	550 C	9.5	62.5F	16.5F
0058		SR 187 (US 331) - 625' N OF CR 1084	N	1800	S	1900	3700 C	9.5	62.5F	12.5A
0069		SR 20 - 0.763 MILE E OF SR 83 (US 331) FREEPORT	E	5000	W	5300	10300 C	9.5	62.5F	11.0A
0089		SR 20 - 350' W OF BRIDGE OVER BIG ALAQUA CREEK	E	4900	W	4900	9800 C	9.5	62.5F	10.1A
0090		SR 20 - 0.420 MILE W OF CHOCTAW DR	E	4800	W	4900	9700 C	9.5	62.5F	7.9A
0101		SR 10 (US 90) - 1500' W OF SR 187 (US 331) NORTH	E	4900	W	4800	9700 C	9.0	62.5F	8.8A
0107		SR 20 - 1300' W OF SR 83 (US 331)	E	8300	W	8200	16500 C	9.5	60.0F	7.0A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -01-

622UPD

3\_60\_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60      WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0108		CR 183 (4TH ST) - 600' SE OF OLD HWY 90	N	0	S	0	800 C	9.5	62.5F	16.5F
0112		CR 283 - 575' S OF SR 30 (US 98)	N	0	S	0	7700 C	9.5	60.0F	16.5F
0113		CR 185 - 150' NE OF CR 183B	N	0	S	0	1300 C	9.5	62.5F	16.5F
0120		CR 183 - 300' N OF SR 10 (US 90)	N	0	S	0	850 C	9.5	62.5F	16.5F
0121		SR 285 - 650' S OF SR 10 (US 90)	N	5900	S	5800	11700 C	9.5	62.5F	11.8F
0123		SR 83(US 331) - 50' S OF CHOCTAWHATCHEE BRIDGE	N	13500	S	13500	27000 C	9.5	60.0F	10.2A
0128		SR 85 - 600' W OF CR 52 (PERKINS RD)	N	0	S	0	3400 C	9.5	62.5F	12.9F
0131		SR 85 - AT THE FL/AL STATE LINE	N	1400	S	1400	2800 C	9.5	62.5F	12.5A
0141		SR 30 (US 98) - 600' E OF SR 83 (US 331)	E	16000E	W	16500E	32500 S	9.5	57.7F	7.9P
0151		CR 3280 (BLACK CREEK RD) - 625' E OF US 331 (SR	E	0	W	0	2800 C	9.5	62.5F	16.5F
0168	T	SR 30 (US 98) 0.1 MI E OF OKALOOSA C/L, WALTON C		0E		0E	50500 X	9.0	57.7F	4.2F
0186		CR 183 - 375' W OF SR 81	N	0	S	0	550 C	9.5	62.5F	16.5F
0188		CR 1883 - 225' E OF SR 83; N OF DEFUNIAK SPRINGS	N	0	S	0	1800 C	9.5	62.5F	4.2F
0214		CR 395 - 475' S OF SR 30 (US 98)	N	0	S	0	11000 C	9.5	60.0F	16.5F
0216		CR 1087 - 350' N OF SR 10 (US 90)	N	0	S	0	3700 C	9.5	62.5F	16.5F
0219		CR 30A (WEST END) - 825' S OF SR 30 (US 98)	E	0	W	0	7900 C	9.5	60.0F	16.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -02-

622UPD

3\_60\_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60      WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0220		CR 30A - 200' W OF CR 393		0E		0E	5500 F	9.5	60.0F	16.5F
0221		CR 393 - 575' S OF SR 30 (US 98)	N	0	S	0	9400 C	9.5	60.0F	16.5F
0223		CR 83A (EAST) - 300' S OF SR 20	E	0	W	0	3200 C	9.5	62.5F	16.5F
0228		CR 2A - 300' W OF SR 187 (US 331)	E	0	W	0	700 C	9.5	62.5F	16.5F
0229		CR 2 - 100' W OF CR 2A	E	200	W	200	400 C	9.5	60.0F	17.3A
0230		CR 147 - 550' N OF CR 2	N	0	S	0	450 C	9.5	62.5F	16.5F
0231		CR 2 - 325' E OF SR 187 (US 331)	E	250	W	250	500 C	9.5	62.5F	16.1A
0232		CR 183 - 275' E OF CR 280	E	0	W	0	400 C	9.5	62.5F	16.5F
0234		OAK GROVE RD - 550' N OF CR 181, E OF GASKIN	N	0	S	0	200 C	9.5	62.5F	16.5F
0235		CR 30A (EAST END) - 800' S OF SR 30 (US 98)	E	0	W	0	10000 C	9.0	60.0F	16.5F
0236		SITE C-6 RD - 500' N OF SR 20 (PORTLAND)	N	0	S	0	1300 C	9.5	62.5F	16.5F
0237		CR 181 - 425' E OF SR 81	N	0	S	0	550 C	9.5	62.5F	16.5F
0238		CR 2 - 200' W OF SR 83, N OF DEFUNIAK	E	0	W	0	700 C	9.5	62.5F	16.5F
0240		CR 83A (WEST) - 550' S OF SR 20	N	0	S	0	3000 C	9.5	62.5F	16.5F
0241		CR 2 - 325' E OF SR 83, N OF DEFUNIAK	E	250	W	200	450 C	9.5	62.5F	14.0A
0242		CR 181 - 150' E OF SR 83	N	0	S	0	550 C	9.5	62.5F	16.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -03-

622UPD

3\_60\_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60      WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0243		SR 83 - 125' N OF CR 181	N      1100	S      950	2050 C	9.5	62.5F	8.3A
0244		CR 181 - 350' W OF SR 83	N      250	S      250	500 C	9.5	62.5F	18.6A
0245		SR 81 - 750' N OF GORE; N OF SR 20	0E	0E	3300 F	9.5	62.5F	11.8F
0246		MADISON ST - 425' N OF PINE ST (FREEPORT)	N      0	S      0	3100 C	9.5	60.0F	10.1F
0249		CR 147 - 300' W OF SR 187 (US 331)	E      550	W      550	1100 C	9.5	62.5F	10.3A
0250		CR 883 - 325' N OF SR 20	N      0	S      0	6400 C	9.5	62.5F	10.1F
0251		SR 285 - 0.436 MILE S OF SR 8 (I-10)	N      4200	S      3800	8000 C	9.5	62.5F	11.8A
0252		SR 30 (US 98) - 600' E OF CR 30A (WEST END)	E      20000	W      20500	40500 C	9.5	57.7F	7.0F
0253		SR 30 (US 98) - 0.280 MILE W OF SAN DESTIN BLVD	E      24500E	W      24500E	49000 S	9.0	57.7F	3.9P
0254		CR 395 - 425' N OF SR 30 (US 98)	N      0	S      0	2000 C	9.5	60.0F	16.5F
0256		CR 457 (MACK BAYOU RD) - 275' N OF SR 30 (US 98)	E      0	W      0	10000 C	9.0	57.7F	16.5F
0257		SR 30 (US 98) - 1000' W OF CR 30A (WEST END)	E      22000E	W      22000E	44000 S	9.5	57.7F	5.7P
0258		CR 30A - 200' E OF CR 393	0E	0E	7300 X	9.5	60.0F	3.7P
0259		US 98 - 500' W OF 1ST GRANDE BLVD ENT (E OF BAYT	E      22000	W      20500	42500 C	9.0	57.7F	4.2F
0260		CR 393 - 425' N OF SR 30 (US 98)	N      0	S      0	8200 C	9.5	57.7F	16.5F
0261		SR 30 (US 98) - 825' E OF CR 393	E      17500E	W      17500E	35000 S	9.5	57.7F	6.9P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -04-

622UPD

3\_60\_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60      WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0262		CR 83 - 375' S OF SR 30 (US 98)	N	0	S	0	6300 C	9.5	60.0F	16.5F
0263		CR 30A - 350' W OF CR 283	E	3200	W	3100	6300 C	9.5	60.0F	4.3A
0265		SR 30 (US 98) - 725' E OF CR 283 (BAY DRIVE)	E	14500E	W	14000E	28500 S	9.5	57.7F	9.5P
0267		CR 30A - 400' W OF CR 395	E	0	W	0	8100 C	9.5	60.0F	16.5F
0268		CR 30A - 350' E OF CR 395	E	0	W	0	14000 C	9.5	60.0F	16.5F
0270		SR 30 (US 98) - 600' W OF CR 30A (EAST END)	E	11000E	W	11500E	22500 S	9.0	57.7F	7.9P
0271		SR 83 - 275' N OF CR 185	N	1400	S	1300	2700 C	9.5	62.5F	8.4A
0272		SR 187 (US 331) - 275' N OF CR 285; S OF PAXTON	N	2000	S	2100	4100 C	9.5	62.5F	11.6A
0275		SR 83 (US 331) - 700' S OF SR 20, FREEPORT	N	12500	S	12500	25000 C	9.5	60.0F	12.0F
0276		CR 2378 - 425' W OF SR 30 (US 98), SANDESTIN		0E		0E	9100 F	9.0	62.5F	16.5F
0287	T	SR 8 (I10) 50' WEST OF CR280A OVERPASS, WALTON C		0E		0E	22000 T	10.5	53.3F	25.5F
0290		SR 83(US 331) - 0.180 M N OF ROCK HILL RD	N	9700	S	9800	19500 C	9.5	60.0F	13.8A
0291		SR 83(US 331) -0.390 M N OF SR 20 @ N END OF BRI	N	9500	S	9000	18500 C	9.5	60.0F	12.0F
0366	T	SR-8/I-10, 1.3 MI W OF BOY SCOUT RD, WALTON CO.	E	13886	W	13936	27822 C	10.5	52.8A	26.3A
0456	T	US-331, 5.03 MI N OF SR-20, WALTON COUNTY	N	11101	S	11036	22137 C	9.5	66.1A	10.3A
1501		SR 10 (US 90) - 400' W OF LEE RD, DEFUNIAK	E	0	W	0	6200 C	9.0	62.5F	11.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -05-

622UPD

3\_60\_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60 WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
1502		SR 10 (US 90) - 175' E OF SR 83 (DEFUNIAK)	E 5200	W 5100	10300 C	9.0	62.5F	11.3F
1503		SR 83 (US 331) - 0.464 MILE S OF CR 280 (BOB SIK	N 12500	S 13000	25500 C	9.0	62.5F	8.5A
1504		SR 10 (US 90) - 775' E OF SR 187 (US 331) DEFUNI	E 7100	W 7300	14400 C	9.0	62.5F	8.8F
1505		SR 187 (US 331) - 1.5 MILES N OF US 90 (SR 10)	N 4200	S 4100	8300 C	9.0	62.5F	7.4A
1506		SR 83 - 450' N OF WALTON RD, DEFUNIAK	N 4100	S 4100	8200 C	9.5	62.5F	8.5A
1507		WALTON RD - 375' W OF SR83	E 1700	W 1700	3400 C	9.0	62.5F	8.7A
1508		CR 280 (BAY AVE) - 225' E OF LOFTIN ST, DEFUNIAK	E 0	W 0	750 C	9.0	62.5F	16.5F
1509		CR 280 (BOB SIKES RD) - 1300' W OF SR 83 (US 331	E 0	W 0	4500 C	9.5	62.5F	16.5F
1510		CR 280A (2ND ST) - 250' SE OF HILLCREST WAY	E 550	W 550	1100 C	9.5	62.5F	6.8A
1511		SR 83 (US 331)- 025. M S OF I-10 (N OF COY BURGE	N 14000	S 13500	27500 C	9.5	60.0F	10.1F
1512		CR 278 (COY BURGESS LOOP) - 700' W OF US 331 (SR	E 0	W 0	1100 C	9.5	62.5F	16.5F
2601		I-10 - WB ON RAMP FROM SR 285	W 3400	0	3400 C	9.5	99.9W	11.8F
2602		I-10 - EB OFF RAMP TO SR 285	E 3900	0	3900 C	9.5	99.9W	11.8F
2603		I-10 - WB OFF RAMP TO SR 285	W 3900	0	3900 C	9.5	99.9W	11.8F
2604		I-10 - EB ON RAMP FROM SR 285	E 3200	0	3200 C	9.5	99.9W	11.8F
2605		I-10 - WB ON RAMP FROM SR 83 / US 331	W 5100	0	5100 C	9.5	99.9W	10.1F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -06-

622UPD

3\_60\_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60      WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2606		I-10 - EB OFF RAMP TO SR 83 / US 331	E	5000		0	5000 C	9.5	99.9W	10.1F
2607		I-10 - WB OFF RAMP TO SR 83 / US 331	W	2900		0	2900 C	9.0	99.9W	10.1F
2608		I-10 - EB ON RAMP FROM SR 83 / US 331	E	2900		0	2900 C	9.5	99.9W	10.1F
5001		SR 83 (US 331) - 400' S OF SR 10 (US 90)	N	10500	S	11000	21500 C	9.0	62.5F	8.1A
5002		LIVE OAK AVE - 225' E OF SR 83 (US 331) DEFUNIAK	E	0	W	0	1500 C	9.0	62.5F	16.5F
5006		SR 10 (US 90) - 425' W OF SR 83 (US 331) SOUTH	E	7800	W	8200	16000 C	9.0	62.5F	8.8F
5008		SR 10 (US 90) - 125' E OF 5TH ST	E	4400	W	4300	8700 C	9.0	62.5F	11.3F
5012		CR 280 (BAY AVE) - 125' E OF 1ST ST, DEFUNIAK	E	0	W	0	1200 C	9.0	62.5F	16.5F
5013		BRUCE AVE - 225' E OF SR 83 (US 331)	E	0	W	0	3200 C	9.0	62.5F	16.5F
5014		SR 83 (9TH AVE) - 250' N OF SR 10 (US 90)	N	0	S	0	10500 C	9.0	62.5F	8.3F
5015		BURDICK AVE - 300' E OF SR 83 (US 331)	E	400	W	400	800 C	9.0	62.5F	3.8A
5901		CR 181 - 400 ' SE OF CR 2	E	0	W	0	400 C	9.5	62.5F	16.5F
5902		ROCK HILL RD - 200' W OF N TRAM RD	E	0	W	0	400 C	9.5	62.5F	16.5F
5903		CR 3280 - 200' S OF WHIPOORWILL LN	E	0	W	0	750 C	9.5	62.5F	16.5F
5904		CHAT HOLLEY RD - 200' W OF US 331	E	0	W	0	4300 C	9.5	62.5F	16.5F
5905		ROCK HILL RD - 160' W OF WALTON BRIDGE RD	N	0	S	0	600 C	9.5	62.5F	16.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -07-

622UPD

3\_60\_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION  
2021 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 60      WALTON

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5906		ROCK HILL RD - 400' E OF US 331	E	0	W	0	1700 C	9.5	62.5F	16.5F
5907		CR 3280 - 540' S OF SR 20	E	0	W	0	500 C	9.5	62.5F	16.5F
5908		SHOEMAKER DR - 700' N OF US 90	E	0	W	0	2200 C	9.0	62.5F	16.5F
7701		RAMP TO / FROM SR 20 / SR 81	N	0	S	0	400 C	9.5	62.5F	11.8F
9958	T	SR-8/I-10, 50' WEST OF CR-280A OVERPASS, WALTON	E	10792	W	12127	22919 C	10.5	54.4A	25.5A
9959	T	SR-187/US-331, AT THE ALABAMA STATE LINE, WALTON	N	2650	S	2627	5277 C	9.5	66.6A	7.5A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2022 17:07:00

PAGE -08-

622UPD

3\_60\_CAADT.TXT