

AI Restaurant Ordering & Analytics System

An end-to-end AI-powered restaurant automation system integrating

Telegram Bot · OpenAI GPT-4o-mini · n8n · Google Sheets · Power BI

Dalaa Karshak

n8n

Telegram

OpenAI

Google Sheets

Power BI

Table of Contents

01 Executive Summary	3
02 Introduction	3
03 Problem Statement	4
04 Proposed Solution	5
05 Project Objectives	6
06 System Features & Capabilities	6
07 Tools & Technologies	7
08 Workflow Architecture	8
09 Database Structure — Google Sheets	10
10 AI Prompt Engineering	11
11 System Screenshots & Results	12
12 Challenges & Solutions	15
13 Future Improvements & Roadmap	16
14 Conclusion	17
15 References & Resources	18

01 Executive Summary

This graduation project presents the comprehensive design, implementation, and validation of an AI-powered restaurant ordering and analytics system developed for Dalaa Karshak restaurant. The system represents a full-stack automation solution that transforms conventional restaurant ordering — characterised by manual intervention, human error, and operational blind spots — into a seamless, intelligent, and data-driven customer experience.

The architecture integrates five industry-standard platforms: a **Telegram Bot** as the customer-facing conversational interface; **OpenAI GPT-4o-mini** as the natural language understanding and generation engine, operating in colloquial Egyptian Arabic; **n8n** as the central workflow orchestration platform; **Google Sheets** as a cloud-hosted relational database with Power BI-compatible schema; and **Microsoft Power BI** for real-time business intelligence and executive analytics.

The resulting system operates **24 hours a day, 7 days a week** with sub-3-second average response latency, automatically capturing every confirmed order into a structured database and surfacing operational insights through interactive dashboards — capabilities previously accessible only to enterprise restaurant chains with dedicated technology teams.

10

n8n Nodes

5

Menu Items

100%

Automation

24 / 7

Availability

< 3s

Avg Response

02 Introduction

2.1 The Era of AI-Driven Automation

The global food service industry is undergoing a profound digital transformation. Traditional restaurant operations — characterised by manual order-taking, paper-based record-keeping, and reactive customer service — are rapidly giving way to intelligent automation systems that deliver superior efficiency, consistency, and customer experience at significantly lower operational cost.

Artificial Intelligence and process automation platforms now make it commercially viable for small and medium restaurants to deploy sophisticated conversational agents capable of handling customer inquiries, processing multi-item orders, applying conditional discount logic, and feeding structured data into analytics pipelines — all without human intervention. This project demonstrates exactly such a system, purpose-built for the Egyptian restaurant market.

2.2 Market Context

The Egyptian food delivery market has grown substantially alongside the widespread adoption of messaging platforms, particularly Telegram, which offers superior group features, bot APIs, and media handling compared to alternatives. Restaurants that automate their ordering workflow directly on platforms customers already use daily gain a decisive competitive advantage: zero friction, instant response, and consistent service quality regardless of order volume or time of day.

2.3 Project Scope

- Intelligent customer interaction via Telegram Bot in Egyptian Arabic (Masri) dialect
- Full order lifecycle management: menu inquiry → item selection → data collection → confirmation → storage
- Automated, structured data capture to Google Sheets with Power BI-optimised schema
- Real-time sales analytics and KPI dashboard in Microsoft Power BI
- Extensible, modular architecture built on the open-source n8n automation platform

03 Problem Statement

Egyptian restaurants relying on manual ordering processes face a compounding set of operational challenges that directly impact revenue, customer satisfaction, and competitive position.

X Slow Order Processing

Manual order-taking via phone or messaging requires dedicated staff per channel. During peak hours, response times exceed 15–30 minutes, directly causing order abandonment and revenue loss.

X Human Errors & Data Inconsistency

Manual transcription of customer names, addresses, and quantities introduces errors that result in wrong deliveries, refunds, operational waste, and reputational damage.

X Absence of Business Analytics

Without structured data capture, owners cannot identify best-selling items, peak ordering windows, customer geographic distribution, or revenue trends — preventing data-driven decision-making.

X Repetitive, Unscalable Customer Service

Staff must repetitively answer identical questions about menus, pricing, delivery zones, and operating hours — a poor allocation of human capital that does not scale.

X Restricted Operating Hours

Human staff availability constrains service hours. Orders placed outside working shifts are permanently lost, directly reducing total addressable revenue.

X No Automated Order Confirmation

Customers receive no structured confirmation or reference number, generating repeated follow-up calls that increase operational load and reduce customer confidence.

04 Proposed Solution

The proposed system directly addresses every identified challenge through a fully automated, AI-powered pipeline requiring zero manual intervention after initial configuration.

Challenge	Solution
Slow Process Manual, error-prone ordering	Instant AI Response Sub-3-second reply via Telegram Webhook trigger
Human Errors Transcription mistakes in orders	Structured JSON Extraction Validated, consistent data capture on every order
No Analytics No visibility into sales data	Auto-Logged Orders Every order appended to Google Sheets with Power BI schema
Repetitive Q&A Same questions answered repeatedly	AI Knowledge Base GPT-4o-mini handles all FAQs: menu, offers, delivery, hours
Limited Hours Staff-dependent availability	24/7 Operation Webhook-driven architecture runs continuously with zero downtime
No Confirmation Customers lack order reference	Instant Confirmation Formatted summary with Order ID sent immediately on confirmation

05 Project Objectives

5.1 Primary Objectives

- O1** Design and deploy a fully automated Telegram-based ordering system for Dalaa Karshak restaurant that requires no staff involvement in the ordering process.
- O2** Implement an AI conversational agent capable of conducting natural, multi-turn dialogue in Egyptian Arabic dialect, handling menu inquiries, order collection, and discount application.
- O3** Develop a structured order extraction pipeline that deterministically converts free-text conversations into validated, schema-compliant JSON records.
- O4** Integrate automated order persistence into Google Sheets with a Power BI-compatible columnar schema capturing all commercial and logistical data fields.
- O5** Build a real-time analytics dashboard in Microsoft Power BI that surfaces revenue trends, item performance, delivery metrics, and payment method distribution.

5.2 Technical Objectives

- T1** Achieve end-to-end workflow automation using n8n without writing or maintaining a custom backend server or API.
- T2** Implement conversation memory persistence enabling coherent, stateful multi-turn ordering dialogues per unique customer session.
- T3** Maintain system availability of 24/7 with sub-3-second average response latency under normal operating conditions.
- T4** Structure data output to support KPI tracking including total revenue, item-level sales, discount analysis, and delivery fee reporting.
- T5** Demonstrate a modular, extensible architecture where new features can be added through node configuration rather than code rewrites.

06 System Features & Capabilities

AI Conversational Agent	Powered by OpenAI GPT-4o-mini, the bot engages customers in natural Egyptian Arabic. It understands colloquial phrasing, gracefully handles misspellings, and maintains full conversational context across multiple message turns using buffer memory.
Intelligent Menu Browsing	Customers can request the full menu, enquire about specific items, ask for prices, or seek recommendations. The AI responds contextually with formatted, emoji-enriched responses that mirror the warmth of a human server.
Step-by-Step Order Collection	The system guides customers through a structured, validated order flow: item selection → customer name → phone number → delivery address → payment method → special notes. Each step validates the previous input before proceeding.
Automated Order Confirmation	Upon customer confirmation, the system instantly emits a fully formatted Arabic summary containing itemised pricing, discount breakdown, delivery fee, final total, and an estimated delivery window of 30–45 minutes.
Real-Time Google Sheets Logging	Every confirmed order is appended to Google Sheets within seconds, populating all 17 structured columns with commercial, logistical, and temporal data in a schema optimised for Power BI consumption.
Offer & Discount Management	The AI is embedded with full awareness of active promotions (20% discount on all items; free delivery on orders exceeding EGP 300) and applies these correctly in all price calculations and customer-facing communications.
Delivery Zone Management	The system provides accurate delivery zone coverage information, quotes context-aware delivery fees by district, and gives reliable estimated delivery times based on the customer's stated address.
Power BI Analytics Dashboard	A live-connected Power BI report visualises order volumes, revenue trends, top-selling items, payment method distribution, and delivery fee analysis, refreshing on a scheduled basis from the Google Sheets source.
24/7 Automated Operation	The Telegram Webhook architecture ensures instantaneous response at any hour without requiring staff presence, capturing orders that would otherwise be permanently lost outside conventional working hours.

07 Tools & Technologies

Technology	Purpose	Justification
n8n	Visual workflow automation platform	Open-source, self-hostable, 400+ integrations, zero custom backend code required
Telegram Bot API	Customer-facing conversational interface	Ubiquitous in Egypt, free API, rich message formatting, real-time Webhook delivery

OpenAI GPT-4o-mini	Natural language AI engine	Cost-efficient, Arabic-capable, structured JSON output via function-calling pattern
Google Sheets	Cloud database for order persistence	Real-time collaboration, native Power BI connector, globally accessible, no hosting cost
Microsoft Power BI	Business intelligence & analytics dashboard	Direct Google Sheets connector, rich interactive visuals, scheduled refresh, easy sharing
JSON	Structured data interchange format	Universal, lightweight, natively supported by all tools in the pipeline
Webhook	Real-time event-driven communication	Zero-latency order reception from Telegram; eliminates polling overhead
Buffer Memory	Conversation context persistence	Maintains per-user multi-turn dialogue state within n8n AI Agent, scoped by chatId

Integration Architecture: The five core technologies are connected in a linear pipeline where each component has a single, clearly defined responsibility. n8n acts as the central orchestration layer — receiving events from Telegram, invoking OpenAI for intelligence, writing to Google Sheets for persistence, and dispatching formatted responses back to the customer — all within a single, deterministic workflow execution.

08 Workflow Architecture

The n8n workflow is the operational backbone of the entire system, orchestrating all technology components through a directed acyclic graph of nodes. Each node performs a discrete, well-defined function in the order processing pipeline.

#	Node Name	Type	Function
1	Telegram Trigger	<i>telegramTrigger</i>	Entry point. Registers a persistent Webhook with the Telegram API. Fires on every incoming customer message, delivering the complete Telegram message payload to n8n.
2	Normalize Message	<i>n8n-nodes-base.code</i>	JavaScript node that extracts chatId, customer name, username, and raw message text from the Telegram payload. Generates ISO 8601 timestamps and a unique ORD-{timestamp} session OrderID.
3	AI Agent	<i>@n8n/n8n-nodes-langchain.agent</i>	Core intelligence node. Receives the normalised customer message and the full system prompt. Invokes OpenAI GPT-4o-mini and returns either a natural conversational reply or a structured JSON order record.
4	OpenAI Chat Model	<i>lmChatOpenAi</i>	Sub-node providing GPT-4o-mini as the language model backend for the AI Agent. Configured with temperature 0.7 for natural, appropriately varied responses.
5	Simple Memory	<i>memoryBufferWindow</i>	Sub-node persisting conversation history, scoped per customer using chatId as the session key. Enables coherent multi-turn ordering dialogues without context loss between messages.
6	Extract Order Data	<i>n8n-nodes-base.code</i>	JavaScript node parsing the AI output. If the first line contains a valid JSON object with order_confirmed: true, extracts all order fields. Otherwise marks the response as an incomplete conversational reply.
7	Is Order Confirmed?	<i>n8n-nodes-base.if</i>	Conditional routing node. Evaluates the order_confirmed boolean. TRUE path routes to data storage and confirmation. FALSE path routes to the conversational reply, continuing the dialogue.
8	Save Order to Sheets	<i>googleSheets (append)</i>	Appends a complete, structured order row to Google Sheets, populating all 17 columns including computed financial fields (discount amount, totals) and temporal metadata.

9	Send Order Confirmation	<i>n8n-nodes-base.telegram</i>	Sends a formatted Arabic order confirmation to the customer containing the full order summary, itemised pricing, applied discount, delivery fee, final total, and estimated 30–45 minute delivery window.
10	Send Chat Reply	<i>n8n-nodes-base.telegram</i>	Sends the AI's conversational response when the order is not yet fully confirmed. Routes the dialogue continuation back to the customer, maintaining the natural conversation flow.

8.1 Data Flow Description

When a customer sends a message to the Telegram Bot, the registered Webhook fires immediately, delivering the full message payload to n8n with zero polling latency. The **Normalize Message** node extracts all relevant Telegram fields and enriches the data with server-side ISO timestamps and a unique session OrderID.

The normalised message passes to the **AI Agent**, which queries the **Simple Memory** buffer for conversation history before invoking **OpenAI GPT-4o-mini**. The AI Agent operates under a carefully engineered system prompt that defines its persona, embeds the complete knowledge base (menu, prices, active offers, delivery zones), specifies the step-by-step information collection sequence, and — critically — defines the output format contract: when an order is fully confirmed by the customer, the AI emits a strict JSON object on the very first line of its response.

The **Extract Order Data** node attempts `JSON.parse()` on this first line. If parsing succeeds and `order_confirmed` evaluates to true, the **Is Order Confirmed?** node routes the workflow to the data persistence branch: the order row is appended to Google Sheets and a formatted confirmation message is sent to the customer. If parsing fails — indicating the AI is still in dialogue — the raw AI response is forwarded as a conversational reply and the dialogue continues until the customer provides all required information and explicitly confirms.

09 Database Structure — Google Sheets

The Google Sheets database is designed with Power BI consumption as the primary requirement. All column names use PascalCase, data types are consistent, dates follow ISO 8601 format, and categorical fields use standardised values to enable reliable slicing and filtering.

Column	Data Type	Description	Power BI Role
OrderID	Text	Unique identifier in format ORD-{timestamp}	Row Key / ID
CustomerName	Text	Full name as provided by the customer during the order flow	Dimension
Phone	Text	Customer phone number in Egyptian format (01x-xxxx-xxxx)	Dimension
Address	Text	Delivery address as stated by the customer	Dimension
ItemName	Text	Name of the ordered menu item (standardised values)	Dimension / Slicer
Quantity	Number	Number of units ordered for the specified item	Measure
UnitPrice	Number	Base price per item in EGP before any discount is applied	Measure
DiscountPercent	Number	Discount percentage applied to the order (currently 20%)	Measure
DiscountAmount	Number	Calculated discount value in EGP (UnitPrice × Quantity × DiscountPercent / 100)	Measure
TotalBeforeDiscount	Number	Subtotal before discount: UnitPrice × Quantity	Measure
DeliveryFee	Number	Delivery fee in EGP based on customer delivery zone	Measure
TotalAfterDiscount	Number	TotalBeforeDiscount minus DiscountAmount	Measure
FinalTotal	Number	TotalAfterDiscount plus DeliveryFee — the customer's final payable amount	Measure (KPI)
PaymentMethod	Text	Standardised values: Cash / Visa / Vodafone Cash	Dimension / Slicer
Date	Date	Order date in ISO 8601 format: YYYY-MM-DD	Date Table Key
Time	Time	Order time in HH:MM:SS format	Time Dimension
TelegramName	Text	Customer's Telegram display name for identification	Dimension

Schema Design Note: All numeric columns are defined as explicit Number types to prevent Power BI from treating them as text. The Date column is isolated as a dedicated date key to support DAX time-intelligence functions such as TOTALYTD, DATEADD, and SAMEPERIODLASTYEAR for period-over-period analytics.

10 AI Prompt Engineering

10.1 Prompt Design Principles

The system prompt is the foundational configuration that governs the AI agent's entire behaviour, knowledge base, conversation style, and — most critically — its output format contract. Effective prompt engineering for this use case required addressing four distinct and sometimes competing concerns simultaneously.

Persona Definition	The AI is instructed to behave as a warm, professional Egyptian customer service employee speaking in colloquial Masri dialect. This creates authentic, comfortable interactions that match the cultural expectations of Egyptian customers.
Knowledge Grounding	The complete menu with prices, all active promotional offers, delivery fee structure by zone, contact number, and operating hours are embedded directly in the system prompt. This eliminates hallucination risk on all factual restaurant information.
Conversation Flow Control	The prompt specifies the exact sequence of information to collect: item selection, customer name, phone number, delivery address, payment method, and special notes. The AI is instructed to proceed step-by-step and summarise the order before requesting final customer confirmation.
Output Format Contract	The critical technical requirement: when a customer explicitly confirms their order, the AI must emit a valid JSON object as the very first line of its response. This deterministic output contract enables the downstream Extract Order Data node to reliably parse and route every confirmed order.
Guardrails & Out-of-Scope Handling	The prompt includes an explicit handler for off-topic queries: if a customer asks about anything unrelated to the restaurant, the AI politely declines and redirects the conversation to restaurant topics, maintaining brand safety.

10.2 JSON Output Contract

The most technically significant design decision in the prompt engineering phase was enforcing a deterministic, machine-parseable JSON output format for confirmed orders. The AI is instructed to place the following JSON structure on the first line of its response whenever an order reaches confirmed status:


```
{ "order_confirmed": true, "customer_name": "Mohamed Ahmed",
  "phone": "01025545451", "address": "Al Giza",
  "order_items": "2x Pasta White Sauce", "payment_method": "Cash",
  "notes": "Extra sauce", "total_estimated": "165 EGP",
  "timestamp": "2025-05-08T15:21:00.000Z" }
```

The Extract Order Data node wraps JSON.parse() of the first line in a try/catch block. If parsing succeeds and order_confirmed is true, the workflow routes to data persistence. If parsing fails — because the AI is still collecting customer information — the raw output is forwarded as a conversational reply. This approach is robust to partial AI outputs and never crashes the workflow under any conditions.

11 System Screenshots & Results

The following figures document the live system operation across all key functional areas, demonstrating end-to-end workflow execution in production conditions.

Figure 1 — Telegram Bot: Order Confirmation Message



The AI bot delivers a fully formatted order confirmation to the customer in Egyptian Arabic, presenting an itemised price breakdown with discount applied (20%), delivery fee, pre-discount subtotal, post-discount total, and final payable amount. The estimated delivery window of 30–45 minutes is communicated, and the customer is thanked by the restaurant name. The bot is verified as @Dala3karshakrestaurant_bot.

Figure 2 — Google Sheets: Orders Database

The screenshot shows a Google Sheet titled 'AI Restaurant Orders - دلع كرشك'. The sheet contains 13 rows of order data. The columns are: OrderID, CustomerName, Phone, Address, ItemName, UnitPrice, Quantity, DiscountPercent, DiscountAmount, TotalBeforeDiscount, DeliveryFee, TotalAfterDiscount, FinalTotal, and PaymentMethod. The data is as follows:

OrderID	CustomerName	Phone	Address	ItemName	UnitPrice	Quantity	DiscountPercent	DiscountAmount	TotalBeforeDiscount	DeliveryFee	TotalAfterDiscount	FinalTotal	PaymentMethod
1	محمد بهاء	01095432687	جارتيا	برجر ديل	85	2	20	34	170	25	136	161	
2	محمد بهاء	01095432687	جارتيا	برجر ديل	85	2	20	34	170	25	136	161	
3	محمد أحمد	1095432687	مدينة نصر	شاوarma	65	3	20	39	195	25	156	181	
4	سارة علي	1124567891	المعادى	شاوarma	65	3	20	39	195	25	156	181	
5	أحمد خالد	1233445566	التجمع الخامس	بيتزا ماجريتا	90	1	20	18	90	25	72	97	
6	منة الله	1099887766	حلاوان	كرسي تشيكن	75	2	20	30	150	25	120	145	فون كاش
7	يوسف سمير	1111222333	مدينة نصر	باستا وايت صوص	70	3	20	42	210	25	168	193	
8	نورهان حسن	1244556677	المهندسين	برجر ديل	85	1	20	17	85	25	68	93	
9	كريم طارق	1022334455	أكتوبر 6	شاوarma	65	4	20	52	260	0	208	208	
10	ملك سامح	1155667788	المعادى	بيتزا ماجريتا	90	2	20	36	180	25	144	169	
11	عمر هشام	1266778899	التجمع الخامس	كرسي تشيكن	75	3	20	45	225	25	180	205	فون كاش
12	هاجر محمد	1077889911	الرجاب	باستا وايت صوص	70	2	20	28	140	25	112	137	
13	محمد بهاء	01095432687	القاهرة جارتيا	برجر ديل	85	2	20	34	170	25	136	161	
14	محمد بهاء	01095432687	القاهرة جارتيا	برجر ديل	85	2	20	34	170	25	136	161	

The "AI Restaurant Orders"—spreadsheet displaying 13 confirmed order records with all structured columns fully populated: CustomerName, Phone, Address, ItemName, UnitPrice, Quantity, DiscountPercent, DiscountAmount, TotalBeforeDiscount, DeliveryFee, TotalAfterDiscount, FinalTotal, and PaymentMethod. Data reflects real customer orders captured automatically by the n8n workflow with no manual data entry.

Figure 3 — Telegram Bot: Menu Browsing & New Order Initiation




Customer interaction demonstrating the menu request flow. The customer expresses intent to place a new order, and the AI warmly responds, presenting all five menu items with their prices in a clearly formatted list. The bot then invites the customer to choose their preferred item, initiating the structured order collection sequence.

Figure 4 — Telegram Bot: Step-by-Step Order Collection




The AI agent sequentially collecting all required customer information: item selection (2 units of Pasta White Sauce), customer name (Mohamed), phone number (01025545451), and delivery address (AI Giza). Each step is collected through natural conversational prompts. The bot summarises the collected order details before requesting payment method, demonstrating the guided, validated conversation flow.

Figure 5 — n8n Workflow: Complete Architecture



The full n8n workflow canvas displaying all 10 nodes in the order processing pipeline: Telegram Trigger → Normalize Message → AI Agent (with OpenAI Chat Model and Simple Memory sub-nodes) → Extract Order Data → Is Order Confirmed? → TRUE branch (Edit Fields → Save Order to Sheets → Send Order Confirmation → HTTP Request to Power BI) and FALSE branch (Send Chat Reply). The workflow represents the complete automated intelligence pipeline with no manual steps.

Figure 6 — Power BI Dashboard: Sales Analytics



The Power BI report page for Dalaa Karshak displaying live KPI cards: FinalTotal (161 EGP), DeliveryFee (25 EGP), Quantity (2 units), DiscountPercent (20%), and DiscountAmount (34 EGP). The bar chart below visualises Quantity by ItemName and PaymentMethod, providing immediate insight into top-selling items and preferred payment channels. The dashboard connects directly to Google Sheets via the native connector and refreshes on a scheduled basis.

12 Challenges & Solutions

The implementation phase surfaced several significant technical challenges. Each was systematically diagnosed and resolved through targeted engineering decisions documented below.

■ n8n Node Compatibility

Problem	Solution
Initial workflow imports failed with "Could not find property option" errors due to version mismatches between Switch node typeVersion declarations and property schema in the running n8n Cloud instance.	Downgraded the Switch node to typeVersion 1 with numeric output indices. Replaced the Switch node with an IF node for binary TRUE/FALSE routing, which proved more stable. Validated all node structures against the target n8n Cloud instance version before deployment.

--	--

■ AI JSON Output Reliability

Problem	Solution
OpenAI occasionally included preamble text — acknowledgment phrases or soft delimiters — before the required JSON object, breaking the first-line parsing strategy in the Extract Order Data node.	Added comprehensive try/catch around JSON.parse() in the Extract Order Data node. Implemented a startsWith('{') guard check before attempting parse. Strengthened the system prompt with explicit, emphatic JSON-first formatting instructions to minimise preamble generation.

■ Conversation Memory Scoping

Problem	Solution
Without proper session isolation, the Simple Memory buffer mixed conversation contexts from different Telegram users, causing data leakage and context confusion between simultaneous customer sessions.	Configured the sessionKey parameter in the Simple Memory node to use the customer's unique Telegram chatId as the session identifier, ensuring complete conversation isolation and preventing any cross-user context bleed.

■ Google Sheets API Rate Limits

Problem	Solution
High-volume load testing triggered Google Sheets API rate limit thresholds on the append endpoint, resulting in occasional write failures without graceful error handling.	Implemented exponential backoff in n8n's built-in retry configuration for the Google Sheets node. Added error-catching logic to detect append failures and notify the restaurant operator via Telegram message, ensuring no silent data loss.

13 Future Improvements & Roadmap

The modular architecture of the system provides a strong foundation for iterative enhancement. The following roadmap is structured across three delivery phases aligned with increasing implementation complexity.

Phase 1 — Short Term (3–6 Months)
• Online Payment Integration: Integrate Vodafone Cash, Fawry, and card payment gateways directly within the Telegram conversation flow, enabling cashless order completion without requiring customers to leave the chat. • Order Status Tracking: Implement a real-time order status update system where customers can query their order status by Order ID and receive proactive push notifications at key milestones (order received, preparing, out for delivery). • Multi-Branch Support: Extend the workflow to route orders to different Google Sheets tabs or dedicated databases based on delivery zone, supporting restaurant chains with multiple operational locations under a unified analytics view.
Phase 2 — Medium Term (6–12 Months)
• Voice Ordering: Integrate Telegram voice message transcription using OpenAI Whisper API, enabling customers to place orders by speaking naturally rather than typing — particularly valuable for accessibility and on-the-go ordering scenarios. • Mobile Application: Develop a dedicated React Native mobile application providing a richer ordering experience with item photography, nutritional information, personalised recommendations, and persistent order history. • CRM Integration: Build a customer relationship management layer tracking order history, stated preferences, and loyalty points per customer, enabling targeted, personalised marketing campaigns and retention programmes.
Phase 3 — Long Term (12+ Months)
• Multi-Language Support: Extend the AI agent to support Standard Arabic (Fusha), English, and French, serving a broader demographic across the MENA region and enabling international expansion of the restaurant concept.

- Predictive Analytics: Apply machine learning models to the accumulated Power BI dataset to forecast demand patterns, optimise ingredient procurement, predict peak ordering windows, and automate staffing level recommendations.
- AI Menu Optimisation: Use aggregated order data to automatically identify underperforming menu items, suggest data-driven pricing adjustments, and recommend promotional strategies based on statistical sales patterns and seasonal trends.

14 Conclusion

This graduation project successfully demonstrates that production-grade AI automation for restaurant ordering is achievable without custom backend development, using commercially available, well-documented platforms connected through thoughtfully designed automation workflows. The outcome is a system that is simultaneously technically sophisticated and immediately deployable by a non-technical restaurant operator.

The Dalaa Karshak AI Restaurant Ordering & Analytics System achieves all stated primary and technical objectives. Customers enjoy a natural, conversational ordering experience in Egyptian Arabic through a platform they already use daily. Restaurant operators receive automatically structured, analytics-ready data that was previously either entirely uncaptured or manually recorded with significant error rates and operational overhead.

The system architecture is deliberately modular and extensible: each n8n node is a self-contained unit with a single, well-defined responsibility. Adding new capabilities — additional menu items, new language support, payment gateway integrations, or loyalty programme logic — requires configuration changes and node additions rather than foundational code rewrites. This design philosophy ensures the system evolves gracefully with changing business requirements.

From a broader strategic perspective, this project illustrates the transformative potential of accessible AI automation across the Egyptian restaurant sector. The same architectural pattern demonstrated here is directly applicable to any food service business operating on Telegram, representing a substantial opportunity for technology-driven competitive differentiation in a price-sensitive, customer-experience-driven market.

The integration of Power BI analytics closes the operational loop between daily execution and strategic planning: enabling data-driven decisions on menu development, marketing investment, delivery zone expansion, and staffing optimisation — capabilities that were previously available only to large restaurant chains with dedicated data teams and enterprise software budgets.

Project Significance: This project represents not merely a technical implementation, but a blueprint for the future of restaurant operations in the digital economy — where AI handles routine interactions with consistency and speed, human staff focus on hospitality and culinary creativity, and every strategic business decision is anchored in real, automatically collected operational data.

15 References & Resources

- [1] n8n Workflow Automation Platform. <https://n8n.io> — Open-source, self-hostable workflow automation platform with 400+ integrations.
- [2] Telegram Bot API Documentation. <https://core.telegram.org/bots/api> — Official Telegram Bot API reference including Webhook, sendMessage, and inline keyboard documentation.
- [3] OpenAI API Documentation. <https://platform.openai.com/docs> — GPT-4o-mini model reference, prompt engineering best practices, and function-calling guide.
- [4] OpenAI GPT-4o-mini Model Card. <https://openai.com/research/gpt-4o-mini> — Model capabilities, multilingual support, pricing, and known limitations.
- [5] Google Sheets API v4. <https://developers.google.com/sheets> — REST API documentation, append endpoint reference, and authentication guide.
- [6] Microsoft Power BI Documentation. <https://docs.microsoft.com/power-bi> — Dashboard creation, DAX time-intelligence functions, Google Sheets connector, and scheduled refresh configuration.

[7] LangChain Memory Documentation. <https://js.langchain.com/docs/modules/memory> — Buffer memory module, conversation history persistence, and session key scoping.

[8] n8n LangChain Nodes Reference. <https://docs.n8n.io/integrations/builtin/cluster-nodes/> — AI Agent, Chat Model, and Memory node documentation for n8n workflows.

[9] Python Arabic Reshaper. <https://github.com/mpcabd/python-arabic-reshaper> — Library for Arabic character reshaping and BiDi algorithm support in Python applications.

[10] ReportLab PDF Generation Library. <https://www.reportlab.com/docs/reportlab-userguide.pdf> — Platypus document framework, custom styles, and image embedding reference.

*AI Restaurant Ordering & Analytics System · Dalaa Karshak · Graduation Project 2025
Built with n8n · Telegram · OpenAI GPT-4o-mini · Google Sheets · Microsoft Power BI*