



Ampliació del Servidor Node.js

Nombre: Mohamed Boyauzan

Asignatura: Disseny d'interfícies web

Ampliació del Servidor Node.js





1. Ruta GET /data

Aquesta ruta mostra la data i hora actuals del servidor.

The screenshot shows the ReqRes API client interface. The left sidebar displays the 'COLLECTIONS' list, including 'Users Management' and 'kALI SERVER'. The 'GET New Request' tab is selected. The main area shows a GET request to the URL 'http://10.34.22.47:3000/data'. The 'Params' tab is active, showing a table for 'Query Params'.

Key	Value	Description
Key	Value	Description


The response body is shown in JSON format, indicating a 200 status code:

```
{
  "data": "2026-10-07",
  "hora": "13:15:53",
  "timestamp": 1791393353804,
  "dia_setmana": "dimecres"
}
```




2. Ruta POST /usuari – Dades correctes

Aquesta ruta permet crear un usuari quan les dades són correctes.



3. Ruta POST /usuari – Nom incorrecte

Es comprova que el servidor detecta un nom que no compleix les condicions indicades.





4. Ruta POST /usuari – Email incorrecte

Es comprova la validació del format de l'email.

The screenshot displays a REST client interface with the following details:

- Method:** POST
- URL:** http://10.34.22.47:3000/usuari
- Body:** JSON format with the following content:

```
1 {
2   "nom": "Mohamed",
3   "email": "gmail.com"
4 }
```
- Status:** 400
- Response Body:** JSON format with the following content:

```
1 {
2   "error": "Dades invàlides",
3   "data": [
4     "L'email no és vàlid"
5   ]
6 }
```

The interface also shows a sidebar with collections (Users Management, Consultas, Creación, Actualizaciones, Eliminación, Autenticación, Reptes, kALI SERVER) and environments (ENVIRONMENTS, DOCUMENTS, SPECS, MOCKS, DATASETS, TOOLSETS, FLOWS).



5. Ruta POST /usuari – JSON incorrecte

Es comprova que el servidor controli les dades JSON incorrectes.

The screenshot shows a REST client interface with the following details:

- Request:** POST to `http://10.34.22.47:3000/usuari`. The body is raw JSON:

```
1  
2   "nom": "",  
3   "email": "mohamedboyauzan@gmail.com"  
4
```
- Response:** Status 400. The body is JSON:

```
1 {  
2   "error": "Dades invàlides",  
3   "data": [  
4     "El JSON no és correcte"  
5   ]  
6 }
```
- UI Elements:** A "Fix request body JSON" button is visible above the response body.



6. Ruta GET /api/info

Aquesta ruta mostra informació del servidor i del sistema.

The screenshot shows the Postman interface with a GET request to `http://10.34.22.47:3000/api/info` under the `USUARI` collection. The response is a JSON object with the following structure:

```
1 {
2   "node_version": "v24.21.0",
3   "plataforma": "linux",
4   "memoria": {
5     "rss": 52740096,
6     "heapTotal": 6856704,
7     "heapUsed": 5353248,
8     "external": 2228492,
9     "arrayBuffers": 137819
10  },
11   "uptime": 40.590138738
12 }
```



7. Calculadora – Suma

Es comprova el funcionament de l'operació de suma.

The screenshot shows a REST client interface with the following details:

- URL:** `http://10.34.22.47:3000/api/calculadora/suma/5/3`
- Method:** GET
- Status:** 200
- Response Body (JSON):**

```
{  "operacio": "suma",  "num1": 5,  "num2": 3,  "resultat": 8}
```

The interface also shows a sidebar with collections and environments, and a bottom status bar with the text "The coast is clear".



8. Calculadora – Resta

Es comprova el funcionament de l'operació de resta.

The screenshot shows the Postman application interface. The left sidebar displays the 'COLLECTIONS' list, with 'kALI SERVER' expanded and 'GET calculadora' selected. The main panel shows the request details for 'GET calculadora' at the URL 'http://10.34.22.47:3000/api/calculadora/resta/5/3'. The 'Params' tab is active, showing a table for 'Query Params'.

Key	Value	Description
Key	Value	Description

The 'Body' tab is also visible, showing a JSON response with a status of 200:

```
{
  "operacio": "resta",
  "num1": 5,
  "num2": 3,
  "resultat": 2
}
```

The bottom status bar indicates 'The coast is clear'.



9. Calculadora – Multiplicació

Es comprova el funcionament de l'operació de multiplicació.

The screenshot shows the Postman interface with the following details:

- URL:** `http://10.34.22.47:3000/api/calculadora/multiplicacio`
- Method:** GET
- Status:** 200
- Response Body (JSON):**

```
{  "operacio": "multiplicacio",  "num1": 5,  "num2": 3,  "resultat": 15}
```

The left sidebar shows the 'COLLECTIONS' list with 'Users Management' expanded, containing 'Consultas', 'Creación', 'Actualizaciones', 'Eliminación', 'Autenticación', 'Reptes', and 'kALI SERVER'. The 'kALI SERVER' collection is selected, showing 'GET DATA', 'POST USUARI', and 'GET calculadora'.



10. Calculadora – Divisió

Es comprova el funcionament de l'operació de divisió.

The screenshot shows the Postman application interface. The left sidebar displays a collection named 'Users Management' with a sub-collection 'kALI SERVER' containing three requests: 'GET DATA', 'POST USUARI', and 'GET calculadora'. The 'GET calculadora' request is selected. The main panel shows the request details for the endpoint `http://10.34.22.47:3000/api/calculadora/divisio/6/3` with a 'GET' method. The 'Params' tab is active, showing a table for Query Params.

Key	Value	Description
Key	Value	Description

The bottom panel shows the response body in JSON format, indicating a 200 status code. The response is:

```
{
  "operacio": "divisio",
  "num1": 6,
  "num2": 3,
  "resultat": 2
}
```

The bottom status bar shows 'The coast is clear' and various tool icons.





T3-servidor

OP1-B1-NODE

11. Calculadora – Divisió per zero

Es comprova que el servidor controli l'error de dividir entre zero.





T3-servidor

OP1-B1-NODE

12. Conclusió

En aquesta activitat he ampliat el servidor Node.js amb diferents rutes, validacions i operacions. Les proves s'han realitzat amb Postman.