Implerontation? tun Jon built in functions D tow touser Co. Primer = Inplantaron to clear or bass' you need to stells 1) Delarethe forton int to 6 6 mars. De tive tendition prody

Function: block of Code didn't execute untill 900 Callit

```
main.cpp X
          #include <iostream>
    1
    3
          using namespace std;
    4
    5
          int sum(int x, int y);
    6
    7
          int maximum(int x, int y);
    8
          void pyramid(int height);
    9
          void fun();
   10
          int get data();
          int main()
   11
   12
   13
               int birthdate=get data();
   14
   15
               cout<<"Age: "<<2022-birthdate<<endl;
   16
   17
               int x=get data();
   18
               int y=get data();
   19
               cout<<maximum(x,y)<<endl;
   20
   21
               for(int i=5;i<15;i++) {
   22
                   pyramid(i);
   23
   24
   25
   26
               return 0;
   27
   28
```

```
{\color{red} \text{main.cpp}} \hspace{0.2cm} \times
    29
         \negvoid pyramid(int height){
    30
    31
    32
                 for(int i=0;i<height;i++) {</pre>
    33
                      for(int j=0;j<=i;j++) {</pre>
                          cout<<"$";
    34
    35
    36
                     cout<<endl;
    37
    38
    39
    40
         \Boxint get_data(){
    41
           int data;
    42
           cout<<"Enter the data:"<<endl;</pre>
    43
           cin>>data;
    44
           return data;
    45
    46
    47
         \neg void fun(){
    48
                cout<<"Have fun"<<endl;
    49
    50
    51
    52
    53
         \Box int sum(int x, int y) {
    54
                return x+y;
    55
         └ }
    56
    57
```

```
46
47
     void fun() {
           cout<<"Have fun"<<endl;
48
49
50
51
52
     \Box int sum(int x, int y) {
53
54
           return x+y;
     └ }
55
56
57
58
     int maximum(int x,int y) {
59
60
           if(x>y) {
61
                return x;
62
63
           else if(x==y){
64
                return 0;
65
66
           else{
67
                return y;
68
69
70
71
```

Traction mare the Godo

1 ess.

Source

Source

Source

Source

How to convert from 10 w er Case to U(tel)

```
char capitalize(char c);
int main()

{
    cout<<capitalize('a');
    //cout<<score(89);
    //check_legability(get_age());
}

char capitalize(char c) {
    return 0;
}

char capitalize(char c) {
    return char(c-32);
}</pre>
**Testimate in the continue is a continue.

**Testimate in the continue is a continue.

**Testimate in the continue is a continue in the continue.

**Testimate in the continue is a continue in the continue is a continue.

**Testimate in the continue is a continue in the continue is a continue.

**Testimate in the continue is a continue in the continue in the continue in the continue is a continue in the continue in the continue in the continue in the continue is a continue in the continue in t
```

```
char score(int grade) {
    if(grade>=85) {
        return 'A';
    }
    else if(grade>=75) {
        return 'B';
    }
    else if(grade>=60) {
        return 'C';
    }
    else{
        return 'D';
    }
}
```