

# Rajalakshmi Engineering College

Name: Mohamed Fadil  
Email: 241501114@rajalakshmi.edu.in  
Roll no: 241501114  
Phone: null  
Branch: REC  
Department: AI & ML - Section 3  
Batch: 2028  
Degree: B.E - AI & ML

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q2

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Monica is interested in finding a treasure but the key to opening is to get the sum of the main diagonal elements and secondary diagonal elements.

Write a program to help Monica find the diagonal sum of a square 2D array.

Note: The main diagonal of the array consists of the elements traversing from the top-left corner to the bottom-right corner. The secondary diagonal includes elements from the top-right corner to the bottom-left corner.

##### ***Input Format***

The first line of input consists of an integer N, representing the number of rows and columns.

The following N lines consist of N space-separated integers, representing the 2D array elements.

### **Output Format**

The first line of output prints "Sum of the main diagonal: " followed by an integer, representing the sum of the main diagonal.

The second line prints "Sum of the secondary diagonal: " followed by an integer, representing the sum of the secondary diagonal.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 3

1 2 3

4 5 6

7 8 9

Output: Sum of the main diagonal: 15

Sum of the secondary diagonal: 15

### **Answer**

// You are using Java

```
import java.util.Scanner;
```

```
public class Main {  
    public static void main(String[] args) {  
        Scanner scanner = new Scanner(System.in);
```

```
  
        // Read the size of the matrix  
        int n = scanner.nextInt();
```

```
  
        // Create and read the matrix  
        int[][] matrix = new int[n][n];  
        for (int i = 0; i < n; i++) {  
            for (int j = 0; j < n; j++) {  
                matrix[i][j] = scanner.nextInt();  
            }  
        }  
    }  
}
```

```
// Calculate main diagonal sum (top-left to bottom-right)
int mainDiagonalSum = 0;
for (int i = 0; i < n; i++) {
    mainDiagonalSum += matrix[i][i];
}

// Calculate secondary diagonal sum (top-right to bottom-left)
int secondaryDiagonalSum = 0;
for (int i = 0; i < n; i++) {
    secondaryDiagonalSum += matrix[i][n - 1 - i];
}

// Print the results in the required format
System.out.println("Sum of the main diagonal: " + mainDiagonalSum);
System.out.println("Sum of the secondary diagonal: " +
secondaryDiagonalSum);

    scanner.close();
}
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: Mohamed Fadi

Email: 241501114@rajalakshmi.edu.in

Roll no: 241501114

Phone: null

Branch: REC

Department: AI & ML - Section 3

Batch: 2028

Degree: B.E - AI & ML

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q3

Attempt : 1

Total Mark : 10

Marks Obtained : 10

### Section 1 : Coding

#### 1. Problem Statement

You are developing a warehouse management system for a shipping company. The system uses an integer array to represent the weights of packages in a specific order. To verify that the weight capacity is not exceeded, the program needs to calculate the sum of the weights of the first and last packages in the list.

Task:

Write a code to calculate the sum of the weights of the first and last packages in the list. The program should take an integer array as input and return the total weight of the first and last packages.

#### ***Input Format***

The first line of the input is an integer N representing the size of the array.

The second line of the input is N space-separated integer values.

### **Output Format**

The output is displayed in the following format:

"Sum of the first and last elements: <<Sum>>"

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 5

10 20 30 40 50

Output: Sum of the first and last elements: 60

### **Answer**

// You are using Java

```
import java.util.Scanner;
```

```
public class Main {  
    public static void main(String[] args) {  
        Scanner scanner = new Scanner(System.in);
```

```
        // Read the size of the array  
        int n = scanner.nextInt();
```

```
        // Create array to store package weights  
        int[] weights = new int[n];
```

```
        // Read the package weights  
        for (int i = 0; i < n; i++) {  
            weights[i] = scanner.nextInt();  
        }
```

```
        // Calculate sum of first and last elements  
        int sum = weights[0] + weights[n - 1];
```

```
        // Print the result in the required format  
        System.out.println("Sum of the first and last elements: " + sum);
```

```
scanner.close();  
}  
}
```

**Status :** Correct

**Marks : 10/10**

# Rajalakshmi Engineering College

Name: Mohamed Fadi  
Email: 241501114@rajalakshmi.edu.in  
Roll no: 241501114  
Phone: null  
Branch: REC  
Department: AI & ML - Section 3  
Batch: 2028  
Degree: B.E - AI & ML

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Sesha is developing a weather monitoring system for a region with multiple weather stations. Each weather station collects temperature data hourly and stores it in a 2D array.

Write a program that can add the temperature data from two different weather stations to create a combined temperature record for the region.

##### ***Input Format***

The first line of input consists of two space-separated integers N and M, representing the number of rows and columns of the matrices, respectively.

The next N lines consist of M space-separated integers, representing the values of the first matrix.

The following N lines consist of M space-separated integers, representing the values of the second matrix.

### **Output Format**

The output prints the addition of the two matrices in N rows and M columns, representing the combined temperature record.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 3 3

1 2 3

4 5 6

7 8 9

1 1 1

2 2 2

3 3 3

Output: 2 3 4

6 7 8

10 11 12

### **Answer**

// You are using Java

import java.util.Scanner;

public class Main {

public static void main(String[] args) {

Scanner scanner = new Scanner(System.in);

// Read dimensions of the matrices

int n = scanner.nextInt(); // number of rows

int m = scanner.nextInt(); // number of columns

// Create matrices for two weather stations

int[][] station1 = new int[n][m];

int[][] station2 = new int[n][m];

int[][] combined = new int[n][m];

// Read temperature data from first weather station



```

for (int i = 0; i < n; i++) {
    for (int j = 0; j < m; j++) {
        station1[i][j] = scanner.nextInt();
    }
}

// Read temperature data from second weather station
for (int i = 0; i < n; i++) {
    for (int j = 0; j < m; j++) {
        station2[i][j] = scanner.nextInt();
    }
}

// Add corresponding elements from both stations
for (int i = 0; i < n; i++) {
    for (int j = 0; j < m; j++) {
        combined[i][j] = station1[i][j] + station2[i][j];
    }
}

// Print the combined temperature record
for (int i = 0; i < n; i++) {
    for (int j = 0; j < m; j++) {
        System.out.print(combined[i][j] + " ");
    }
    System.out.println();
}

scanner.close();
}
}

```

**Status :** Correct

**Marks :** 10/10