



Integration Guide for Dispatching Companies

v2.28

Version date 21/05/2025

Contents

1. Document History	2
2. Document Purpose	5
3. Support.....	5
4. General Guidelines for Successful Integration	5
5. Glossary.....	6
6. Services Catalog	8
6.1 Driver and Vehicle Registration Service	9
6.2 All Drivers & Vehicles Eligibility Inquiry Service	18
6.3 Trip Registration Service	25
6.4 Trips Update Service	30
6.5 Update Current Location	34
7. Appendix.....	40
7.1 HTTP Status Codes	40
7.2 Result Codes.....	40
7.3 Eligibility (Driver and Vehicle Registration Service).....	41
7.4 Driver Eligibility (Driver & Vehicle Eligibility Inquiry Service)	41
7.5 Vehicle Eligibility (Driver & Vehicle Eligibility Inquiry Service)	41
7.6 Rejection Reasons	42
7.7 Vehicle License Type	43
7.8 Driver License Types	43
7.9 Vehicle Plate Letters	43
7.10 Criminal Record Check Process.....	44
7.11 Criminal Record Status.....	47
7.12 Trip Rejection Reasons.....	48

1. Document History

Version	Date	Changes log
2.4	04/04/2019	Initial Version
2.5	07/04/2019	- Service catalog remarks - Modification of some titles of integration services - List of TGA approved financiers - Some modifications on reason of rejections - Addition of BPM for driver and vehicle registration service
2.6	11/06/2019	Updated usage of hasCustomer field in Update Current Location service.
2.7	10/12/2019	Additional appendix tables: - Eligibility (Driver and Vehicle Registration Service) - Driver Eligibility (Driver & Vehicle Eligibility Inquiry Service) - Vehicle Eligibility (Driver & Vehicle Eligibility Inquiry Service)
2.8	12/01/2020	Examples request body syntax error fix: - Different double quotes within the request body in Trip Registration Service example. - Correct dateofBirthgregorian format from yyyy/mm/dd to yyyy-mm-dd in Registration failure due to incorrect sequence number or plate examples. - Removed extra comma at last in driver section of the request body for Registration failure due to missing field example.
2.9	25/03/2020	- Document Purpose Addition - Updated Support Details - Updated Business Rules in Arabic and English - Glossary Addition - Addition of Driver and Vehicle Registration Service Utilization Criteria in Arabic and English - Updated and Enhanced Service Catalog - Addition of Arabic Description of Each Service - Addition of Services Data Specifications for Each Service - Updates to IG's Appendix - Minimal Updates Vehicle Plate Types List - General Document Restructure - Updated drivers minimum age to be 18 - Updated Trip Registration Service field tripId's data type to be String - Addition of criminal record check progress status in specific driver and vehicle inquiry service - Addition of criminal record check progress status definitions in appendix - Removal of "Driver & Vehicle Eligibility Inquiry Service (For all drivers)" service - Addition of an extra point to the general guidelines
2.10	14/06/2020	- Addition of "Driver & Vehicle Eligibility Inquiry Service (by multiple MOI numbers)" service - Additional clarification to the "Driver and Vehicle Registration Utilization Criteria" table available within registration service description - Updated list of rejection reasons to include (OPERATION_CARD_EXPIRED and DRIVER_ELIGIBILITY_EXPIRED) - Addition of "tripCost" field in the trip registration service

2.11	01/09/2020	- Updating All Drivers & Vehicles Eligibility Inquiry Service method type to POST
2.12	08/09/2020	- Trip Registration Service -> Fields Specifications data type for “tripId” and “customerWaitingTimeInSeconds” updated to match request schema
2.12.1	21/01/2021	- Support Email Updated
2.12.2	04/02/2021	- Update driver license types in appendix
2.12.3	22/02/2021	- Update driver license types in appendix, LIGHT TRANSPORT and HEAVY TRANSPORT licenses is now Applicable for Registration
2.13	15/03/2021	- Addition of “DRIVER_VEHICLE_INELIGIBLE” to the Rejection Reasons
2.14	20/06/2021	- New appendix table for Trip Registration Service rejection reasons/error messages. - Adding new fields in the response of All Drivers & Vehicles Eligibility Inquiry Service: driver rejection reason, vehicle rejection reason, vehicle plate and vehicle plate type.
2.15	05/08/2021	- Updated appendix table for Trip Registration Service rejection reasons/error messages.
2.16	28/10/2021	- Driver and Vehicle Registration Service -> new output for vehicle details “eligibilityExpiryDate” - All Drivers & Vehicles Eligibility Inquiry Service -> new output for vehicle details “eligibilityExpiryDate” - Added new rejection reasons “VEHICLE_ELIGIBILITY_EXPIRED” and “NO_VALID_OPERATION_CARD_FOUND”
2.17	25/11/2021	- Added vehicle license expiry date output field to vehicle and driver registration and driver inquiry services.
2.18	06/02/2022	- Addition of “NO_PERIODIC_INSPECTION_POLICY_EXPIRY_DATE” to the Rejection Reasons.
2.19	07/03/2022	- New update trips service - Trips rejection reasons table updated
2.20	21/04/2022	- Removed age constraint - Allow Co-owner to be actual driver
2.21	17/08/2022	- Added two trip rejection reasons for ineligible driver and vehicle.
2.22	28/02/2023	- Added Vds rejection reason for driver - Rejection reasons table updated
2.23	19/04/2023	- Adding sample output for the rejection reasons for VDS in (Driver and Vehicle Registration Service)
2.24	22/05/2023	- Removed DRIVER_NOT_ELIGIBLE_IN_VDS rejection reason - Added DRIVER_NOT_REGISTERED_IN_VDS in resultCodes - Removed activation date

2.25	22/07/2023	- REMOVED DRIVER_IS_NOT_REGISTERED_IN_VDS rejection reason
2.26	05/11/2023	- Added support to more driver license types and vehicle license types
2.27	04/03/2024	- Added result code and business roles for green taxi
2.28	21/05/2025	- Added new rejection reason DRIVER_REJECTED_MANY_CRIMINAL_RECORD_CHECK with explanation and use cases. - Added new output to driver & vehicle registration showing driver's full name in Arabic and English, and gender. - Added new inputs for trip registration: driverArrivalTime and driverAssignTime - tripCost in trip registration is now mandatory - Added remarks in driver registration service explaining a new change in how the system rechecks drivers eligibilities 15 days before expiry.

2. Document Purpose

The purpose of this document is to define the integration requirements specifications between WASL platforms and dispatching companies' systems, this document is intended to guide the usability of related web services along with its business requirements and processes.

3. Support

- For Support, contact email: HD@logisti.sa phone: 19929
- For Business Support, refer to your account manager.
- For regulations inquiries, refer to TGA's web site www.TGA.gov.sa or visit TGA's head office.

4. General Guidelines for Successful Integration

- A dispatching company must be registered in Wasl platform per the procedures (Kindly refer to business support channel).
- A Client-id, App-id and APP-key will be given to each company. These are necessary for integration.
- All requests must use at least TLS 1.2. Using older version might result in connection being dropped.
- All requests will be made to <https://wasl.api.elm.sa/>*
- Do NOT send location data from your mobile app directly. All communication with Wasl platform must be originated from your backend servers.
- All App IDs be kept a secret. Do NOT embed the APP key in your mobile App.
- The dispatching company must pass all eligibility criteria in order to achieve eligibility status in Wasl platform (Check "Dispatching Company Eligibility Criteria" table below).
- We highly recommend the utilization of the third part software "Postman" for the purpose of any technical inquiry, by sharing your technical inquiries/issues as a screenshot to Wasl technical support channels. The suggested details that must be included when sharing the screenshot are: (headers, request body, and any related error message).

5. Glossary

Title	Description
NIC	National Information Center
WASL	Wasl is an e-platform that aims to link the organizations working in the land transport field with the organizational entities. This enables the Transport General Authority to monitor and control the land transport to raise their level of quality, safety, and security
NAQL	An electronic platform that enables individual workers and establishments in the field of transportation with all its forms to remotely apply for the various licenses necessary to carry out their works and to complete all procedures and process them electronically without having to visit the Transport General Authority or its branches and without the need to print any paper transactions
TGA	Transport General Authority
MOI	Minister of Interior
Absher	Governmental services portal (https://www.absher.sa/)
SAMA	Saudi Arabian Monetary Authority
Dispatching Companies	Companies that provide smartphone-enabled hail riding applications
Eligibility	Regulatory (Business Rules) Validation Result
Eligibility Validity Period	A systematic eligibility validity period is issued for dispatching drivers/captains once they guaranty a valid and eligible status after successful registration in Wasl platform
Vehicle Sequence Number	The vehicle sequence number is a unique number that can be found on every Saudi Arabian vehicle license (not to be confused with chassis number)
Public Taxi	Public transportation taxis which are required to Issue a "Public Taxi" operating card from Naql portal as per TGA's regulations
Private Taxi	Private transportation taxis which are required to Issue a "Private Taxi" operating card from Naql portal as per TGA's regulations
VDS	It's a portal for registering drivers in Ride-Hailing. The driver should do self-registration in this portal and complete all eligibility checks before ride-hailing companies can onboard him in their apps. Portal URL: https://vds.naql.sa/

Dispatching Company Eligibility Criteria

Criteria	Specified Success Criteria (If Applicable)
----------	--

The dispatching company must have a valid MOI number	
The dispatching company must have a valid commercial record number	
Driver and vehicle registration service is done successfully	
Complete trip information.	- No missing, null or zero value of the following data (Check "Trips Registration Field Dictionary" table for more accurate data description and their properties): - o Vehicle Sequence Number - o Driver Identity Number - o Ride Request Time - o Trip Beginning Time - o Customer Waiting Time - o Trip End Time - o Trip Distance - o Trip Duration - o Customer Rating "out of 5" - o Departure City - o Destination City - o Departure Latitude - o Departure Longitude - o Destination Latitude - o Destination Longitude - Accurate and logical data per field - Any filed requires date-time input must be in the local time zone (KSA).
Accurate information for each location sent.	- It should contain the driver and vehicle information (driver identity number and vehicle sequence number) - It should specify if it has a customer or not - Longitude and latitude - Date-Time of the sent location - Location information must be updated every 30 seconds

6. Services Catalog

1 Driver and Vehicle Registration Service



This is service shall be utilized in case of registering a new driver or a new vehicle or both altogether if both of the driver or vehicle are not previously registered in Wasl Platform, it is also utilized for cases that require re-registration/updating information.

2 All Driver & Vehicle Eligibility Inquiry Service



This service shall be utilized by dispatching companies to check the eligibility status of a group of drivers and vehicles that were registered through “Driver and Vehicle Registration Service” to inquire about any updates regarding their validation results.

3 Driver & Vehicle Eligibility Inquiry Service (For a Specific Driver)



This service shall be utilized by dispatching companies to check the eligibility status of a specific driver and vehicle that were registered through “Driver and Vehicle Registration Service” to inquire about any updates regarding their validation results.

4 Trip Registration Service



This service shall be utilized by dispatching companies to send the trip information to Wasl Platform immediately after its completion.

5 Update Current Location

This service shall be utilized by dispatching companies to send the live location and status of the vehicle once the driver is ready to accept trip requests through the dispatching mobile application and while being in an ongoing trip.

6.1 Driver and Vehicle Registration Service

Description This service shall be utilized in case of registering a new driver or a new vehicle or both altogether if both of the driver or vehicle are not previously registered in Wasl Platform, it is also utilized for cases that require re-registration/updating information.

تستخدم هذه الخدمة لتسجيل السائق أو المركبة أو الاثنان معاً في حال كون المركبة أو السائق لم يتم تسجيلهما مسبقاً في منصة وصل، وتستخدم أيضاً في الحالات التي تتطلب إعادة التسجيل مرة أخرى مثل تحديث معلومات المركبة والسائق.

وصف الخدمة

Service Details:

URL	https://wasl.api.elm.sa/api/dispatching/v2/drivers
Method	POST
Headers	Content-Type: application/json client-id: [CLIENT ID GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-id: [APP ID GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-key: [APP KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY]
Request Body	<pre> { "driver": { "identityNumber": "1234567890", "dateOfBirthHijri": "1411/01/01", "dateOfBirthGregorian": "1990-01-01", "emailAddress": "address@email.com", "mobileNumber": "+966512345678" }, "vehicle": { "sequenceNumber": "123456879", "plateLetterRight": "ا", "plateLetterMiddle": "ا", "plateLetterLeft": "ا", "plateNumber": "1234", "plateType": "1" } } </pre>
Response Body	<pre> { "success": true, "resultCode": "success", "result": { "eligibility": "VALID", "eligibilityExpiryDate": "2020/01/01", "vehicleLicenseExpiryDate": "1450/01/01", "driverFullNameArabic": "الإسم العربي الكامل", "driverFullNameEnglish": "Full Name English", "driverGender": "MALE" } } </pre>
Request Schema	<pre> { "driver": { </pre>

	<pre> "identityNumber": <String>, "dateOfBirthHijri": <String>, "dateOfBirthGregorian": <String>, "emailAddress": <String>, "mobileNumber": <String>, }, "vehicle": { "sequenceNumber": <String>, "plateLetterRight": <String>, "plateLetterMiddle": <String>, "plateLetterLeft": <String>, "plateNumber": <String>, "plateType": <String> } } } </pre>
Response Schema	<pre> { "success": <Boolean>, "resultCode": <String>, "result": { "eligibility": <String>, "eligibilityExpiryDate": <String>, "rejectionReasons": <String[]>, "vehicleLicenseExpiryDate": <String[]>, "driverFullNameArabic": <String>, "driverFullNameEnglish": <String>, "driverGender": <String> } } </pre>

Service Body Fields Specifications:

Field Name	Data Type	M/O	Description
driver			
identityNumber	String	Mandatory	Driver's national identity number (Iqama ID for Non-Saudis)
dateOfBirthHijri	String	Mandatory if driver is Saudi	Date of birth in Hijri for Saudi drivers
dateOfBirthGregorian	String	Mandatory if driver is non-Saudi	Date of birth in Gregorian for Non-Saudi drivers
emailAddress	String	Optional	Driver's email address
mobileNumber	String	Mandatory	Driver's mobile number
vehicle			
sequenceNumber	String	Mandatory	Vehicle's sequence number (Not to be confused with chassis number)
plateLetterRight	String	Mandatory	Vehicle's plate right letter
plateLetterMiddle	String	Mandatory	Vehicle's plate middle letter
plateLetterLeft	String	Mandatory	Vehicle's plate left letter
plateNumber	String	Mandatory	Vehicle's plate number
plateType	Integer	Mandatory	Vehicle's plate type (Refer to appendix for plate types list)

Service Output Specifications:

Field Name	Data Type	Description
Success	Boolean	Returns true if succeeded.
resultCode	String	Refer to appendix for result codes
result		
eligibility	String	Refer to appendix for eligibilities
eligibilityExpiryDate	String	Expiry date for eligibility
rejectionReasons	String[]	Refer to appendix for rejection reasons
vehicleLicenseExpiryDate	String	Expiry date for vehicle license in Hijri
driverFullNameArabic	String	Driver's full Arabic name
driverFullNameEnglish	String	Driver's full English name
driverGender	String	Driver's gender. ("MALE", "FEMALE" or "UNDEFINED")

Service Remarks:

Remarks
1) The identityNumber is the National ID number for Saudi drivers or Iqama number for non-Saudi drivers. 2) Date of birth Hijri and Gregorian must be in the format (YYYY-MM-DD). Only one of the two fields needs to be entered. 3) Refer to appendix for a complete list of all result codes. 4) The eligibility field refer to the legal status of the driver and vehicle. An "INVALID" value indicates that this driver or vehicle did not pass Wasl check and must not be allowed to make trips. 5) To re-evaluate a driver's or vehicle's legal status, you may call this service again. Example: upon registering a driver with expired driving license, the returned "eligibility" field was "INVALID". The driver then renewed his driver license but Wasl still considers him invalid. To re-evaluate the legal status, call the registration service again and the driver's legal status will be updated to reflect the latest changes. Note: calling the registration service multiple times will only refresh the legal status, the driver or vehicle will never be registered twice. 6) The eligibility status for the driver and vehicle separately will be valid for the nearest expiry date of one of the driver's/vehicles documents but not exceed 12-month period, and Wasl platform will respond to the dispatching company the expiry date of eligibility status after registration service. 7) Dispatching company can request to re-register the vehicle and driver in order re-evaluate the eligibility status from "ineligible" to "eligible" <u>anytime</u> ONLY if: - The ineligibility reason of rejection is that driver didn't respond or rejected the criminal record check request. - If the driver criminal record check result is "not passed" and the criminal record last check past an 11-month period. - The vehicle or driver are ineligible due to a rule that is not related to criminal record check. 8) The eligibility status of the driver and vehicle will be "ineligible" after the expiration date, unless the company re-register the driver and vehicle for the revaluation prior to the expiration date.

- 9) In all cases, dispatching companies should keep following up with drivers to renew their own documents, criminal record check and their vehicle documents as well.
- 10) If the driver is rejecting the criminal record check requests, then he must be contacted by their dispatching company to prevent multiple requests being rejected. If the driver rejects or does not respond to 3 or more requests, then a rejection reason will be generated DRIVER_REJECTED_MANY_CRIMINAL_RECORD_CHECK. Check the rejection reason appendix for more details.
- 11) The system will recheck the driver's eligibility (including criminal record check) 15 days before the expiry of their active eligibility license. If the driver is eligible, the system will create a new eligibility license for them with a new expiry date. If the driver fails the check, they will become ineligible only after the current active eligibility license expires.

Driver and Vehicle Eligibility Validation Rules:

Driver and Vehicle Validation Rules ضوابط عمل المركبة والسائق Please refer to the announced business rules by TGA for a complete overview, below are specific and required validations that takes place in Wasl Platform when the Driver and Vehicle Registration Service is called. الرجاء الرجوع الى اللوائح والاشتراطات لدى الهيئة العامة للنقل، أدناه هي ضوابط العمل التي يتم التحقق منها عن طريق منصة وصل في حال استخدام خدمة تسجيل المركبة والسائق.	
BR01	Valid driver license. (Check Appendix for Acceptable driver license types) وجود رخصة سائق سارية المفعول. (راجع الملحق الخاص بأنواع الرخص المسموحة)
BR02	Driver age shall not be less than (18) and more than (65) years of age. ألا يقل عمر السائق عن (18) عاماً ولا يزيد عن (65) عاماً.
BR03	Criminal record shall be clean. (Check Appendix for Criminal Record Check Process) خلو شهادة خلو السوابق من السوابق. (راجع الملحق الخاص بعملية التحقق من شهادة خلو السوابق)
BR04	Vehicle shall have a valid insurance. وجود تأمين ساري المفعول للمركبة.
BR05	<u>Saudi drivers</u> shall validate one of the following conditions below: - Driver owns the vehicle - Or the vehicle is owned by a SAMA approved financial company and the driver is assigned as the co-owner of the vehicle "actual driver" in MOI systems. (kindly visit www.sama.gov.sa for a full list of applicable entities) - Or the driver's vehicle has an active operating card type "Public Taxi" or "Private Taxi" in Naql portal. - Or Vehicle owned by an individual and actual driver is the co-owner - The vehicle shall have an operating card type "Public Taxi" or "Private Taxi" for <u>Non-Saudi drivers</u> issued through Naql portal. (This rule is only applicable for Non-Saudi drivers with public transport vehicles until the end of 2020) - على السائق السعودي أن يحقق أحد الشروط أدناه: - السائق يملك المركبة - أو أن تكون المركبة مملوكة لإحدى الجهات التمويلية المصرحة من قبل مؤسسة النقد العربي السعودي وأن يكون "السائق الفعلي" للمركبة في أنظمة المرور. (الرجاء زيارة www.sama.gov.sa لتصفح قائمة الجهات التمويلية المصرحة) - أو أن مركبة السائق تحتوي على بطاقة تشغيل سارية المفعول من نوع "أجرة عامة" أو "أجرة خاصة" من بوابة نقل. - يجب على مركبة السائق الغير سعودي أن يكون لديها بطاقة تشغيل سارية المفعول من نوع "أجرة عامة" أو "أجرة خاصة" تم إصدارها من بوابة نقل. (هذا الشرط ينطبق فقط على سائق مركبة النقل العام لغير السعودي حتى نهاية عام 2020)
BR06	Vehicle age shall not exceed (5) years of age counting from January of the production year. ألا يزيد العمر الافتراضي للمركبة عن خمس سنوات من بداية شهر يناير لسنة الصنع.
BR07	Vehicle shall have a valid periodic vehicle inspection. وجود فحص فني دوري ساري المفعول للمركبة.
BR08	Company is public taxi and the vehicle does not have an operational card
BR09	If company is public taxi company than the driver does not have to be the owner of the vehicle في حال كانت الشركة شركة توكسي عام فلا يلزم ان يكون قائد المركبة هو مالك السيارة

Driver and Vehicle Registration Utilization Criteria:

ضوابط استخدام خدمة تسجيل السائق والمركبة Driver and Vehicle Registration Utilization Criteria	
Wasl Platform enables dispatching companies' systems to utilize the vehicle and driver registration service for the following purposes (with the condition of registering driver and vehicle together all the time): - To register new drivers and/or a vehicles. - To associate the same driver with different vehicles and vice versa. - To update driver and/or vehicle information. - To update driver and/or vehicle eligibility status "including the criminal record check" . (Kindly check service criterion SC02) - To update operating card information (if applicable) تُمكن منصة وصل أنظمة شركات توجيه المركبات من استخدام خدمة تسجيل المركبة والسائق للأغراض التالية (مع شرط تسجيل السائق والمركبة معاً دائماً): - تسجيل سائقين وأو مركبات جدد. - لربط معلومات سائق محدد بعدة مركبات أخرى والعكس صحيح. - لتحديث معلومات السائق وأو المركبة. - لتحديث حالة أهلية السائق وأو المركبة. (الرجاء تفقد ضابط الخدمة SC02) - تحديث معلومات بطاقة التشغيل (للمركبات التي تتطلب إصدارها)	
SC01	If the driver registration got a successful validation attempt with an "eligible" status. In that case, he/she will be issued with an "Eligibility Validity Period" in Wasl Platform for the nearest expiry date of one of the driver's /Vehicle documents separately but not exceed 12-month as maximum. Eligibility Validity will expire once the expiration date arrives, turning the driver or vehicle status into "ineligible". في حال كانت عملية تسجيل السائق ناجحة وبحالة أهلية "مؤهلة"، سيتم إصدار "فترة صلاحية أهلية" للسائق في منصة وصل لتكون بتاريخ أقرب تاريخ نهاية لأحد وثائق السائق / المركبة المطلوبة وبمدة صلاحية لا تتجاوز 12-شهر، و تنتهي فور تحقق موعد الانتهاء لها مما يجعل أهلية السائق أو المركبة "غير مؤهل" في منصة وصل.
SC02	Dispatching companies are allowed to update the "eligibly license" (utilizing the same registration service) of the driver in a period of 30 days prior "or less" to the "eligibly license" if the driver still passes and validates TGA's business rules. بإستطاعة شركات التوجيه تحديث رخصة الأهلية للسائق قبل 30 يوم "أو أقل" من موعد الانتهاء الرسمي للرخصة (باستخدام نفس خدمة تسجيل المركبة والسائق) في حال تحقق جميع ضوابط عمل السائق للهيئة العامة للنقل فور الانتهاء من التحديث/التسجيل مرة أخرى.
SC03	If the driver fails (did not pass) the criminal record check in the first registration attempt, then the driver could re-attempt the registration after 11 months from the first registration attempt date. في حال أن السائق "لم يجتاز" فحص شهادة خلو السوابق عند تسجيله لأول مرة، عندها يسمح بإعادة تسجيل السائق بعد 11 شهراً من محاولة التسجيل الأولى.
SC04	Wasl Platform allows re-registration of any "ineligible" drivers if there rejection reason was NOT "did not pass criminal record check" at any time. منصة وصل تسمح بإعادة تسجيل السائقين "الغير المؤهلين" في أي وقت في حال لم يكن سبب الرفض "لم يجتاز فحص شهادة خلو السوابق".

Service Examples:

Scenario	Successfully registering a legal driver
Input	<pre> { "driver": { "identityNumber": "1234567890", "dateOfBirthHijri": "1420/01/01", "emailAddress": "address@email.com", "mobileNumber": "+966512345678" }, "vehicle": { "sequenceNumber": "123456879", "plateLetterRight": "I", "plateLetterMiddle": "I", "plateLetterLeft": "I", "plateNumber": "1234", "plateType": "1" } } </pre>
Output	<pre> { "success": true, "resultCode": "success", "result": { "eligibility": "VALID", "eligibilityExpiryDate": "2020/01/01", "vehicleLicenseExpiryDate": "1450/01/01" } } </pre>

Scenario	Successfully registering a driver and vehicle with illegal status
Input	<pre> { "driver": { "identityNumber": "1234567890", "dateOfBirthHijri": "1430/01/01", "emailAddress": "address@email.com", "mobileNumber": "+966512345678" }, "vehicle": { "sequenceNumber": "123456879", "plateLetterRight": "I", "plateLetterMiddle": "I", "plateLetterLeft": "I", "plateNumber": "1234", "plateType": "1" } } </pre>
Output	<pre> { "success": true, "resultCode": "success", "result": { "eligibility": "INVALID", "rejectionReasons": ["DRIVER_IDENTITY_EXPIRED"], "vehicleLicenseExpiryDate": "1450/01/01" } } </pre>

Scenario	Registration failure due to incorrect identity number or date of birth
Input	<pre> { "driver": { "identityNumber": "1234567890", "dateOfBirthHijri": "1430/01/01", "emailAddress": "address@email.com", "mobileNumber": "+966512345678" }, "vehicle": { "sequenceNumber": "123456879", "plateLetterRight": " ", "plateLetterMiddle": " ", "plateLetterLeft": " ", "plateNumber": "1234", "plateType": "1" } } </pre>
Output	<pre> { "success": false, "resultCode": "DRIVER_NOT_FOUND" } </pre>

Scenario	Registration failure due to incorrect sequence number or plate
Input	<pre> { "driver": { "identityNumber": "1234567890", "dateOfBirthGregorian": "1990-01-01", "emailAddress": "address@email.com", "mobileNumber": "+966512345678" }, "vehicle": { "sequenceNumber": "123456879", "plateLetterRight": " ", "plateLetterMiddle": " ", "plateLetterLeft": " ", "plateNumber": "1234", "plateType": "1" } } </pre>
Output	<pre> { "success": false, "resultCode": "VEHICLE_NOT_FOUND" } </pre>

Scenario	Registration failure due to driver not being registered in Vds
Input	<pre> { "driver": { "identityNumber": "1234567890", "dateOfBirthGregorian": "1990-01-01", "emailAddress": "address@email.com", "mobileNumber": "+966512345678" }, "vehicle": { </pre>

	<pre> "sequenceNumber": "123456879", "plateLetterRight": " ", "plateLetterMiddle": " ", "plateLetterLeft": " ", "plateNumber": "1234", "plateType": "1" } } </pre>
Output	<pre> { "success": false, "resultCode": "VEHICLE_NOT_OWNED_BY_FINANCIER " } </pre>

Scenario	Registration failure due to missing field
Input	<pre> { "driver": { "identityNumber": "1234567890", "dateOfBirthHijri": "1420/01/01", "emailAddress": "address@email.com" }, "vehicle": { "sequenceNumber": "123456879", "plateLetterRight": " ", "plateLetterMiddle": " ", "plateLetterLeft": " ", "plateNumber": "1234", "plateType": "1" } } </pre>
Output	<pre> { "success": false, "resultCode": "bad_request", "resultMsg": "driver.mobileNumber must not be blank" } </pre>

6.2 All Drivers & Vehicles Eligibility Inquiry Service

Description This service shall be utilized by dispatching companies to check the eligibility status of a group of drivers and vehicles that were registered through “Driver and Vehicle Registration Service” to inquire about any updates regarding their validation or eligibility results.

تستخدم هذه الخدمة للتحقق من الحالة النظامية لمجموعة من السائقين والمركبات الذين تم تسجيلهم عن طريق خدمة "تسجيل السائق والمركبة" للاستعلام عن نتيجة الحالة النظامية خلال مراحل التأهيل وما بعدها.

وصف الخدمة

Service Details:

URL	https://wasl.api.elm.sa/api/dispatching/v2/drivers/eligibility
Method	POST
Headers	Content-Type: application/json client-id: [API KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-id: [APP ID GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-key: [APP KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY]
Request Body	<pre>{ "driverIds": [{ "id": "1000000001" }, { "id": "1000000002" }, { "id": "1000000003" }] }</pre>
Response Body	<pre>[{ "identityNumber": "1000000001", "driverEligibility": "VALID", "eligibilityExpiryDate": "2021/07/11", "vehicles": [{ "sequenceNumber": "900000001", "vehiclePlate": " 1111", </pre>

```

        "plateType": "PRIVATE_CAR",
        "vehicleEligibility": "VALID",
        "eligibilityExpiryDate": "2021/12/05",
        "vehicleLicenseExpiryDate": "1450/01/01"
    }
  ],
},
{
    "identityNumber": "10000000002",
    "driverEligibility": "INVALID",
    "driverRejectionReason": "CRIMINAL_RECORD_CHECK_PERIOD_EXPIRED",
    "vehicles": [
        {
            "sequenceNumber": "9000000002",
            "vehiclePlate": "11112",
            "plateType": "PRIVATE_CAR",
            "vehicleEligibility": "INVALID",
            "vehicleRejectionReason": "VEHICLE_INSURANCE_EXPIRED",
            "vehicleLicenseExpiryDate": "1450/01/01"
        },
        {
            "sequenceNumber": "9000000003",
            "vehiclePlate": "11113",
            "plateType": "PRIVATE_CAR",
            "vehicleEligibility": "VALID",
            "eligibilityExpiryDate": "2022/01/25",
            "vehicleLicenseExpiryDate": "1450/01/01"
        },
    ],
}
],
},
{
    "identityNumber": "10000000003",
    "driverEligibility": "PENDING",
    "vehicles": [
        {
            "sequenceNumber": "9000000004",
            "vehiclePlate": "11114",
            "plateType": "PRIVATE_CAR",
            "vehicleEligibility": "VALID",
            "vehicleLicenseExpiryDate": "1450/01/01"
        },
        {
            "sequenceNumber": "9000000005",
            "vehiclePlate": "11115",
            "plateType": "PRIVATE_CAR",
            "vehicleEligibility": "INVALID",
            "vehicleRejectionReason": "VEHICLE_LICENSE_EXPIRED",
            "vehicleLicenseExpiryDate": "1450/01/01"
        },
    ],
},

```

```

    ],
    {
      "identityNumber": "10000000004",
      "driverEligibility": "INVALID",
      "vehicles": [
        {
          "sequenceNumber": "9000000006",
          "vehiclePlate": "111116",
          "plateType": "PRIVATE_CAR",
          "vehicleEligibility": "INVALID",
          "vehicleRejectionReason": "OLD_VEHICLE_MODEL",
          "vehicleLicenseExpiryDate": "1450/01/01"
        }
      ]
    }
  ]
}

```

Request Schema

```

{
  "driverIds": [
    {
      "id": <String>,
    },
    {
      "id": <String>,
    },
    {
      "id": <String>,
    },
    .
    .
    {
      "id": <String>,
    }
  ]
}

```

Response Schema

```

[
  {
    "identityNumber": <String>,
    "driverEligibility": <String>,
    "eligibilityExpiryDate": <String>,
    "driverRejectionReason": <String>,
    "vehicles": [
      {
        "sequenceNumber": <String>,
        "vehiclePlate": <String>,
        "plateType": <String>,
        "vehicleEligibility": <String>,
        "vehicleEligibility": <String>,
        "vehicleRejectionReason": <String>,
        "eligibilityExpiryDate": <String>,
        "vehicleLicenseExpiryDate": <String>
      }
    ]
  }
]

```

```

    },
    .
    .
    .
  ]
},
.
.
.
]

```

Service Input Specifications:

Field Name	Data Type	Description
drivers[]		
id	String	Driver's National Identity (Iqama ID for Non-Saudi)

Service Output Specifications:

Field Name	Data Type	Description
driverIds[]		
identityNumber	String	Driver's National Identity (Iqama ID for Non-Saudi)
driverEligibility	String	Refer to appendix for driver eligibility
eligibilityExpiryDate	String	Eligibility Expiry Date in (yyyy/MM/dd) format
driverRejectionReason	String	Refer to appendix for driver Rejection Reasons
vehicles[]		
sequenceNumber	String	Vehicle sequence number
vehiclePlate	String	Vehicle plate number
plateType	String	Vehicle plate type
vehicleEligibility	String	Refer to appendix for vehicle eligibility
vehicleRejectionReason	String	Refer to appendix for vehicle Rejection Reasons
eligibilityExpiryDate	String	Vehicle eligibility expiry date in (yyyy/MM/dd) format
vehicleLicenseExpiryDate	String	Vehicle license expiry date in Hijri

Service Remarks:

Remarks
1) This service will take a list of driver ids and return the eligibility of each driver & the related vehicle that already registered under the requesting company.
2) Max number of driver ids list is "10000".
3) The dispatching company must check this service every 24 hours. Any driver & vehicle which have the "INVALID" status must be stopped by dispatching company from making any trips.
4) Driver rejection reason and vehicle rejection reason will only be sent if the eligibility is "INVALID"

- 5) When a driver eligibility is "INVALID" and has no rejection reason, it means the driver has no 'VALID' vehicle.
- 6) Eligibility expiry date should be stored by dispatching companies and notify their drivers 30-day prior the expiry date in order to do the recheck for the eligibility again otherwise the eligibility status for driver or vehicle will be modified to ineligible once the expiry date passed.
- 7) If a driver id have been inquired and not received in the response, so it means the driver is not registered under the requesting company.

Driver & Vehicle Eligibility Inquiry Service

Description This service shall be utilized by dispatching companies to check the eligibility status of a specific driver and vehicle that were registered through "Driver and Vehicle Registration Service" to inquire about any updates regarding their validation or eligibility results.

وصف الخدمة تستخدم هذه الخدمة للتحقق من الحالة النظامية لسائق ومركبة محددة تم تسجيلهم عن طريق خدمة تسجيل السائق والمركبة للاستعلام عن نتيجة الحالة النظامية خلال مراحل التأهيل وما بعدها.

Service Details:

URL	https://wasl.api.elm.sa/api/dispatching/v2/drivers/eligibility/{identityNumber}
Method	GET
Headers	Content-Type: application/json client-id: [API KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-id: [APP ID GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-key: [APP KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY]
URL Example	https://wasl.api.elm.sa/api/dispatching/v2/drivers/eligibility/1234567890
Response Body Example 1	<pre>{ "identityNumber": "1234567890", "driverEligibility": "VALID", "eligibilityExpiryDate": "2020/01/01", "vehicles": [{ "sequenceNumber": "1234567890", "vehicleEligibility": "INVALID", "rejectionReasons": ["OLD_VEHICLE_MODEL"], "vehicleLicenseExpiryDate": "1450/01/01" }] }</pre>
Response Body Example 2	<pre>{ "identityNumber": "1234567890", "driverEligibility": "PENDING", "criminalRecordStatus": "PENDING_DRIVER_APPROVAL", "vehicles": [{</pre>

```

    "sequenceNumber": "1234567890",
    "vehicleEligibility": "VALID",
    "eligibilityExpiryDate": "2021-12-20",
    "vehicleLicenseExpiryDate": "1450/01/01"
  }
]
}

```

Response Schema

```

{
  "identityNumber": <String>,
  "driverEligibility": <String>,
  "eligibilityExpiryDate": <String>,
  "rejectionReasons": [] <String[]>,
  "criminalRecordStatus": <String>,

  "vehicles": [ <Vehicle[]>,
    {
      "sequenceNumber": <String>,
      "vehicleEligibility": <String>,
      "eligibilityExpiryDate": <String>,
      "rejectionReasons": [] <String[]>,
      "vehicleLicenseExpiryDate": <String>
    }
  ]
}

```

Service Output Specifications:

Field Name	Data Type	Description
identityNumber	String	Driver's National Identity (Iqama ID for Non-Saudi)
driverEligibility	String	Refer to appendix for driver eligibility
eligibilityExpiryDate	String	Eligibility Expiry Date in (yyyy/MM/dd) format
rejectionReasons	String[]	Refer to appendix for driver rejection reasons
criminalRecordStatus	String	Refer to appendix for driver criminal record status
vehicles[]		
sequenceNumber	String	Vehicle Sequence Number
vehicleEligibility	String	Refer to appendix for vehicle eligibility
rejectionReasons	String[]	Refer to appendix for vehicle rejection reasons
eligibilityExpiryDate	String	Vehicle eligibility expiry date in (yyyy/MM/dd) format
vehicleLicenseExpiryDate	String	Vehicle license expiry date in Hijri

Service Remarks:

Remarks

- 1) This service will return the eligibility of a specific driver & his vehicles registered under the requesting company.
- 2) The response will return a single driver specified by their national ID number, vehicles sequence numbers and their current status in Wasl; either valid or invalid.
- 3) Rejection reasons will be included when driver or vehicle is "INVALID".
- 4) Criminal record status will be included when driver eligibility is "PENDING".

6.3 Trip Registration Service

Description This service shall be utilized by dispatching companies to send the trip information to Wasl Platform immediately after its completion.

وصف الخدمة تستخدم هذه الخدمة لإرسال معلومات الرحلة فور انتهائها إلى منصة وصل.

Service Details:

URL	https://wasl.api.elm.sa/api/dispatching/v2/trips
Method	POST
Headers	Content-Type: application/json client-id: [API KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-id: [APP ID GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-key: [APP KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY]
Request Body	<pre>{ "sequenceNumber": "123456789", "driverId": "1234567890", "tripId": 1, "distanceInMeters": 1215, "durationInSeconds": 42145, "customerRating": 5.0, "customerWaitingTimeInSeconds": 12132, "originCityNameInArabic": "الرياض", "destinationCityNameInArabic": "الرياض", "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "pickupTimestamp": "2016-03-28T09:00:00.000", "dropoffTimestamp": "2016-03-28T09:15:00.000", "startedWhen": "2016-03-28T09:15:00.000", "tripCost": 25.20, "driverArrivalTime": "2016-03-28T09:15:00.000", "driverAssignTime": "2016-03-28T09:14:30.000" }</pre>
Response Body	<pre>{ "success": true, "resultCode": "success" }</pre>
Request Schema	<pre>{ "sequenceNumber": <String>, "driverId": <String>, "tripId": <String>, "distanceInMeters": <Integer>, "durationInSeconds": <Integer>, "customerRating": <Double>, "customerWaitingTimeInSeconds": <Integer>, "originCityNameInArabic": <String>, "destinationCityNameInArabic": <String>, }</pre>

	<pre> "originLatitude": <Double>, "originLongitude": <Double>, "destinationLatitude": <Double>, "destinationLongitude": <Double>, "pickupTimestamp": <String>, //ISO 8601 "dropoffTimestamp": <String>, //ISO 8601 "startedWhen": <String>, //ISO 8601 "tripCost": <Double>, "driverArrivalTime": <String>, //ISO 8601 "driverAssignTime": <String>, //ISO 8601 } </pre>
Response Schema	<pre> { "success": <Boolean>, "resultCode": <String> } </pre>

Service Body Fields Specifications:

Field Name	Data Type	M/O	Description
sequenceNumber	String	Mandatory	Vehicle sequence number.
driverId	String	Mandatory	Driver national ID number/Iqama.
tripId	String Must be unique	Mandatory	The unique trip id generated by the dispatching company should be identical to the Trip ID on their records.
startedWhen	String	Mandatory ISO 8601	The time when the customer requested the ride on the App.
pickupTimestamp	String	Mandatory ISO 8601	The time when the customer got into the vehicle. (KSA Time)
dropoffTimestamp	String	Mandatory ISO 8601	The time when the customer got off the vehicle or the trip ended by the driver. (KSA Time)
distanceInMeters	Integer Min value = 1	Mandatory	The distance the trip took from the rider pickup location to the customer drop-off location (In Meters).
durationInSecondes	Integer Min value = 1	Mandatory	Trip duration: from "pickupTimestamp" to "dropoffTimestamp".
customerRating	Double Min value = 0 Max value = 5	Mandatory	Rider rating of the trip (out of 5), Zero value accepted for unrated trips
customerWaitingTimeInSeconds	Integer	Mandatory	The period of which the driver accepted the trip request until his/her arrival time to the customer location
originCityNameInArabic	String	Optional	Departure city.
destinationCityNameInArabic	String	Optional	Destination city.
originLatitude	Double	Mandatory	Departure Latitude.

	Min = 90, Max = 90		
originLongitude	Double Min = 90, Max = 90	Mandatory	Departure Longitude.
destinationLatitude	Double Min = 90, Max = 90	Mandatory	Destination Latitude.
destinationLongitude	Double Min = 90, Max = 90	Mandatory	Destination Longitude.
tripCost	Double	Mandatory	Trip Total Cost (including costs of any government fees & VAT) in Saudi Riyals.
driverArrivalTime	String	Mandatory ISO 8601	The time when the driver arrived to the customer.
driverAssignTime	String	Mandatory ISO 8601	The time when the driver was assigned to the trip.

Service Output Specifications:

Field Name	Data Type	Description
Success	Boolean	Returns true if succeeded
resultCode	String	Refer to appendix for result codes

Service Remarks:

Remarks

- 1) The driverId field is the driver's national ID or Iqama.
- 2) Customer rating should be out of 5 (Customer rating of the specific trip, not the driver rating).
- 3) Check "Trips Registration Fields Dictionary" table for field code description.
- 4) Driver and Vehicle should be already registered in Wasl.
- 5) **Important!** The dispatching company should capture the registration result for any trip. If it's not successful, then it should fix the rejection reason, then resend the trip again to Wasl and start the process over again and again until getting the trip registered in Wasl successful.

Service Examples:

Scenario	Successfully registering a trip
Input	<pre>{ "sequenceNumber": "123456789", "driverId": "1234567890", "tripId": 1, "distanceInMeters": 1215, "durationInSeconds": 42145, "customerRating": 5.0, "customerWaitingTimeInSeconds": 12132, "originCityNameInArabic": "الرياض", "destinationCityNameInArabic": "الرياض", "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "pickupTimestamp": "2016-03-28T09:00:00.000", "dropoffTimestamp": "2016-03-28T09:15:00.000", "startedWhen": "2016-03-28T09:15:00.000", "driverArrivalTime": "2016-03-28T09:15:00.000", "driverAssignTime": "2016-03-28T09:14:30.000" }</pre>
Output	<pre>{ "success": true, "resultCode": "success" }</pre>

Scenario	Registration failure due to invalid driver ID
Input	<pre>{ "sequenceNumber": "123456789", "driverId": "1234567890", "tripId": 1, "distanceInMeters": 1215, "durationInSeconds": 42145, "customerRating": 5.0, "customerWaitingTimeInSeconds": 12132, "originCityNameInArabic": "الرياض", "destinationCityNameInArabic": "الرياض", "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "pickupTimestamp": "2016-03-28T09:00:00.000", "dropoffTimestamp": "2016-03-28T09:15:00.000", "startedWhen": "2016-03-28T09:15:00.000", "driverArrivalTime": "2016-03-28T09:15:00.000", "driverAssignTime": "2016-03-28T09:14:30.000" }</pre>
Output	<pre>{ "success": false, "resultCode": "Driver not found" }</pre>

Scenario	Registration failure due to missing field
Input	<pre>{ "sequenceNumber": "123456789", "driverId": "1234567890", "tripId": 1, "durationInSeconds": 42145, "customerRating": 5.0, "customerWaitingTimeInSeconds": 12132, "originCityNameInArabic": "الرياض", "destinationCityNameInArabic": "الرياض", "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "pickupTimestamp": "2016-03-28T09:00:00.000", "dropoffTimestamp": "2016-03-28T09:15:00.000", "startedWhen": "2016-03-28T09:15:00.000", "driverArrivalTime": "2016-03-28T09:15:00.000", "driverAssignTime": "2016-03-28T09:14:30.000" }</pre>
Output	<pre>{ "success": false, "resultCode": "bad_request", "resultMsg": "distanceInMeters must not be null" }</pre>

Scenario	Registration failure due to invalid field
Input	<pre>{ "sequenceNumber": "123456789", "driverId": "1234567890", "tripId": 1, "distanceInMeters": 0, "durationInSeconds": 42145, "customerRating": 5.0, "customerWaitingTimeInSeconds": 12132, "originCityNameInArabic": "الرياض", "destinationCityNameInArabic": "الرياض", "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "pickupTimestamp": "2016-03-28T09:00:00.000", "dropoffTimestamp": "2016-03-28T09:15:00.000", "startedWhen": "2016-03-28T09:15:00.000", "driverArrivalTime": "2016-03-28T09:15:00.000", "driverAssignTime": "2016-03-28T09:14:30.000" }</pre>
Output	<pre>{ "success": false, "resultCode": "bad_request", "resultMsg": "distanceInMeters must be greater than or equal to 1" }</pre>

6.4 Trips Update Service

Description This service shall be utilized by dispatching companies to update the trips information in Wasl Platform.

وصف الخدمة تستخدم هذه الخدمة لتحديث معلومات الرحلات في منصة وصل.

Service Details:

URL	https://wasl.api.elm.sa/api/dispatching/v2/trips
Method	PATCH
Headers	Content-Type: application/json client-id: [API KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-id: [APP ID GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-key: [APP KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY]
Request Body	<pre> { "trips": [{ "tripId": 1 "customerRating": 5.0, "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "tripCost": 25.20 }, { "tripId": 2 "customerRating": 5.0, "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "tripCost": 25.20 }, . . ., { "tripId": 3 "customerRating": 5.0, "originLatitude": 24.723437, "originLongitude": 46.117452, "destinationLatitude": 24.763437, "destinationLongitude": 46.547452, "tripCost": 25.20 }] } </pre>
Response Body	<pre> { "success": true, } </pre>

	<pre> "resultCode": "success", "result": { "rejectedTrips": [] } } </pre>
Request Schema	<pre> { "trips": [{ "tripId": <String>, "customerRating": <Double>, "originLatitude": <Double>, "originLongitude": <Double>, "destinationLatitude": <Double>, "destinationLongitude": <Double>, "tripCost": <Double> }, { "tripId": <String>, "customerRating": <Double>, "originLatitude": <Double>, "originLongitude": <Double>, "destinationLatitude": <Double>, "destinationLongitude": <Double>, "tripCost": <Double> }, . . ., { "tripId": <String>, "customerRating": <Double>, "originLatitude": <Double>, "originLongitude": <Double>, "destinationLatitude": <Double>, "destinationLongitude": <Double>, "tripCost": <Double> }] } </pre>
Response Schema	<pre> { "success": <Boolean>, "resultCode": <String>, "result": { "rejectedTrips": [{ "tripId": <String>, "rejectionReason": <String> }, { "tripId": <String>, "rejectionReason": <String> }, . . ., { "tripId": <String>, "rejectionReason": <String> }] } } </pre>

<pre> } }] </pre>

Service Body Fields Specifications:

Field Name	Data Type	M/O	Description
trips[]			
tripId	String Must be unique	Mandatory	The unique trip id generated by the dispatching company should be identical to the Trip ID on their records.
customerRating	Double Min value = 0 Max value = 5	Mandatory	Rider rating of the trip (out of 5), Zero value accepted for unrated trips
originLatitude	Double	Mandatory	Departure Latitude.
originLongitude	Double	Mandatory	Departure Longitude.
destinationLatitude	Double	Mandatory	Destination Latitude.
destinationLongitude	Double	Mandatory	Destination Longitude.
tripCost	Double	Mandatory	Trip Total Cost (including costs of any government fees & VAT) in Saudi Riyals. Kindly note that this field is a mandatory field for companies which are committed to TGA's driver support initiative.

Service Output Specifications:

Field Name	Data Type	Description
success	Boolean	Returns true if succeeded
resultCode	String	Refer to appendix for result codes
result		
rejectedTrips[]		
tripId	String	Rejected trip id.
rejectionReason	String	Trip rejection reason.

Service Remarks:

Remarks

1. Customer rating should be out of 5 (Customer rating of the specific trip, not the driver rating).
2. Check "Trips Registration Fields Dictionary" table for field code description.
3. Trip should be already registered in Wasl.
4. Updated trips must not exceed 1000 records per request.

Service Examples:

Scenario	Successfully registering a trip
Input	<pre> { "trips": [{ "tripId": 1 }] } </pre>

```

    "customerRating": 5.0,
    "originLatitude": 24.723437,
    "originLongitude": 46.117452,
    "destinationLatitude": 24.763437,
    "destinationLongitude": 46.547452,
    "tripCost": 25.20
  },
  {
    "tripId": 2
    "customerRating": 5.0,
    "originLatitude": 24.723437,
    "originLongitude": 46.117452,
    "destinationLatitude": 24.763437,
    "destinationLongitude": 46.547452,
    "tripCost": 25.20
  },
  {
    "tripId": 3
    "customerRating": 5.0,
    "originLatitude": 24.723437,
    "originLongitude": 46.117452,
    "destinationLatitude": 24.763437,
    "destinationLongitude": 60.547452,
    "tripCost": 25.20
  }
}

```

Output

```

{
  "success": true,
  "resultCode": "success",
  "result": {
    "rejectedTrips": [
      {
        "tripId": 2,
        "rejectionReason": "trip not found"
      },
      {
        "tripId": 3,
        "rejectionReason": "destination
location out of saudi arabia"
      }
    ]
  }
}

```

6.5 Update Current Location

Description This service shall be utilized by dispatching companies to send the live location and status of the vehicle once the driver is ready to accept trip requests through the dispatching mobile application and while being on an ongoing trip.

وصف الخدمة تستخدم هذه الخدمة لإرسال الموقع الحي للمركبة فور استعداد السائق لاستقبال طلبات الرحلات عن طريق تطبيق شركة التوجيه وأيضاً إرسال الموقع الحي ضمن فترة الرحلة.

Service Details:

URL	https://wasl.api.elm.sa/api/dispatching/v2/locations
Method	POST
Headers	Content-Type: application/json client-id: [API KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-id: [APP ID GIVEN BY ELM FOR THE DISPATCHING COMPANY] app-key: [APP KEY GIVEN BY ELM FOR THE DISPATCHING COMPANY]
Request Body	<pre>{ "locations": [{ "driverIdentityNumber": "1234567890", "vehicleSequenceNumber": "123456789", "latitude": 24.723437, "longitude": 46.117452, "hasCustomer": true, "updatedWhen": "2019-01-28T09:15:00.000" }] }</pre>
Response Body	<pre>{ "success": true, "resultCode": "success", "result": { "failedVehicles": [] } }</pre>
Request Schema	<pre>{ "locations": [{ "driverIdentityNumber": <String>, "vehicleSequenceNumber": <String>, "latitude": <Double>, "longitude": <Double>, "hasCustomer": <Boolean>, //true or false "updatedWhen": <String> //ISO 8601 }] }</pre>

	<pre>] } } } </pre>
Response Schema	<pre> { "success": <Boolean>, "resultCode": <String>, "result": { "failedVehicles": [<String>] } } </pre>

Service Body Fields Specifications:

Field Name	Data Type	M/O	Description
locations[]			
driverIdentityNumber	String	Mandatory	Driver's national identity/Iqama number
vehicleSequenceNumber	String	Mandatory	Vehicle's sequence number
latitude	Double	Mandatory	Location's latitude
longitude	Double	Mandatory	Location's longitude
hasCustomer	Boolean	Mandatory	Vehicle currently has customer or not (true or false)
updatedWhen	String	Mandatory ISO 8601	Last update time for location

Service Output Specifications:

Field Name	Data Type	Description
success	Boolean	Returns true if succeeded
resultCode	String	Refer to appendix for result codes
result		
failedVehicles	String[]	Returns an array of failed vehicles.

Service Remarks:

Remarks
1) This service accepts up to 1000 locations per request. To send more than one location, simply separate each location information by a comma (An example is provided below). 2) The current location for each vehicle is expected to be updated every 30 seconds. 3) If a driver has accepted a trip request, then send true as the value for hasCustomer field. Otherwise send false.

Service Examples:

Scenario	Successfully updating multiple locations
Input	<pre> { "locations": [{ "driverIdentityNumber": "1234567890", "vehicleSequenceNumber": "123456789", "latitude": 24.723437, "longitude": 46.117452, "hasCustomer": true, "updatedWhen": "2019-01-28T09:15:00.000" }, { "driverIdentityNumber": "1234567891", "vehicleSequenceNumber": "123456780", "latitude": 25.723437, "longitude": 47.117452, "hasCustomer": false, "updatedWhen": "2019-01-27T09:15:00.000" }] } </pre>
Output	<pre> { "success": true, "resultCode": "success", "result": { "failedVehicles": [] } } </pre>

Scenario	Successfully updating location for a vehicle without a customer
Input	<pre>{ "locations": [{ "driverIdentityNumber": "1234567890", "vehicleSequenceNumber": "123456789", "latitude": 24.723437, "longitude": 46.117452, "hasCustomer": false, "updatedWhen": "2019-01-28T09:15:00.000" }] }</pre>
Output	<pre>{ "success": true, "resultCode": "success", "result": { "failedVehicles": [] } }</pre>

Scenario	Successfully updating location for a vehicle with a customer
Input	<pre>{ "locations": [{ "driverIdentityNumber": "1234567890", "vehicleSequenceNumber": "123456789", "latitude": 24.723437, "longitude": 46.117452, "hasCustomer": true, "updatedWhen": "2019-01-28T09:15:00.000" }] }</pre>
Output	<pre>{ "success": true, "resultCode": "success", "result": { "failedVehicles": [] } }</pre>

Scenario	Update failure due to invalid vehicle sequence number
Input	<pre>{</pre>

```

    "locations":
    [
      {
        "driverIdentityNumber": "1234567890",
        "vehicleSequenceNumber": "1234567892",
        "latitude": 24.723437,
        "longitude": 46.117452,
        "hasCustomer": true,
        "updatedWhen": "2019-01-28T09:15:00.000"
      }
    ]
  }

```

Output

```

{
  "success": true,
  "resultCode": "success",
  "result": {
    "failedVehicles": [
      "sequenceNumber: 1234567892 {Reason: vehicle_not_found}"
    ]
  }
}

```

Scenario Update failure due to invalid driver identity number

Input

```

{
  "locations":
  [
    {
      "driverIdentityNumber": "1234567899",
      "vehicleSequenceNumber": "1234567892",
      "latitude": 24.723437,
      "longitude": 46.117452,
      "hasCustomer": true,
      "updatedWhen": "2019-01-28T09:15:00.000"
    }
  ]
}

```

Output

```

{
  "success": true,
  "resultCode": "success",
  "result": {
    "failedVehicles": [
      "sequenceNumber: 1234567892 {Reason: driver_not_found (1234567899)}"
    ]
  }
}

```

Scenario	Update failure due to missing field
Input	<pre>{ "locations": [{ "driverIdentityNumber": "1234567890", "vehicleSequenceNumber": "123456789", "latitude": 24.723437, "longitude": 46.117452, "updatedWhen": "2019-01-28T09:15:00.000" }] }</pre>
Output	<pre>{ "success": false, "resultCode": "bad_request", "resultMsg": "locations[0].hasCustomer must not be null" }</pre>

Scenario	Update failure due to invalid field
Input	<pre>{ "locations": [{ "driverIdentityNumber": "1084848464", "vehicleSequenceNumber": "123456789", "latitude": 24.723437, "longitude": 46.117452, "hasCustomer": true, "updatedWhen": "2019-01-28T09:15:00.000" }] }</pre>
Output	<pre>{ "success": false, "resultCode": "bad_request", "resultMsg": "locations[0].driverIdentityNumber is not valid" }</pre>

7. Appendix

7.1 HTTP Status Codes

Status Code	Description
200	Technical success. Check resultCode for any business exception
400	Bad request (External input error)
500	Internal server error (internal system/wasl error)

7.2 Result Codes

Code	Description
success	Technical Success
bad_request	Defined in "resultMsg"
DRIVER_VEHICLE_DUPLICATE	Driver or vehicle already registered
DRIVER_NOT_ALLOWED	Foreign nationalities are not allowed per TGA rules
DRIVER_NOT_FOUND	Driver information is not correct/ kindly revise input data before re-attempting registration
VEHICLE_NOT_FOUND	Vehicle information is not correct/ kindly revise input data before re-attempting registration
VEHICLE_NOT_OWNED_BY_FINANCIER	Vehicle ownership is not associated/linked to the driver nor an approved by SAMA financier (check BR05 in driver and vehicle registration service business rules section)
DRIVER_NOT_AUTHORIZED_TO_DRIVE_VEHICLE	Driver does not own the vehicle and there is no legal association between the driver and the vehicle "Not the co-owner/actual driver of the vehicle in MOI/Absher systems" (check BR05 in driver and vehicle registration service business rules section)
NO_VALID_OPERATION_CARD	No valid operating card found (check BR05 in driver and vehicle registration service business rules section)
CONTACT_WASL_SUPPORT	System internal error/missing data, kindly contact Wasl Support (check support section in page 3)
NO operational Card found	No valid operation card found (check BR08 in driver and vehicle registration service business rules section)

7.3 Eligibility (Driver and Vehicle Registration Service)

Code	Description
VALID	Both driver and vehicle are eligible
INVALID	Driver or vehicle or both are ineligible
PENDING	Vehicle validation process is done in Wasl platform, while driver eligibility status is pending due to the undertaking of criminal record check validation process (check criminal record check in appendix)

7.4 Driver Eligibility (Driver & Vehicle Eligibility Inquiry Service)

Code	Description
VALID	Driver is eligible
INVALID	Driver is ineligible
PENDING	Vehicle validation process is done in Wasl platform, while driver eligibility status is pending due to the undertaking of criminal record check validation process (check criminal record check in appendix)

7.5 Vehicle Eligibility (Driver & Vehicle Eligibility Inquiry Service)

Code	Description
VALID	Vehicle is eligible
INVALID	Vehicle is ineligible

7.6 Rejection Reasons

Code	Description
ALIEN_LEGAL_STATUS_NOT_VALID	Alien residency is not valid
MAX_AGE_NOT_SATISFIED	Driver's age is greater than 65
MIN_AGE_NOT_SATISFIED	Driver age is less than 18
DRIVER_IDENTITY_EXPIRED	Driver's identity is expired
DRIVER_IS_BANNED	Driver is banned from practicing dispatching activities from Wasl platform per TGA order
DRIVER_LICENSE_EXPIRED	Driver license is expired
DRIVER_LICENSE_NOT_ALLOWED	Driver's license type is not allowed
VEHICLE_INSURANCE_EXPIRED	Vehicle's insurance has expired
VEHICLE_LICENSE_EXPIRED	Vehicle's license has expired
VEHICLE_NOT_INSURED	Vehicle does not have a valid insured
OLD_VEHICLE_MODEL	Vehicle's model is older than 5 years
PERIODIC_INSPECTION_POLICY_EXPIRED	Vehicle's periodic inspection expired
DRIVER_FAILED_CRIMINAL_RECORD_CHECK	Criminal record check is complete and the driver is ineligible to practice the dispatching activity due to the criminal record check result
DRIVER_REJECTED_CRIMINAL_RECORD_CHECK	Criminal record check was declined by the driver on Absher portal
CRIMINAL_RECORD_CHECK_PERIOD_EXPIRED	The driver did not accept nor decline the criminal record check on Absher portal within 10 days since the request initiation date
VEHICLE_PLATE_TYPE_NOT_ALLOWED	Vehicle License Type/Category is not allowed
OPERATION_CARD_EXPIRED	Vehicle operation card is expired. Utilize the registration service in order to update the driver eligibility status.
DRIVER_ELIGIBILITY_EXPIRED	Driver eligibility status is expired. Utilize the registration service in order to update the driver eligibility status.
DRIVER_VEHICLE_INELIGIBLE	Driver does not have an eligible vehicle, the company should check associated vehicles rejection reasons to the driver then fix the reason then reregister the driver and vehicle again.
VEHICLE_ELIGIBILITY_EXPIRED	Vehicle eligibility expired.
NO_VALID_OPERATION_CARD_FOUND	Vehicle does not have a valid operation card to renew eligibility.
NO_PERIODIC_INSPECTION_POLICY_EXPIRY_DATE	Vehicle does not have a periodic inspection expiry date.
DRIVER_REJECTED_MANY_CRIMINAL_RECORD_CHECK	Driver has rejected or not responded to criminal record check requests for 3 or more times. Please contact Wasl technical support to resolve the issue.

7.7 Vehicle License Type

Code	Arabic Name	English Name	Applicable for Registration
1	خاص	Private	Yes
2	نقل عام	Public Transport	Yes (Includes public and private taxis that requires an operating card from Naql portal as per TGA's regulations)
3	نقل خاص	Private Transport	Yes
4	حافلة صغيرة عامة	Public Minibus	Yes
5	حافلة صغيرة خاصة	Private Minibus	Yes
6	اجرة	Taxi	Yes
7	أشغال عامة	Heavy Equipment	Yes
8	تصدير	Export	Yes
9	دبلوماسي	Diplomatic	Yes
10	دراجة نارية	Motorcycle	No
11	مؤقت	Temporary	No

7.8 Driver License Types

Code	Arabic Name	English Name	Applicable for Registration
1	رخصة مؤقتة (تصريح)	TEMPORARY LICENSE (PERMISSION)	No
2	دراجة آلية	MOTORCYCLE	No
3	خاصة	PRIVATE	Yes
4	اجرة عامة	PUBLIC TAXI	Yes
5	نقل صغير / سيارات عابرة	PICKUP / PASSING CARS	Yes
6	نقل خفيف	LIGHT TRANSPORT	Yes
7	نقل ثقيل	HEAVY TRANSPORT	Yes
8	مركبات اشغال عامة	PUBLIC WORKS VEHICLES	Yes
9	حافلة صغيرة	SMALL BUS	Yes
10	حافلة كبيرة	LARGE BUS	Yes
11	عمومي خاصة	PUBLIC PRIVATE	Yes

7.9 Vehicle Plate Letters

Arabic Letter
ا
ب
ح
د
ر
س
ص
ط
ع
ق
ك
ل
م

ن
هـ
و
ى

7.10 Criminal Record Check Process

1. Assumptions:

#	Assumptions
AS1	Driver shall have an active account in Absher Gate "يجب على السائق أن يكون لديه حساب فعال في بوابة أبشر"
AS2	In order for the criminal record check to be initiated, the driver shall pass all eligibility checks in the registration process "للبدء في عملية التحقق لشهادة خلو السوابق يجب على السائق اجتياز جميع الشروط النظامية الأخرى أثناء مرحلة التسجيل"
AS3	Driver eligibility status shall be "pending/under processing" once the criminal record check is initiated "تتغير حالة أهلية السائق فور البدء بعملية التحقق من شهادة خلو السوابق إلى "تحت المعالجة"
AS4	The driver has a maximum of 10 days' period to accept criminal record check request, and if there is no action within the provided period, his/her eligibility status will change automatically into "ineligible", and criminal record status request to "Expired due to lack of user response". In this case, the dispatching company should reregister the driver and vehicle again in Wasl to retrigger the criminal record check process again. "لدى السائق مدة أقصاها 10 أيام لقبول طلب التحقق من حالة شهادة خلو السوابق، وفي حال عدم اتخاذ أي إجراء خلال المدة المعطاة، ستتغير حالة الأهلية للسائق إلى "غير مؤهل" وحالة شهادة خلو السوابق إلى: "السائق لم يتجاوب مع طلب فحص السوابق". في هذه الحالة يتطلب من شركة التوجيه إعادة تسجيل السائق لأجل إعادة تنفيذ التحقق من جديد."

2. Criminal Record Check Process (Main Flow)

#	Procedure الإجراء	Responsible Organization مسؤولية التنفيذ
M1	Dispatching company initiates registration process and makes the driver account on hold تبدأ شركة التوجيه بعملية تسجيل السائق وتجعل حسابه تحت التعليق	Dispatching Company شركة التوجيه
M2	Execute assumption number "AS2" تنفيذ الافتراض رقم "AS2"	Wasl Platform منصة وصل
M3	Wasl Platform initiates criminal record check process تنفيذ البدء بعملية التحقق من شهادة خلو السوابق	Wasl Platform منصة وصل
M4	Wasl Platform changes criminal record status into "Under Processing" (Arabic: "تحت المعالجة") تغير منصة وصل حالة السائق النظامية إلى "تحت المعالجة"	Wasl Platform منصة وصل
M5	Wasl Platform sends the driver a criminal record check request through Absher Gate for approval تقوم منصة وصل بإرسال طلب التحقق من شهادة خلو السوابق إلى السائق من خلال بوابة أبشر	Wasl Platform منصة وصل
M6	Driver approves criminal record check request (Check assumption number "AS4") يقوم السائق بالموافقة على طلب التحقق من شهادة خلو السوابق (اطلع على الافتراض رقم "AS4")	The Driver/Client السائق العميل
M7	Wasl Platform receives a "Clear" criminal record status from relevant parties	Wasl Platform منصة وصل

#	Procedure الإجراء	Responsible Organization مسؤولية التنفيذ
	تستقبل منصة حالة شهادة خلو سوابق "لا يوجد سوابق" من الجهات ذات العلاقة	
M8	Driver eligibility status will convert from "under processing" into "eligible" in Wasl Platform تتحول حالة أهلية السائق إلى "مؤهل" في منصة وصل	Wasl Platform منصة وصل
M9	Dispatching company activates the driver account تنشط شركة التوجيه حساب السائق	Dispatching Company شركة التوجيه

3. Criminal Record Check Process (Alternative Flow 1):

#	Procedure الإجراء	Responsible Organization مسؤولية التنفيذ
AF1	Process "M5" and processes prior to it of the main flow is executed تم تنفيذ الإجراءات رقم "M5" وما قبل في السيناريو الرئيسي	Absher Gate بوابة أبشر
AF2	Driver rejects criminal record check request (Check assumption number "AS4") يقوم السائق بالرفض على طلب التحقق من شهادة خلو السوابق (اطلع على الافتراض رقم "AS4")	The Driver/Client السائق العميل
AF3	Driver eligibility status will convert from "under processing" into "ineligible" in Wasl Platform تتحول حالة أهلية السائق إلى "غير مؤهل" في منصة وصل	Wasl Platform منصة وصل
AF4	Driver criminal record status will be "Driver rejects criminal record check" in Wasl Platform حالة شهادة خلو السوابق ستصبح "السائق رفض التحقق من شهادة خلو السوابق" في منصة وصل	Wasl Platform منصة وصل

4. Criminal Record Check Process (Alternative Flow 2):

#	Procedure الإجراء	Responsible Organization مسؤولية التنفيذ
AF1	Process "M5" and processes prior to it of the main flow is executed تم تنفيذ الإجراءات رقم "M5" وما قبل في السيناريو الرئيسي	Absher Gate بوابة أبشر
AF2	Driver approves criminal record check request (Check assumption number "AS4") يقوم السائق بالموافقة على طلب التحقق من شهادة خلو السوابق (اطلع على الافتراض رقم "AS4")	The Driver/Client السائق العميل
AF3	Wasl Platform receives a "not passed" criminal record status from relevant parties تستقبل منصة وصل حالة شهادة خلو سوابق "السائق لم يجتاز تحقق شهادة خلو السوابق" من الجهات ذات العلاقة	Wasl Platform منصة وصل
AF4	Driver eligibility status will convert from "under processing" into "ineligible" in Wasl Platform تتحول حالة أهلية السائق إلى "غير مؤهل" في منصة وصل	Wasl Platform منصة وصل

7.11 Criminal Record Status

Status	English Description	Arabic Description
WAITING	Waiting for sending criminal record check request	بانتظار ارسال طلب فحص شهادة خلو السوابق
PENDING_DRIVER_APPROVAL	Driver criminal record check request is initiated and an SMS message has been sent to the driver's mobile number to approve/reject the request on Absher portal	تم إرسال رسالة نصية للسائق تشعره بوجود طلب فحص شهادة خلو سوابق وهو بانتظار قبوله أو رفضه من خلال بوابة أبشر
DRIVER_APPROVED	Criminal record check was approved by the driver on Absher portal	السائق وافق على طلب فحص شهادة خلو السوابق من خلال بوابة أبشر
DRIVER_REJECTED	Criminal record check was declined by the driver on Absher portal	السائق رفض طلب فحص شهادة خلو السوابق من خلال بوابة أبشر
UNDER_PROCESSING	Driver is undergoing criminal record checks	فحص شهادة خلو السوابق للسائق تحت الاجراء
DONE_RESULT_OK	Criminal record check is complete and the result indicates that the driver can practice the dispatching activity	لا يوجد سوابق تمنع ممارسة النشاط
DONE_RESULT_NOT_OK	Criminal record check is complete and the driver is ineligible to practice the dispatching activity due to the criminal record check result	يوجد سوابق تمنع ممارسة النشاط
REQUEST_EXPIRED	The driver did not accept nor decline the criminal record check on Absher portal within 10 days since the request initiation date	انتهت المهلة المحددة (10 أيام من تاريخ بدأ الطلب) لقيام السائق بقبول طلب فحص شهادة خلو السوابق من خلال بوابة أبشر

7.12 Trip Rejection Reasons

Message	Arabic Description
sequence number must not be blank	لم يتم إرسال الرقم التسلسلي للمركبة
invalid sequence number	الرقم التسلسلي للمركبة غير صالح
vehicle not found	المركبة غير مسجلة في وصل
driver id must not be null	لم يتم إرسال رقم هوية السائق
invalid driver id	رقم هوية السائق غير صالح
driver not found	السائق غير مسجل في وصل
trip id must not be null	لم يتم إرسال رقم الرحلة
invalid trip id	رقم الرحلة غير صالح
duplicate trip id	رقم الرحلة مسجل مسبقا
overlap vehicle driver time app	تداخل زمني مع رحلة أخرى لنفس السائق والمركبة من نفس التطبيق
overlap vehicle driver time with other app	تداخل زمني مع رحلة أخرى لنفس السائق والمركبة من تطبيق آخر
started when must not be null	لم يتم إرسال وقت بداية الرحلة
invalid started when	وقت بداية الرحلة غير صالح
started when must be a past date	وقت بداية الرحلة في المستقبل
pickup timestamp must not be null	لم يتم إرسال وقت ركوب العميل
invalid pickup timestamp	وقت ركوب العميل غير صالح
pickup timestamp must be a past date	وقت ركوب العميل يجب أن يكون تاريخا ماضيا
dropoff timestamp must not be null	لم يتم إرسال وقت نزول العميل
invalid dropoff timestamp	وقت نزول العميل غير صالح
dropoff timestamp must be a past date	وقت نزول العميل يجب أن يكون تاريخا ماضيا
dropoffTime must not equal pickupTime	وقت نزول العميل يجب ألا يساوي وقت الركوب
dropoffTime must not be before pickupTime	وقت نزول العميل يجب ألا يكون قبل وقت الركوب
distance in meters must not be null	لم يتم إرسال المسافة المقطوعة
invalid distance in meters	المسافة المقطوعة غير صالحة
duration in seconds must not be null	لم يتم إرسال مدة الرحلة
invalid duration in seconds	مدة الرحلة غير صالحة
customer rating must not be null	لم يتم إرسال تقييم العميل للرحلة
customer rating must be between 0 and 5	تقييم العميل للرحلة خارج النطاق من 0 إلى 5
invalid customer rating	تقييم العميل للرحلة غير صالح
customer waiting time in seconds must not be null	لم يتم إرسال مدة انتظار الراكب للسائق
invalid customer waiting time in seconds	مدة انتظار الراكب للسائق غير صالحة
invalid origin city name in arabic	اسم مدينة الانطلاق غير صالح
invalid destination city name in arabic	اسم مدينة الوصول غير صالح
origin latitude must not be null	لم يتم إرسال خط العرض لنقطة الانطلاق
invalid origin latitude	خط العرض لنقطة الانطلاق غير صالح
origin longitude must not be null	لم يتم إرسال خط الطول لنقطة الانطلاق
invalid origin longitude	خط الطول لنقطة الانطلاق غير صالح
destination latitude must not be null	لم يتم إرسال إحداثيات خط العرض لنقطة الوصول
invalid destination latitude	خط العرض لنقطة الوصول غير صالح
destination longitude must not be null	لم يتم إرسال إحداثيات خط الطول لنقطة الوصول
invalid destination longitude	خط الطول لنقطة الوصول غير صالح
origin location out of saudi arabia	موقع الانطلاق خارج السعودية
destination location out of saudi arabia	موقع الوصول خارج السعودية
trip not found	لم يتم العثور على الرحلة
max number of trips per request exceeded	تم تجاوز الحد الأعلى للرحلات في الطلب الواحد
vehicle is not eligible in Wasl	المركبة غير مؤهلة في وصل

Message	Arabic Description
unknown	غير معرف

.....