


Component you may need

- 1. 24C08 EEPROM, or use the internal.
- 2. Temp sensor (LM35, or equivalent DS18B20).
- 3. Cooling Element (Peltier).
- 4. Heating Element (3d ceramic heater).
- 5. 7-segments.
- 6. LEDs.
- 7. Push Buttons.
- 8. Solid State Relays.
- 9. Cooling fins & fans.



Specifications –Heating Element Led

- If the "Heating Element" is ON, the "Heating Element Led" should blink every 1 second.
- 2. If the "Cooling Element" is OB, the "Heating Element Led" should be ON.

Specifications –Temperature Setting

- 1. The "Up" or "Down" buttons are used to change the required water temperature (set temperature).
- 2. The first "Up" or "Down" button press, enters the temperature setting mode.
- 3. After entering temperature setting mode, a single "Up" button press increase the set temperature by 5 degrees.
- 4. After entering temperature setting mode, a single "Down" button press decrease the set temperature by 5 degrees.
- 5. The minimum possible set temperature is 35 degrees.
- 6. The maximum possible set temperature is 75 degrees.
- 7. The "External E2PROM" should save the set temperature once set.
- 8. If the electric water heater is turned OFF then ON, the stored set temperature should be retrieved from the "External E2PROM".
- 9. The initial set temperature is 60 degrees.

Specifications –ON/OFF Behavior

- 1. If power is connected to the heater, the electric water heater is in OFF state.
- 2. If the "ON/OFF" button is released and the electric water heater is in OFF state, the electric water heater goes to ON state.
- 3. If the "ON/OFF" button is released and the electric water heater is in ON state, the electric water heater goes to OFF state.
- 4. In the OFF state, all display should be turned OFF.

Specifications –Seven Segments

- Seven segment by default show the current water temperature or the set temperature.
- 2. By default, the 2 seven segment display are show the current water temperature.
- 3. If the electric water heater is in the temperature setting mode, the 2 seven segment displays should blink every 1 second and show the set temperature.
- 4. In the temperature setting mode, every change in the set temperature should be reflected on the 2 seven segment displays.
- 5. The 2 seven segment display should exit the temperature setting mode, if the "UP" and "Down" buttons are not pressed for 5 seconds.

Specifications – Temperature Sensing

- 1. The temperature sensor measures the water temperature.
- 2. The water temperature should increase, if the "Heating Element" is ON.
- 3. The water temperature should decrease, if the "Cooling Element" is ON.
- Temperature should be sensed once every 100 ms.
- 5. The decision to turn ON or OFF either the "Heating Element" or the "Cooling Element" based on the average of the last 10 temperature readings.