

QNO. 21

Code

```
# --- Load Data & Libraries ---
library(ggplot2)
library(dplyr)

energy_data <- data.frame(
  Sector = c("Residential", "Commercial", "Industrial", "Residential", "Commercial",
"Industrial"),
  Region = c("North", "South", "West", "East", "North", "South"),
  Month = c("Jan", "Jan", "Feb", "Feb", "Mar", "Mar"),
  Temperature = c(15, 24, 20, 18, 28, 30),
  Units_Consumed = c(320, 540, 880, 350, 610, 920),
  Cost = c(2100, 3600, 5900, 2300, 4100, 6200),
  Renewable_Usage = c(22, 18, 12, 25, 20, 15),
  Peak_Hours = c(4, 6, 8, 5, 7, 9)
)

# 1. Histogram & Density Plot for Units_Consumed
p1 <- ggplot(energy_data, aes(x = Units_Consumed)) +
  geom_histogram(aes(y = after_stat(density)), binwidth = 150, fill = "#4E79A7", color =
"white", alpha = 0.7) +
  geom_density(color = "#E15759", linewidth = 1.2) +
  labs(title = "Distribution of Units Consumed", x = "Units Consumed (kWh)", y = "Density") +
  theme_minimal()
print(p1)


# 2. Bubble Plot: Temperature vs Units_Consumed with Peak_Hours size
p2 <- ggplot(energy_data, aes(x = Temperature, y = Units_Consumed, size = Peak_Hours, color =
Sector)) +
  geom_point(alpha = 0.65) +
  scale_size_continuous(range = c(4, 12)) +
  labs(title = "Temperature vs Units Consumed by Peak Hours", x = "Temperature (°C)", y = "Units
Consumed (kWh)") +
  theme_minimal()
print(p2)

# 3. Average Renewable Usage by Sector
avg_renew <- energy_data %>%
  group_by(Sector) %>%
  summarise(Avg_Renewable = mean(Renewable_Usage))

p3 <- ggplot(avg_renew, aes(x = Sector, y = Avg_Renewable, fill = Sector)) +
  geom_bar(stat = "identity", width = 0.5) +
  geom_text(aes(label = paste0(round(Avg_Renewable, 1), "%")), vjust = -0.4, fontface = "bold")
+
  labs(title = "Average Renewable Energy Usage by Sector", y = "Average Renewable Usage (%)") +
  theme_minimal()
print(p3)
```

```
# =====
# Tableau Steps
# =====
Tableau Workflow (Set 21):
1. Line Chart: Drag 'Month' to Columns, 'Units_Consumed' (SUM) to Rows.
2. Heatmap: Drag 'Region' to Columns, 'Sector' to Rows, 'Units_Consumed' to Color (Marks card: Square).
3. Filters: Drag 'Month' and 'Sector' to the Filters shelf -> Show Filter.
4. Dashboard: Create a new dashboard (1200x800), add Line Chart and Heatmap containers, align side-by-side, and enable filters across all worksheets.
```

Output



QNO.22

Code

```
# --- Load Data & Libraries ---
library(ggplot2)

sales_data <- data.frame(
  Month = factor(c("January", "February", "March", "April", "May"), levels = c("January",
"February", "March", "April", "May")),
  Month_Num = 1:5,
  Sales = c(15000, 18000, 22000, 20000, 23000),
  Ad_Budget = c(1200, 1500, 2000, 1700, 2100)
)
```


```
# 1. Time Series Line Chart for Monthly Sales
p1 <- ggplot(sales_data, aes(x = Month_Num, y = Sales)) +
  geom_line(color = "#2B579A", linewidth = 1.2) +
  geom_point(color = "#D9534F", size = 3.5) +
  scale_x_continuous(breaks = 1:5, labels = sales_data$Month) +
  labs(title = "Monthly Sales Trend (Jan - May)", x = "Month", y = "Sales ($)") +
  theme_minimal()
print(p1)

# 2. Scatter Plot: Ad Budget vs Sales
p2 <- ggplot(sales_data, aes(x = Ad_Budget, y = Sales)) +
  geom_point(color = "#28A745", size = 4) +
  geom_smooth(method = "lm", se = FALSE, color = "#333333", linetype = "dashed") +
  labs(title = "Advertising Budget vs Monthly Sales", x = "Ad Budget ($)", y = "Monthly Sales ($)") +
  theme_minimal()
print(p2)


# 4. Autocorrelation Plot (ACF)
acf_res <- acf(sales_data$Sales, plot = TRUE, main = "Autocorrelation of Monthly Sales")

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 22):
1. Line Chart: Drag 'Month' to Columns, 'Sales' (SUM) to Rows. Add data point markers.
2. Product Pie Chart: Drag 'Product' to Color, 'Sales' (SUM) to Angle (Marks: Pie). Add percentage labels.
3. Dashboard: Assemble Line Chart and Pie Chart in a horizontal tiled layout; configure interactive tooltips.
```


Output



Sorted Proportion of Total Votes (%)



Sorted Vote Share by Nominee (%)



QNO.23

Code :

```
# --- Load Data & Libraries ---
library(ggplot2)
library(dplyr)

emp_data <- data.frame(
  Emp_ID = 1:5,
  Department = c("Sales", "HR", "Marketing", "Sales", "HR"),
  Years_of_Service = c(5, 3, 7, 4, 2),
  Performance_Score = c(85, 92, 78, 90, 76)
)

# 1. Bar Chart: Employee Distribution Across Departments
p1 <- ggplot(emp_data, aes(x = Department, fill = Department)) +
  geom_bar(width = 0.5) +
  scale_y_continuous(breaks = 0:3) +
  labs(title = "Employee Count by Department", x = "Department", y = "Number of Employees") +
  theme_minimal() + theme(legend.position = "none")
print(p1)

# 2. Line Chart: Performance Trend Across Experience
p2 <- ggplot(emp_data %>% arrange(Years_of_Service), aes(x = Years_of_Service, y =
Performance_Score)) +
  geom_line(color = "#4E79A7", linewidth = 1.1) +
  geom_point(color = "#E15759", size = 3.5) +
  labs(title = "Performance Score vs Years of Service", x = "Years of Service", y = "Performance
Score") +
  theme_minimal()
print(p2)

# 4. Formatted Summary Table
print(knitr::kable(emp_data, caption = "Employee Performance Master Table"))

# =====
```



Tableau Steps

=====

Tableau Workflow (Set 23):

1. Department Bar Chart: Drag 'Department' to Columns, 'Number of Records' / CNT(Emp_ID) to Rows.
2. Scatter Plot: Drag 'Years of Service' to Columns, 'Performance Score' to Rows; add 'Emp_ID' to Detail.
3. Dashboard: Combine Bar Chart and Scatter Plot; add interactive cross-filtering by Department.

Output



QNO.24

Code

```
# --- Load Data & Libraries ---
library(ggplot2)

inv_data <- data.frame(
  Product_ID = 1:5,
  Product_Name = c("Product A", "Product B", "Product C", "Product D", "Product E"),
  Category = c("Electronics", "Apparel", "Electronics", "Home", "Apparel"),
  Quantity = c(250, 175, 300, 200, 220),
  Price = c(120, 45, 150, 60, 50)
)


# 1. Bar Chart: Quantity Available by Product
p1 <- ggplot(inv_data, aes(x = reorder(Product_Name, -Quantity), y = Quantity, fill =
Product_Name)) +
  geom_bar(stat = "identity", width = 0.5) +
  labs(title = "Inventory Quantity by Product", x = "Product", y = "Available Stock") +
  theme_minimal() + theme(legend.position = "none")
print(p1)
```

```
# 2. Stacked Bar Chart: Quantity by Category
p2 <- ggplot(inv_data, aes(x = Category, y = Quantity, fill = Product_Name)) +
  geom_bar(stat = "identity", position = "stack") +
  labs(title = "Stock Distribution by Category", x = "Category", y = "Total Quantity") +
  theme_minimal()
print(p2)

# 4. Scatter Plot: Price vs Quantity Available
p3 <- ggplot(inv_data, aes(x = Price, y = Quantity, label = Product_Name)) +
  geom_point(color = "#0072B2", size = 4) +
  geom_text(vjust = -1, size = 3.5) +
  labs(title = "Product Price vs Available Stock", x = "Unit Price ($)", y = "Stock Available")
+
  theme_minimal()
print(p3)

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 24):
1. Product Bar Chart: Drag 'Product Name' to Columns, 'Quantity' to Rows. Sort descending.
2. Category Stacked Bar: Drag 'Category' to Columns, 'Quantity' to Rows, 'Product Name' to Color.
3. Dashboard: Arrange views side-by-side; add Category quick filter for dynamic stock audits.
```

Output & Analytical Interpretation



QNO.25

Code

```
# --- Load Data & Libraries ---
library(ggplot2)
library(tidyr)
library(dplyr)

web_data <- data.frame(
  Date = as.Date(c("2023-01-01", "2023-01-02", "2023-01-03", "2023-01-04", "2023-01-05")),
  Page_Views = c(1500, 1600, 1400, 1650, 1800),
  CTR = c(2.3, 2.7, 2.0, 2.4, 2.6),
  Likes = c(120, 145, 100, 135, 160),
  Shares = c(45, 60, 35, 50, 70),
  Comments = c(25, 30, 18, 28, 40)
)



# 2. Bar Chart: Top N Days by Click-through Rate
p1 <- ggplot(web_data %>% arrange(desc(CTR)), aes(x = reorder(as.character(Date), -CTR), y = CTR)) +
  geom_bar(stat = "identity", fill = "#59A14F", width = 0.5) +
  geom_text(aes(label = paste0(CTR, "%")), vjust = -0.4) +
  labs(title = "Top Days Ranked by Click-through Rate (CTR)", x = "Date", y = "CTR (%)") +
  theme_minimal()
print(p1)

# 3. Stacked Area Chart: User Interactions
interact_long <- web_data %>%
  pivot_longer(cols = c("Likes", "Shares", "Comments"), names_to = "Interaction_Type", values_to = "Count")

p2 <- ggplot(interact_long, aes(x = Date, y = Count, fill = Interaction_Type)) +
  geom_area(alpha = 0.8, position = "stack") +
  labs(title = "Website User Interaction Volume Breakdown", x = "Date", y = "Total Interactions") +
  theme_minimal()
print(p2)

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 25):
1. Line Chart: Drag 'Date' (Day level) to Columns, 'Page Views' to Rows.
2. Interactive Map: Assign Geographic Roles to Country/Source; drag 'Page Views' to Size/Color.
3. Traffic Source Bar: Drag 'Source' to Columns, 'Page Views' to Rows.
4. Dashboard: Combine Line Chart, Geo Map, and Source Bar Chart with interactive Date slider filters.
```

Output & Analytical Interpretation



QNO.26

Code

```
# --- Load Data & Libraries ---
library(ggplot2)
library(dplyr)
library(zoo)

student_data <- data.frame(
  Student_ID = c("S01", "S02", "S03", "S04", "S05", "S06"),
  Gender = c("Male", "Female", "Male", "Female", "Male", "Female"),
  Study_Hours = c(2.0, 3.5, 1.5, 4.0, 2.8, 3.0),
  Attendance = c(78, 90, 70, 95, 85, 92),
  Math_Score = c(62, 80, 55, 90, 72, 82),
  Science_Score = c(65, 85, 58, 92, 74, 86),
  Exam_Date = as.Date(c("2025-01-10", "2025-01-10", "2025-02-12", "2025-02-12", "2025-03-15",
"2025-03-15"))
)

# 1. Histogram (Math) & Boxplot (Science by Gender)
p1 <- ggplot(student_data, aes(x = Math_Score)) +
  geom_histogram(binwidth = 10, fill = "#4E79A7", color = "white") +
  labs(title = "Distribution of Math Scores", x = "Math Score", y = "Count") + theme_minimal()

p2 <- ggplot(student_data, aes(x = Gender, y = Science_Score, fill = Gender)) +
  geom_boxplot(alpha = 0.7) +
  labs(title = "Science Score Distribution by Gender", x = "Gender", y = "Science Score") +
  theme_minimal()
print(p1); print(p2)

# 2. Scatter Plot: Study_Hours vs Math_Score with Regression Line
p3 <- ggplot(student_data, aes(x = Study_Hours, y = Math_Score, color = Gender)) +
  geom_point(size = 4) +
  geom_smooth(method = "lm", se = FALSE, color = "black", linetype = "dashed", inherit.aes =
FALSE, aes(x = Study_Hours, y = Math_Score)) +
  labs(title = "Study Hours vs Math Score Regression", x = "Daily Study Hours", y = "Math
```





```
Score") + theme_minimal()
print(p3)

# 3. Monthly Average Math Score & Moving Average Trend
monthly_trend <- student_data %>%
  mutate(Month = format(Exam_Date, "%Y-%m")) %>%
  group_by(Month) %>%
  summarise(Avg_Math = mean(Math_Score)) %>%
  mutate(Moving_Avg = rollmean(Avg_Math, k = 2, fill = NA, align = "right"))

p4 <- ggplot(monthly_trend, aes(x = Month, y = Avg_Math, group = 1)) +
  geom_line(color = "#1F77B4", linewidth = 1.2) +
  geom_point(size = 3) +
  geom_line(aes(y = Moving_Avg), color = "#FF7F0E", linetype = "dotted", linewidth = 1.1) +
  labs(title = "Monthly Average Math Scores & 2-Period Moving Average", y = "Average Math
Score") + theme_minimal()
print(p4)

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 26):
1. Gender Performance Bar: Drag 'Gender' to Columns, 'Math Score' (AVG) to Rows.
2. Score Trends Line: Drag 'Exam_Date' (Date) to Columns, 'Math Score' (AVG) and 'Science Score'
(AVG) to Rows.
3. Interactive Filter: Drag 'Exam_Date' to Filters shelf.
4. Dashboard: Create an executive overview dashboard linking date filters across views.
```

Output & Analytical Interpretation



QNO.27

Code

```
# --- Load Data & Libraries ---
library(ggplot2)
```

```

library(tidyr)
library(dplyr)

patient_data <- data.frame(
  Patient_ID = c("P1", "P2", "P3", "P4", "P5"),
  Age = c(25, 40, 55, 35, 60),
  BMI = c(22, 28, 30, 26, 32),
  BP = c(120, 135, 145, 130, 150),
  Cholesterol = c(180, 210, 240, 200, 260)
)

# 1. Scatterplot Matrix (Pairs Plot)
pairs(patient_data[, 2:5], main = "Pairwise Health Risk Indicator Matrix", col = "#2B579A", pch = 19)

# 2. Q-Q Plot and ECDF for Cholesterol Levels
par(mfrow = c(1, 2))
qqnorm(patient_data$Cholesterol, main = "Normal Q-Q Plot: Cholesterol")
qqline(patient_data$Cholesterol, col = "red", lwd = 2)

plot(ecdf(patient_data$Cholesterol), main = "ECDF: Cholesterol Levels", xlab = "Cholesterol",
ylab = "Fn(x)", col = "#28A745", lwd = 2)
par(mfrow = c(1, 1))



# 3. Bar Chart of Average Health Indicators
health_means <- patient_data %>%
  summarise(across(Age:Cholesterol, mean)) %>%
  pivot_longer(cols = everything(), names_to = "Indicator", values_to = "Average_Value")

p3 <- ggplot(health_means, aes(x = Indicator, y = Average_Value, fill = Indicator)) +
  geom_bar(stat = "identity", width = 0.5) +
  geom_text(aes(label = round(Average_Value, 1)), vjust = -0.4, fontface = "bold") +
  labs(title = "Average Values of Clinical Health Indicators", x = "Health Metric", y = "Mean Value") +
  theme_minimal()
print(p3)

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 27):
1. Heatmap: Drag 'Patient_ID' to Rows, Measure Names to Columns, Measure Values to Color (Marks: Square). Apply Red-Yellow-Green diverging palette.
2. Age Filter: Add 'Age' slider filter to isolate senior demographics.
3. Tooltips: Insert detailed tooltip card containing Age, BMI, BP, and Cholesterol levels.
4. Healthcare Triage Dashboard: Highlight high-risk patient cards at top for immediate clinical intervention.

```

Output & Analytical Interpretation



QNO.28

Code

```
# --- Load Data & Libraries ---
library(ggplot2)
library(corrplot)

vehicle_data <- data.frame(
  Vehicle_ID = c("V1", "V2", "V3", "V4", "V5"),
  Engine_Size = c(1.5, 2.0, 3.0, 2.5, 1.8),
  Horsepower = c(110, 150, 250, 200, 130),
  Fuel_Efficiency = c(18, 15, 12, 14, 17),
  Top_Speed = c(180, 200, 250, 220, 190),
  Safety_Rating = factor(c(4, 5, 5, 4, 3))
)

# 1. Violin Plot: Fuel Efficiency across Safety Ratings
p1 <- ggplot(vehicle_data, aes(x = Safety_Rating, y = Fuel_Efficiency, fill = Safety_Rating)) +
  geom_violin(trim = FALSE, alpha = 0.6) +
  geom_jitter(height = 0, width = 0.1, size = 2) +
  labs(title = "Fuel Efficiency Spread across Safety Ratings", x = "Safety Rating (Stars)", y =
"Fuel Efficiency (km/l)") +
  theme_minimal()
print(p1)



# 2. Scatter Plot: Horsepower vs Top_Speed colored by Engine_Size
p2 <- ggplot(vehicle_data, aes(x = Horsepower, y = Top_Speed, color = Engine_Size, size =
Engine_Size)) +
  geom_point() +
  scale_color_gradient(low = "#56B4E9", high = "#D55E00") +
  labs(title = "Horsepower vs Top Speed by Engine Size", x = "Horsepower (hp)", y = "Top Speed
(km/h)") +
  theme_minimal()
```

```
print(p2)

# 3. Correlation Heatmap for Numerical Variables
num_data <- vehicle_data[, c("Engine_Size", "Horsepower", "Fuel_Efficiency", "Top_Speed")]
corr_mat <- cor(num_data)
corrplot(corr_mat, method = "color", addCoef.col = "black", title = "Correlation Matrix", mar =
c(0,0,1,0))

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 28):
1. Scatter Plot: Drag 'Horsepower' to Columns, 'Top_Speed' to Rows, 'Engine_Size' to Size,
'Fuel_Efficiency' to Color.
2. Fuel vs Safety Bar: Drag 'Safety_Rating' to Columns, 'Fuel_Efficiency' (AVG) to Rows.
3. Interactive Filters: Add multi-select dropdown filters for Engine_Size and Safety_Rating.
4. Dashboard: Assemble an automotive balanced-scorecard dashboard identifying optimal eco-
performance vehicles.
```

Output & Analytical Interpretation



QNO.29

Code

```
# --- Load Data & Libraries ---
library(ggplot2)
library(tidyr)
library(dplyr)

acad_data <- data.frame(
  Student_ID = c("S1", "S2", "S3", "S4", "S5"),
  Age = c(19, 21, 20, 22, 23),
  Study_Hours = c(12, 8, 15, 10, 7),
```

```

Attendance = c(90, 70, 95, 85, 60),
Test_Score = c(85, 70, 92, 80, 65),
Participation_Score = c(8, 7, 9, 8, 6)
)

# 1. Stacked Area Chart: Test Score and Participation Score
acad_long <- acad_data %>%
  select(Student_ID, Test_Score, Participation_Score) %>%
  pivot_longer(cols = c("Test_Score", "Participation_Score"), names_to = "Metric", values_to =
"Score")

p1 <- ggplot(acad_long, aes(x = factor(Student_ID), y = Score, fill = Metric, group = Metric)) +
  geom_area(position = "stack", alpha = 0.75) +
  labs(title = "Stacked Area Chart of Academic Scores Across Students", x = "Student ID", y =
"Cumulative Score") +
  theme_minimal()
print(p1)

# 2. Boxplot: Study Hours by Attendance Quartiles
acad_data <- acad_data %>%
  mutate(Att_Quartile = ntile(Attendance, 3))




p2 <- ggplot(acad_data, aes(x = factor(Att_Quartile), y = Study_Hours, fill =
factor(Att_Quartile))) +
  geom_boxplot() +
  labs(title = "Study Hours Grouped by Attendance Tiers", x = "Attendance Tier (Low, Med,
High)", y = "Study Hours") +
  theme_minimal() + theme(legend.position = "none")
print(p2)

# 3. Density Plot for Test_Score
p3 <- ggplot(acad_data, aes(x = Test_Score)) +
  geom_density(fill = "#59A14F", alpha = 0.6) +
  geom_rug() +
  labs(title = "Density Distribution of Test Scores", x = "Test Score", y = "Density") +
  theme_minimal()
print(p3)

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 29):
1. Scatter Plot: Drag 'Study_Hours' to Columns, 'Test_Score' to Rows.
2. Color Encoding: Drag 'Participation_Score' to Color (continuous gradient).
3. Filter: Add 'Age' slider filter to explore age-related performance variances.
4. Dashboard: Create an academic advisor dashboard with student drill-down cards.

```

Output & Analytical Interpretation



Qno.30

Code

```
# --- Load Data & Libraries ---
library(ggplot2)
library(dplyr)

app_data <- data.frame(
  User_ID = c("U01", "U02", "U03", "U04", "U05", "U06"),
  Gender = c("Male", "Female", "Male", "Female", "Male", "Female"),
  Age = c(20, 22, 19, 21, 23, 20),
  Screen_Time = c(4.5, 6.0, 3.2, 7.1, 2.8, 5.4),
  App_Usage_Count = c(18, 25, 12, 30, 10, 22),
  Data_Used = c(2.4, 3.8, 1.6, 4.5, 1.2, 3.1),
  Satisfaction = c(3, 5, 3, 5, 2, 4),
  Usage_Date = as.Date(c("2025-01-08", "2025-01-08", "2025-02-11", "2025-02-11", "2025-03-14",
"2025-03-14"))
)

# 1. Histogram and Density Plot for Screen_Time
p1 <- ggplot(app_data, aes(x = Screen_Time)) +
  geom_histogram(aes(y = after_stat(density)), binwidth = 1.0, fill = "#4E79A7", color =
"white", alpha = 0.7) +
  geom_density(color = "#E15759", linewidth = 1.2) +
  labs(title = "Distribution of Daily Screen Time", x = "Screen Time (Hours)", y = "Density") +
  theme_minimal()
print(p1)

# 2. Scatter Plot: Data Used vs Screen Time with Correlation & Trend Line
cor_val <- cor(app_data$Data_Used, app_data$Screen_Time)
p2 <- ggplot(app_data, aes(x = Screen_Time, y = Data_Used)) +
  geom_point(color = "#2B579A", size = 3.5) +
  geom_smooth(method = "lm", color = "#D9534F", se = FALSE) +
```

```

    annotate("text", x = 4.0, y = 4.0, label = paste0("Correlation r = ", round(cor_val, 3)),
fontface = "bold") +
  labs(title = "Data Used vs Screen Time", x = "Screen Time (Hours)", y = "Data Used (GB)") +
  theme_minimal()
print(p2)

# 3. Bar Chart: Average Satisfaction by Gender
avg_sat <- app_data %>%
  group_by(Gender) %>%
  summarise(Avg_Satisfaction = mean(Satisfaction))

p3 <- ggplot(avg_sat, aes(x = Gender, y = Avg_Satisfaction, fill = Gender)) +
  geom_bar(stat = "identity", width = 0.4) +
  geom_text(aes(label = round(Avg_Satisfaction, 2)), vjust = -0.4, fontface = "bold") +
  labs(title = "Average User Satisfaction by Gender", y = "Satisfaction Rating (1-5)") +
  theme_minimal()
print(p3)

# =====
# Tableau Steps
# =====
Tableau Workflow (Set 30):
1. Bubble Chart: Drag 'Screen Time' to Columns, 'Data Used' to Rows, 'App Usage Count' to Size,
'Gender' to Color.
2. Usage Trends Line Chart: Drag 'Usage_Date' (Date) to Columns, 'Screen Time' (AVG) to Rows.
3. Filters: Add interactive quick filters for 'Gender' and 'Usage_Date'.
4. Mini Dashboard: Combine Bubble Chart and Usage Trends line graph for mobile product
analytics.

```

Output & Analytical Interpretation

