

# KAMUNATI — cinematic logo

## intro (build prompt)

Attach with this prompt: the logo PNG, `kamunati-nextjs.zip`, and the theme JPG.

### Task

You are a senior creative front-end engineer. In the attached Next.js project (App Router, plain JavaScript, Tailwind v4, no animation libraries), replace the current one-line "KAMUNATI" `Intro` in `app/components.js` with a premium, cinematic logo intro for a movie-streaming app. Keep the `<Intro onComplete />` API, the SKIP button and the `app/page.js` integration. No new runtime dependencies: SVG + CSS/Web Animations only.

### Files

- **Logo PNG = the final frame.** White on transparent (artwork  $\approx 2431 \times 1339$  px inside a  $3264 \times 3264$  canvas): "KAMU" stacked over "NATI" in heavy, interlocking letters. The animation must end on this exact lockup shape,

recolored with the gradient below. Crop it and vectorize it (potrace or vtracer) into one SVG path. Don't retype it with CSS text: `WILD-WORLD.otf` isn't in `public/fonts`, and the letters fuse together.

- **Theme JPG = look only.** A low-res portrait smoke image: take its colors and glowing-smoke mood, but don't stretch it as a background.

## Look

- Pitch-black `#000` stage.
- Letters filled with one midnight → vibe purple gradient across the whole lockup (bottom-left → top-right): `#4a148c` → `#7a1f9f` → `#d03eef`. The last two stops are sampled from the JPG; the dark end is lifted from its `#421154` so it still reads on black.
- Soft lavender bloom ( `#c4b5fd`, ~15-20% opacity, heavily blurred) behind the logo: it swells as letters grow, then stabilizes.
- Lavender edge glow, high contrast, minimal lighting, a very faint matte-floor reflection. Optional: barely visible smoke wisps at the screen edges (CSS gradients, ≤ 8% opacity).

## Sequence ( $\approx 6.5$ s, then a 0.4 s fade into the app → `onComplete` )

1. **0.0-0.3 s** Pure black.
2. **0.3-1.8 s** K at screen center: its stem fades in sharply with a subtle glow and a deep bass hit, then its arms grow out like ribbon branches (spanning-tree style) while the camera pushes in slowly.
3. **1.8-2.2 s** First A, unchanged: it expands outward from the K's diagonal stroke.
4. **2.1-3.1 s** M grows as a ribbon tree; U grows out of M.
5. **3.0-3.95 s** N grows; the second A grows out of N.
6. **3.8-4.55 s** T grows; I grows out of T.
7. **4.4-5.2 s** Camera pans and pulls back to the centered full lockup, glow stabilizes, one soft light sweep crosses the logo.
8. **Hold** the finished logo until 6.5 s.

## How to build it

- **Growth:** give each letter a skeleton, a small tree of centerline segments rooted where it attaches to the previous letter (U to M, second A to N, I to T). Reveal the glyph by animating `stroke-`

`dashoffset` on those segments inside an SVG `<mask>` (not `clipPath`, which ignores strokes): branch by branch, slight stagger, with a glowing lavender growth tip. The letters fuse in the lockup, so isolate each with a `<clipPath>` region and reuse the single path via `<use>`.

- **Motion:** cubic ease-out, no jitter, ultra clean.
- **Camera:** one wrapper transform. Start centered on the K ( $\approx 1.5\times$ ), push in slowly, then ease to  $1\times$  centered on the full lockup.
- **Bass hit:** synthesize with Web Audio (sine sweep  $\sim 60 \rightarrow 30$  Hz, short decay). If autoplay is blocked, stay silent.
- **Performance:** animate only mask strokes, transform and opacity. Bloom and glow are static pre-blurred layers. Smooth on mid-range phones.

## Behavior

- Fixed, full-viewport ( `100dvh` , safe-area aware). Scales to fit 16:9 desktop and portrait phones ( $\leq 88vw$  wide on phones).
- Shows once per session ( `sessionStorage` ). Skip via button or Esc. `onComplete` fires exactly once. No hydration mismatch.
- `prefers-reduced-motion` : show the final lockup for  $\sim 1$  s, no motion.

## **Deliver**

The updated `app/components.js` and `app/globals.css`, plus three lines on how to tweak timing and colors. Optional: a Playwright script that records the intro to a 1920×1080 MP4 for a native-app splash.